


Downee®

TRADE

PRODUCT LIST

2013





VISION

Downee aims to be the preferred supplier of fencing and hardware components to trade customers throughout Australia and New Zealand.

Key elements to our success are market knowledge and understanding, product innovation and motorised integration.

PRINCIPAL VALUES

Provide excellence in customer service through the following core behaviours:

1. Listen to our customers to fully understand their needs and business objectives.
2. Deliver the right solutions on time. Quality products at fair and competitive prices, supported with sound technical advice.
3. Prosper to enable investment in product development and to provide unique solutions for tomorrow.

ABOUT DOWNEE

Since 1953 Downee has led the development and innovation of gate and fence hardware, supplying the trade and retail industries with quality products that are built to last.

Today Downee, a subsidiary of RMD Industries Pty Ltd, has grown to be one of the largest, most trusted suppliers of gate and fencing products & accessories in Australia and New Zealand.

100% Australian owned and operated, with offices and warehouses in Sydney, Brisbane, Perth, Adelaide and Auckland, Downee's headquarters and National Distribution Centre are based in Melbourne.

Downee components will add quality to your workmanship and will help you succeed in the marketplace.

PIPE DIMENSIONS

NOMINAL BORE		OUTER DIAMETER	
METRIC	IMP	METRIC	IMP
15NB	½" NB	21.3 mm	27/32"
20NB	¾" NB	26.9 mm	1 1/16"
25NB	1" NB	33.7 mm	1 11/32"
32NB	1¼" NB	42.4 mm	1 11/16"
40NB	1½" NB	48.3 mm	1 29/32"
50NB	2" NB	60.3 mm	2 3/8"

NOMINAL BORE		OUTER DIAMETER	
METRIC	IMP	METRIC	IMP
65NB	2½" NB	73.0 mm 76.1 mm	2 7/8" 3"
80NB	3" NB	88.9 mm	3 1/2"
90NB	3½" NB	101.6 mm	4"
100NB	4" NB	114.3 mm	4 1/2"
125NB	5" NB	127.0 mm 139.7 mm 141.3 mm	5" 5 1/2" 5 18/32"
150NB	6" NB	165.1 mm 168.3 mm	6 1/2" 6 5/8"



Table of contents

Fence fittings	5
Chain Mesh	5
Temporary fence	8
Tubular	9
Decorative fittings	12
Spears - aluminium	12
Picket tops - aluminium	13
Post caps - aluminium	14
Lattice - aluminium	15
Safety gate	16
Latches	16
Hinges	16
Gate fittings	17
Gate latches	17
Swinging gate	19
Sliding gate	23
Cantilever	25
Automation	26
Sliding gate	26
Sliding gate kits	26
Racks for sliding gates	27
Swing gate	28
Accessories	29
Boom gates	30
Shading systems	31
Industrial sliding door components	32
Industrial shutter door components	34
Rural	35
Timber Post Fittings	35
Weld on fittings	36
Catches and latches	36
Stockyard components	37
Farmgate Packs	38
Building hardware	39
Fasteners & paints	40
Glass fittings	40



BRANCHES

Head Office

70 William Angliss Drive, Laverton North VIC 3026
T: 03 9364 8288 F: 03 9311 2030

Postal address:

PO Box 605, Sunshine VIC 3020
E: info@downee.com.au

VICTORIA SALES

70 William Angliss Drive, Laverton North VIC 3026
T: 03 9300 5160 F: 02 9725 3488
E: vicsales@downee.com.au

NEW SOUTH WALES SALES

2 Ross Place, Wetherill Park NSW 2146
T: 02 8785 5800 F: +61 2 9725 3488
E: nswsales@downee.com.au

QUEENSLAND SALES

Unit 18/140 Wecker Road, Mansfield QLD 4122
T: 07 3373 8511 F: 07 3373 8799
E: ordersqld@downee.com.au

SOUTH AUSTRALIA & NORTHERN TERRITORY SALES

505 Cross Keys Road, Cavan SA 5094
T: 08 8349 7339 F: 08 8349 7449
E: sasales@downee.com.au

WESTERN AUSTRALIA SALES


45 Millrose Drive, Malaga WA 6090
T: 08 9209 3700 F: 08 9209 3693
E: wasales@downee.com.au

FREIGHT TERMS:

Minimum order values apply for free delivery and are determined by region. Long product is also subject to additional freight charges.

EFT PAYMENT DETAILS:

ACCOUNT NAME: RMD INDUSTRIES PTY LTD
BSB: 083-355 ACCOUNT NUMBER: 515168064



DISCOUNT STRUCTURE

Chain mesh fittings	
Universal	
Standard	
Hinges	
Temporary	
Tubular fence fittings	
Steel caps	
Plastic caps	
Aluminium brackets	
Steel brackets	
Gate fittings	
Cantilever	
Sliding gate	
Swinging gate	
Gate latches	
Automation	
Motors, Kits and Boom gate	
Accessories	
Racks for sliding gates	
Decorative fittings	
Spears and Post tops	
Rings	
Lattice	
Industrial sliding door components	
Rural	
Building hardware	
Fasteners & paints	
Glass fittings	
Safety gate	



The images in this catalogue are provided as a guide only.




Fence Fittings

CHAIN MESH


UNIVERSAL FENCE FITTING SYSTEM



2,3,4 & UP TO 8 WAY ADJUSTABLE FITTING COMBINATIONS POSSIBLE



VERTICAL RAIL ADJUSTMENT FROM 30° TO 150° FOR FENCING UP SLOPES OR ADDING MULTIPLE INTEGRAL STAYS.




INSTALLATION NOTES:

1. ALL RAIL CLAMPS ARE COMPLETELY INTERCHANGEABLE WITH ALL POST CLAMPS.
2. FOR NEATNESS OF INSTALLATION POST CLAMP ATTACHMENT EAR IS HIDDEN BY FIRST RAIL CLAMP.

APPLICATIONS

SPORT OVALS - RACECOURSES - MULTI FACETED FENCES -
IRREGULARLY SHAPED ENCLOSURES - MULTIPLE ENCLOSURES
FENCING INTO TIGHT CORNERS - TENNIS COURTS - CRICKET NETS -
BASEBALL NETS - SHADE STRUCTURES - FENCING UP SLOPES

Universal Rail Clamps - Galvanised



Code	Butt (NB)	Ctn
UFFB25	25	40
UFFB32	32	30
UFFB40	40	30
UFFB50	50	20

- Bolts and nuts included

Universal Connector - Galvanised



Code	Ctn
UFFMPC	100

- Multi-purpose connector suitable with all post and rail clamps.
- Use for multi staying of posts, corner struts, raked fences and all add-on fencing situations.


Universal Post Clamps - Galvanised



Code	Thru (NB)	Ctn
UFFT25	25	50
UFFT32	32	40
UFFT40	40	40
UFFT50	50	40
UFFT65	65	30
UFFT80	80	20
UFFT100	100	20

- Bolts and nuts included

Wall Bracket Assembly - Galvanised



Code	Ctn
UFFWB	50


- Used with UFFB and UFFT (all combinations) for spacing and securing post from wall. Allows easy access for wire lacing and close fitment of post to wall
- Comprises: 1 x G20A - 1 Adjustable Bracket
4 x M10 Gal Washer
1 x M10x40 Bolt



Fence Fittings

CHAIN MESH


Fixed Corners - Galvanised



Code	Butt/Thru (NB)	Ctn
C2020	20/20	40
C2525	25/25	30
C2532	25/32	20
C2540	25/40	20
C2550	25/50	20
C3232	32/32	20
C3240	32/40	10
C3250	32/50	10
C4040	40/40	10
C4050	40/50	10
C5050	50/50	5

- Bolts and nuts included


Fixed T's - Galvanised



Code	Thru/Butt (NB)	Ctn
T1515	15/15	150
T2020	20/20	100
T2025	20/25	80
T2525	25/25	50
T2532	25/32	40
T2540	25/40	30
T3225	32/25	40
T3232	32/32	40
T3240	32/40	20
T3250	32/50	20
T4025	40/25	40
T4032	40/32	30
T4040	40/40	20
T4050	40/50	10
T5025	50/25	30
T5032	50/32	30
T5040	50/40	20
T5050	50/50	10
T6550	65/50	10
T8025	80/25	10
T8032	80/32	10
T8040	80/40	10
T8050	80/50	10

- Bolts and nuts included

Fixed Crosses - Galvanised




Code	Butt/Thru (NB)	Ctn
X2020	20/20	50
X2525	25/25	30
X2532	25/32	20
X2540	25/40	30
X2550	25/50	20
X3232	32/32	20
X3240	32/40	20
X3250	32/50	10
X4040	40/40	20
X4050	40/50	10
X5050	50/50	10
X5065	50/65	10

- Bolts and nuts included

CHAIN MESH


Round Post Caps - Galvanised - Galvabond

Galvanised



Code	Pipe (NB)	Ctn
K20	20	200
K25	25	150
K32	32	100
K40	40	80
K50	50	50
K65	65	30
K80	80	20
K90	90	20
K100	100	20

Galvabond



Code	Pipe (NB)	Ctn
K19GB	19	1000
K20GB	20	300
K25GB	25	150
K32GB	32	100
K40GB	40	80
K50GB	50	50
K65GB	65	30
K80GB	80	40
K90GB	90	20
K100GB	100	20
K125GB	125	20
K150GB	150	10

Speedee Sleeve - External Pipe Joiners - Galvanised



Code	Pipe (NB)	Length	Ctn
SS25	25	200	30
SS32	32	200	25
SS40	40	200	20
SS50	50	200	10


Chain Mesh fittings are also available in a black powder coat finish. Please enquire.



Fence Fittings

CHAIN MESH

Oval Flanges - Galvanised




Code	Pipe (NB)	Ctn
F20	20	100
F25	25	100
F32	32	50
F40	40	30
F50	50	30

Round Flanges - Galvanised




Code	Pipe (NB)	Ctn
F32R	32	20
F40R	40	20
F50R	50	20

Heavy Duty Square Flanges - Galvanised



Code	Pipe (NB)	Ctn
F32H	32	30
F40H	40	30
F50H	50	20

Long Plate Gudgeons - with Plastic Bush - Galvanised



Code	Pipe (NB)	Ctn
G12	20	50
G13	25	50
G15	32	40

Heavy Duty Short Plate Bolt Gudgeon - 50mm Steel Pin - Galvanised



Code	Pipe (NB)	Ctn
G24	20	50
G22	25	50
G23	32	30

Light Duty Short Plate Gudgeon with Plastic Bush - Galvanised



Code	Pipe (NB)	Ctn
G40	20	50
G41	25	50
G43	32	40

Hinges - Galvanised



Clamp-On

Clamp-On

Code	Post/Gate (NB)	Ctn
H2020	20/20	30
H2525	25/25	20
H3220	32/20	20
H3225	32/25	20
H4020	40/20	20
H5020	50/20	20

CHAIN MESH

Hinges - Galvanised



Two Part Hinge + Attachment



Two Part Interlocking Hinge + Attachment



Strap Type Hinge + Attachment

Two Part Hinge + Attachment

Code	Post/Gate (NB)	Ctn
H4025	40/25	20
H4032	40/32	20
H5032	50/32	20


Two Part Interlocking Hinge + Attachment

Code	Post/Gate (NB)	Ctn
H5025D	50/25	20
H8025D	80/25	10
H8032D	80/32	10

Strap Type Hinges + Attachment

Code	Post/Gate (NB)	Ctn
H8040	80/40	10
H10025	100/25	10
H10032	100/32	10
H10040	100/40	10


Pipe Hinge Straps - Loose Fit - Galvanised



Code	Pipe/Width (NB)	Ctn
S1	20/25	100
S2	25/25	50
S3	25/40	30
S4	32/40	30
S5*	40/40	30
S6*	50/40	30


* Backing strap and plate not available

Pipe Straps - Tight Fit - Galvanised



Code	Pipe/Width (NB)	Ctn
S1T	20/25	100
S2T	25/25	70
S3T	25/40	30
S4T	32/40	30
S5T	40/40	30


Hinge Strap Attachments - Galvanised



Code	Suit	Ctn
A1	S1	200
A2	S2	200
A3	S3	100
A4	S4	100

• Use with Pipe Hinge Straps

Backing Plates - Galvanised



Code	Suits	Ctn
BP1	S1	100
BP2	S2	100
BP3	S3	100
BP4	S4	100

• Use with Pipe Hinge Straps



Fence Fittings

CHAIN MESH

Drop Bolts - Galvanised




Code	Size	Ctn
GDB260	260xø16	20
GDB370	370xø16	20
GDB430	430xø20	10
GDB600	600xø16	10
GDB850	850xø16	10

- Lugs sold separately

CHAIN MESH


TEMPORARY FENCE FITTING

Temporary Fence Clamps - Galvanised



Code	Pipe (NB)	Ctn
TFCN2525	25/25	50
TFCN3232	32/32	20
TFCN4040	40/40	20
TFCN5050	50/50	20


Flag Pin Drop Bolts - Galvanised



Code	Size	Ctn
FPDB900	900xø16	5
FPDB1050	1050xø16	5
FPDB1200	1200xø16	5
FPDB1500	1500xø16	5

- Lugs sold separately


Temporary Fence Clamp Hinge - Galvanised



Code	Pipe (NB)	Minimum
THC4025	40/25	20
THC4040	40/40	10
THC5050	50/50	10

- MADE TO ORDER ONLY

Security Drop Bolts - Galvanised



Code	Size	Ctn
FPDS900	900xø16	5
FPDS1200	1200xø16	5

- Lugs sold separately

Strap Gudgeon Hinge - Galvanised



Code	Post size	Ctn
SGH080	80NB	10
SGH100	100NB	10
SGH150	150NB	5

- Use with WOS20 (sold separately)


Drop Bolt Lugs - Galvanised



Code	Size	Ctn
L2	ø16	200prs
L3	ø20	150prs

- 1 x Plain + 1 x Slotted

Gate Entry Brace & Shoot Bolt - Galvanised



Corner Bar

Code	Length	Ctn
GEB12	190x110xø12	30

Shoot Bolt - Galvanised


Code	Length	Ctn
B8	150mm	30
B9	270mm	20



Fence Fittings

TUBULAR

Square Tube Caps - Domed



Galvabond

Code	Tube	Ctn
K25MSGGB	25x25	300
K35MSGGB	35x35	150
K40MSGGB	40x40	150
K50MSGGB	50x50	100
K60MSGGB	60x60	50
K65MSGGB	65x65	50
K75MSGGB	75x75	60
K90MSGGB	90x90	20
K100MSGGB	100x100	30
K150MSGGB	150x150	20

Cast Aluminium

Code	Tube	Ctn
PC5	50x50	100
PC6	65x65	100

TUBULAR

Square Tube Plastic Caps - Flat - Polypropylene



Plain Caps


Code	Pipe	Thickness
PC1212BL	12x12	1.6
PC1919BL	19x19	1.2-1.6
PC2525BL	25x25	1.2-1.6
PC3030BL	30x30	1.2-1.6
PC3535BL	35x35	1.6
PC3825BL	38x25	1.2-1.6
PC4040BL	40x40	1.6
PC5025BL	50x25	1.2-1.6
PC5050FLAT	50x50	1.6-2.0
PC5735BL	57x35	1.6
PC6438BL	64x38	1.6-2.0
PC6535BL	65x35	2.0
PC7550F	75x50	1.6-2.0
PC10050F	100x50	1.6-2.0
PC15050F	150x50	1.6-2.0

NOTE - Plain caps 40mm and larger do not have ribs

Square Tube Caps - Flat - Galvabond




Code	Tube	Ctn
K90MSGBF	90x90	20
K100MSGBF	100x100	30



Deluxe Ribbed Caps

Code	Pipe	Thickness
IPC2525	25x25	1.0-3.0
IPC4040	40x40	2.6-4.0
IPC4040-1	40x40	1.0-3.0
IPC5025	50x25	1.25-3.0
IPC5050	50x50	0.8-3.0
IPC5050-5	50x50	3.0-5.0
IPC6060	60x60	1.6-3.5
IPC6565	65x65	2.0-4.5
IPC7525	75x25	1.0-3.0
IPC7550	75x50	1.6-4.0
IPC7575	75x75	2.0-4.5
IPC7638	76.2x38.1	1.2-3.5
IPC8040	80x40	1.0-3.0
IPC9090	90x90	3.0-5.0
IPC10050	100x50	1.6-4.0
IPC100100	100x100	1.0-4.0
IPC125125	125x125	3.0-6.0
IPC150150	150x150	3.0-6.0

Square Tube Plastic Caps - Domed - Polypropylene



Code	Tube	Ctn
PC5050BL	50x50x2.0-2.5	100
PC6060BL	60x60x2.0-2.5	100
PC6565BL	65x65x2.0-2.5	40

Round Tube - Plastic Caps - Polypropylene

Plain Caps

Code	OD Tube
PC16BL	ø16x1.2-1.6
PC19BL	ø19x1.2-1.6
PC22BL	ø22x1.2-1.6
PC25BL	ø25x1.2-1.6
PC28BL	ø28x1.2-1.6
PC32BL	ø32x1.2-1.6
PC50BL	ø50x1.2-1.6

Deluxe Ribbed Caps

Code	NB Pipe
IPC25NB	25NB
IPC32NB	32NB
IPC40NB	40NB
IPC50NB	50NB
IPC50OD	50OD
IPC60NB	60NB
IPC65NB	65NB
IPC90NB	90NB





Fence Fittings

TUBULAR

Rail Brackets - Cast Aluminium



Horizontal - Single Lug - 1 Fixing Hole		
Code	Rail	Ctn
FB25H	25x25	180
FB30H	30x30	150
FB32H	32x32	150



Horizontal - Single Lug - 2 Fixing Holes		
Code	Rail	Ctn
FB38H	38x25	120



Plain - Single Lug - 2 Fixing Holes		
Code	Rail	Ctn
FB38P	38x25	90
FB40P	40x40	80



Multi-direction - Single Lug - 2 Fixing Holes		
Code	Rail	Ctn
FB38MD	38x25	100

* 15° Vertical 6° Horizontal



Plain - Single Lug - 1 Fixing Hole		
Code	Rail	Ctn
FB40X8P	40x8	200
FB40X10P	40x10	200



Vertical - Single Lug			
Code	Holes	Rail	Ctn
FB25V	1	25x25	180
FB30V	1	30x30	150
FB32V	1	32x32	150
FB38V	2	38x25	120




Plain - Single Lug - 2 Fixing Holes		
Code	Rail	Ctn
FB50P	50x50	25

Rail Brackets - Cast Aluminium

FB25HDL		Horizontal - Double Lug - 2 Fixing Holes		
		Code	Rail	Ctn
		FB25HDL	25x25	150
		FB30HDL	30x30	130
FB30HDLO		Horizontal - Offset Lug - 3 Fixing Holes		
		Code	Rail	Ctn
		FB38HDLO	38x25	120
		Plain - Double Lug - 2 Fixing Holes		
FB2538PDL		Code	Rail	Ctn
		FB2538PDL	25x38	90
		Plain - Double Lug - 4 Fixing Holes		
		Code	Rail	Ctn
FB40PDL		FB40PDL	40x40	60
		Plain - Double Lug - 4 Holes + Security Fixing Hole		
		Code	Rail	Ctn
		FB50PDL	50x50	25
FB31.8R		Round		
		Code	Rail	Ctn
		FB31.8R	ø31.8mm	120


TUBULAR

Rail Brackets - Single Lug - Steel - Zinc Plated




Code	Rail	Holes	Ctn
RFB2525-2Z	25x25	2	100
RFB3030-2Z	30x30	2	100
RFB3825-2Z	38x25	2	100

Rail Brackets - Double Lug - Steel - Zinc Plated



Code	Rail	Holes	Ctn
DFB2525-2Z	25x25	2	100
DFB3030-2Z	30x30	2	100
DFB3030-2DZ	30x30	2 Diag	100
DFB3825-2Z	38x25	2	100
DFB3825-2DZ	38x25	2 Diag	100
DFB4040-2Z	40x40	2	100
DFB4040-2DZ	40x40	2 Diag	100
DFB4040-4Z	40x40	4	100

Adjustable Rail Bracket & Adaptor



Adjustable Rail Bracket - 2 Fixing Holes

Code	Rail	Ctn
RBA2525	25x25x1.2-1.6	50

Adaptors - Click Fit to Rail Bracket

Code	Rail	Ctn
AD3030	30x30x1.2-1.6	100
AD3825	38x25x1.2-1.6	100
AD4040	40x40x1.2-1.6	100

- For 30x30, 38x25 & 40x40 rails an appropriate adaptor attached to rail bracket is required.
- Australian Design Registered

Security Rail Brackets - Galvanised



Code	Tube	Ctn
SRB620-92	40x40	50
SRBA628-92*	40x40	50

- *Adjustable.
- *attach to post and rail by pop rivetting.

Cover Sleeve - To Suit SRB620-92


Code	Ctn
CUSMS	200

Rail Tube End Bracket - Galvanised



Code	Suits	Ctn
TEB3825	38x25x1.6	100

Rail Tube End Brackets - Plastic - Black




Code	Suits	Ctn
PEC3825BL	38x25x1.6	100



Fence Fittings

TUBULAR

Rail Angle Brackets




Code	Material	Size
RAB2030A	ALU	20x30x20
RAB3030	GAL	30x30x20
RAB30x30A	ALU	30x30x20
RAB35X35	GAL	36x36x20
RAB3050	GAL	30x50x20
G14	GAL	114x50x130

Fence Panel 'U' Clips



Code	Finish	Ctn
UC8/10	Galvabond	500
UC8/10G	Galvanised	500
UC19G	Galvanised	500




'U' Clip/Panel Fixing Kit

Code	Ctn
FITS/TEK20PP	20


- Contains 20 of UC8/10G and 20 14x10x25 self drilling screws.

Timber Rail Holder Bracket - Galvanised



Code	Suits	Ctn
RHB7553P	75x53 Timber	50

Timber Rail Joiner Bracket - Galvabond




Code	Dimensions	Ctn
J7154	120x7x54	50

Rail Plates - Galvanised




Code	Dimensions	Ctn
G86	153x40x5	50

Rail Saddles - Galvabond



Code	Suits	Ctn
RS3825	38x25	100
RS4040	40x40	100


Rail Joiners - Galvabond



Code	Suits	Ctn
RJ3825	38x25x1.6	50

TUBULAR


Post Brackets - 50x50x1.6 Tube - Galvanised



Code	Type	Ctn
PB130-C	4 hole, centered	4
PB130-O	4 hole, offset	4


Code	Type	Ctn
PB13050	2 hole	12

Shark Fin - Galvanised



Code	Base	Ctn
SF1	150x100	5

Flange Plate - Weld on



Code	Dimensions	Ctn
F130S50	130x130x5	20

Galvanised

Code	Size	Holes	Ctn
F100SP	100x100x5	4	40
F130SP	130x130x5	4	20
RFP11350-2	113x50x5	2	20
RFP15075-2	150x75x5	2	30
RFP20095-2	200x95x8	2	10
RFP13090-4	130x90x5	4	20
RFP150100-4	150x100x5	4	20

Zinc Plated


Code	Size	Holes	Ctn
RFP13080-2	130x80x5	2	30
RFP130100-4	130x100x5	4	20
RFP130130-4	130x130x10	4	10

Square Post Extensions



Code	Suits	Length	Ctn
PEXT50	50x50mm	350mm	10

Base cover



Code	Ctn
PLASTICBLA	30

- Comes ready to fit 38x25 posts. Snap out panels allow fittings to suit 40x25, 40x40, and 50x50 posts.
- Suits RFP11350-2 Flange Plate.



Decorative Fittings

SPEARS - Aluminium

Lilium - Female



Code	To Fit	Size	Ctn
SPU9	ø16	150x65	60
SPU33	ø19	150x65	60

SPEARS - Aluminium

Cardinal - Female



Code	To Fit	Size	Ctn
SPQ19	ø15.9	110x30	100
SPQ1	ø16	110x30	100
SPQ15	ø19	110x30	100
SPQ21	19SQ	110x30	100

Clover - Female



Code	To Fit	Size	Ctn
SPG19	ø15.9	100x47	200
SPG1	ø16	100x47	200
SPG15	ø19	100x47	200

Cardinal - Male



Code	To Fit	Size	Ctn
SPQ7	ø19	110x30	100

Fleur de lis - Female



Code	To Fit	Size	Ctn
SPJN19	ø15.9	100x49	125
SPJN1	ø16	100x49	125
SPJN15	ø19	100x49	125

Acorn - Female



Code	To Fit	Size	Ctn
SPL19	ø15.9	55x32	250
SPL1	ø16	55x32	250
SPL15	ø19	55x32	250

Fleur de lis - Female



Code	To Fit	Size	Ctn
SPJ2	ø12	100x68	125
SPJ19	ø15.9	100x68	125
SPJ1	ø16	100x68	125
SPJ15	ø19	100x68	125

Bishop - Female



Code	To Fit	Size	Ctn
SPM83	ø19	170x98	40

Fleur de lis - Male



Code	To Fit	Size	Ctn
SPJ13	ø15.9x1.2 ø16x1.2	100x68	125
SPJ7	ø19x1.2	100x68	125
SPJ17	19SQx1.2 20SQx1.6	100x68	125

Aston - Male



Code	To Fit	Size	Ctn
SPS13	ø15.9x1.2 ø16x1.2	89x45	150
SPS7	ø19x1.2	89x45	150
SPS17	19SQx1.2 20SQx1.6	89x45	150
SPS40	25.4SQx1.2	89x45	150
SPS43	25.4SQx1.6	89x45	150



Decorative Fittings

SPEARS - Aluminium

Melrose - Female



Code	To Fit	Size	Ctn
SPT31	ø15.9	150x30	80
SPT9	ø16	150x30	80
SPT33	ø19	150x30	80
SPT8	ø20	150x30	80

PICKET TOPS - Aluminium

Windsor



Code	Size	To Fit	Ctn
PITWIN	100x55	75x16x0.9	60

Melrose 8 sided- Male



Code	To Fit	Size	Ctn
SPT1	ø16	100x28	150
SPT2	ø19	100x28	150

Kenilworth



Code	Type	Size	To Fit	Ctn
PITFLAT	Low Profile	50x5	50x10x0.9	400
PITKENISR	Round	50xR25	50x10x0.9	350

Melrose - Male



Code	To Fit	Size	Ctn
SPT13	ø15.9x1.2 ø16x1.2	110x28	220
SPT7	ø19x1.2	110x28	200
SPT17	19SQx1.2 20SQx1.6	110x28	200

Code	To Fit	Size	Ctn
SPT36	ø15.9x1.2 ø16x1.2	150x38	80
SPT38	ø19x1.2	150x38	80
SPT37	19SQx1.2	150x38	80
SPT41	25.4SQx1.2	150x38	80
SPT42	25.4SQx1.6	150x38	80
SPT43	25.4SQx1.2	150x38	80

Stonnington



Code	Type	Size	To Fit	Ctn
Stonnington Small				
PITSTONSP	Plain	115x50	50x10x0.9	150
PITSTONSF	Fancy	115x50	50x10x0.9	150

Stonnington Large - For use with Aluminium tube				
PITSTONLP	Plain	140x65	65x16x1.2	60
PITSTONLF	Fancy	140x65	65x16x1.2	60

Camden -Female



Code	To Fit	Size	Ctn
SPC19	ø15.9	100x42	200
SPC1	ø16	100x42	200
SPC15	ø19	100x42	200

Code	To Fit	Size	Ctn
SPC31	ø15.9	150x62	60
SPC9	ø16	150x62	60

Camden - Female



Code	To Fit	Size	Ctn
SPW9	ø16	150x62	60
SPW33	ø19	150x62	60



Decorative Fittings

POST CAPS - Aluminium

Ball - Square Tube



Square tube female



Square tube male

Code	To Fit	Size
Square Tube - Female		
PT50F	50SQ	95Hxø50
Square Tube - Male		
PT50M	50SQx1.6	105Hxø53
	50.8SQx2.0	
PT65M	65SQx1.6-2.5	115Hxø65
PT75M	75SQx2.3-4.0	125Hxø75
PT100M	100SQx2.5-4.0	165Hxø100

Ball - Round Pipe



Code	To Fit	Size
Galvanised Pipe - Male		
PT50NBM	50NB	115Hxø65
PT90NBM	90NB	170Hxø90
PT100NBM	100NB	194Hxø105

Victorian Post Cap



Code	To Fit	Size
PTVPC100	125SQ	230 High
PTVPC125	150SQ	290 High
PTVCSP*		

* Victorian Spear Kit: spear 150 high + Stud + Nut (cap not included).
Cap with min. 44ø area

Post Supports & Post Bases



Postmaster

Postmaster Verandah Post Supports

Code	Description	To Fit
PMA90M	172x172x75	90SQ
PMA100M	172x172x75	100SQ



Code	Size	Ctn
FCA4040	40x40	200
FCA5050	50x50	200

Post base 100x100
Concealed Fixing

Post Bases - Cast Aluminium

Code	Description	To Fit
PBA100SH	Concealed fixing	50sqx1.6
PBA100FH	4 hole external fixing	50sqx1.6

* Registered Design. Tested & Complies to AS1926.1

Post base 100x100
4 hole Fixing

ACCESSORIES - Aluminium

Clip Ons



Code	Size	Ctn
CO-SANTA-ANA	390x170mm	230 High

Clip Ons



Code	To Fit	Size	Ctn
FENDECS-16	16.0	45x45mm	125
FENDECS-19	19.0		125

Fence Panel Rings - Aluminium with Mill Finish



Code	Size	Ctn
FPRA78-8	78x8	100
FPRA90-8	90x8	100

Code	Size	Ctn
FPRA78-10	78x10	100
FPRA100-10	100x10	100

Fence Panel Rings - Steel with Gold Passivate



Code	Size	Ctn
FPRZ78-8	78x8	100
FPRZ82-8	82x8	100
FPRZ90-8	90x8	100
FPRZ100-8	100x8	100

Code	Size	Ctn
FPRZ90-10	90x10	100

Decorators



2 part interlocking - Steel

Code	Size	Ctn
DFCZ	120x120	100



Die casting Aluminium


Code	Size	Ctn
DFSA	120x120	100



Decorative Fittings

LATTICE - Aluminium

Corner & Frieze



Westminister

Code	Type	Size
CORWESM	Corner	400x400
FRIWESM	Frieze	800x75

Dorrington

Code	Type	Size
CORDORM	Corner	400x450
FRIDORM	Frieze	800x135

Droppers - Small - to suit Westminister & Dorrington Frieze



Suits Westminister & Dorrington

Code	Size
FDRSM	220x50


Brackets



Jasmine

Code	Size
BRAJASM	440x440

Newels - Double Sided - Mill Finish



Heritage

Code	Size with lugs
NEWHERM	910x200

Kirby

Code	Size with lugs
NEWKIRM	850x180

Huntley

Code	Size with lugs
NEWHUNM	882x210

Glamis

Code	Size with lugs
NEWGLAM	810x215

Sunflower

Code	Size with lugs
NEWSUNM	814x195

LATTICE - Aluminium


Panels - Double sided - Mill Finish



Boxley

Boxley

Code	Size with lugs
PANBOXM	810x450



Contemporary

Contemporary

Code	Size with lugs
PANCONM	920x842x16.5



Croxden

Croxden


Code	Size with lugs
PANCROM	695x375



Derby

Derby

Code	Size with lugs
PANDERM	885x480



Durham

Durham

Code	Size with lugs
PANDURM	790x255



Hendon

Hendon

Code	Size with lugs
PANHENM	720x410



Heritage

Heritage

Code	Size with lugs
PANHERM	940x500



Reading

Reading

Code	Size with lugs
PANREAM	825x345



Safety Gate

LATCHES

Top Pull Latch - Lockable




Code	Ctn
DPL1000	10

• Kits available:

Code	Ctn
DPK1100 (DPL1000 + DPH110)	5 ea
DPK1200 (DPL1000 + DPH120)	5 ea
DPK2000 (DPL1000 + DPH200)	5 ea
DPK2100 (DPL1000 + DPH210)	5 ea


HINGES

Light Duty - Self-closing hinges rated to close 20Kgs per pair




Plain

Code	Ctn
DPH100	20



Self Closing

Code	Ctn
DPH110	20



Self Closing, Adjustable Tension

Code	Ctn
DPH120	20

Gravity Latch



Code	Fence Post (SQ)	Ctn
DPG100	35-125	10 ea




Code	Fence Post (SQ)	Ctn
DPG200	40-125	5 ea



Code	Fence Post (SQ)	Ctn
DPG300	50-125	5 ea

Medium Duty - Self-closing hinges rated to close 45Kgs per pair




Adjustable Tension

Code	Rating	Ctn
DPH200		20

DPHGGK Glass kit, incl. back plate and fasteners for DPH200

DPHGKS Glass kit, incl. back plates and fasteners for DPH200 and Side Pull



Adjustable Tension, with alignment legs

Code	Ctn
DPH210	20




Adjustable Tension, Wide Leaf

Code	Ctn
DPH220	5



Adjustable Tension, Adjustable Wide Leaf

Code	Ctn
DPH230	5



Adjustable Tension, Adjustable Round Post Legs

Code	Ctn
DPH240	5



Safety Cap for Medium Duty Hinge

Code	Ctn
DPH250	10

Side Pull



Code	Ctn
DPL900	ea

Handle



Code	Ctn
DPH300	50

Manta Dual Side Magnetic Latch



Code	Gate Frame	Ctn
Manta	50-80	3 ea



Gate Fittings

GATE LATCHES

Gate Lock - Black



Code	Gate Frame
73-40BLACK	40
73-50BLACK	50

GATE LATCHES

Lock & Handle - To Suit Steel Privacy Gate



Code
G62

- Includes locking handle, latch/rear handle, guide, keeper and screw
- 2 keys supplied

Gate Lock - Mill



Code	Gate Frame
73-40MILL	40
73-50MILL	50

Coil Type Spring - Zinc Plated



Code	Description
G305	360mm Long

- Tension Adjuster and Lock Pin

Aluminium Striker for Gate Lock 73




Code
73-AS

Hasp & Staple - Heavy Duty - Zinc Plated




Code	Size
G58	183 x 48

Secura-Gate Spring Loaded Gate Lock & Gravity latch



Code	Ctn
P705L	20 ea

Broadhurst Lock Kits



Code	Description	Ctn
BHL	Broadhurst lock	ea
BHLDL*	Double lock box kit	ea
BHLLB	lock box	ea

*CONTENTS DOUBLE LOCK BOX KIT


- 2 x Lock Boxes
- 1 x Slide Bar
- 1 x Slide Bar Catch For Single Gate
- 1 x Slide Bar Catch for Double Gates
- 1 x Lock Box Plate



Gate Fittings

GATE LATCHES

Bolt-On 'D' Latches & Strikers - Flat



Zinc Plated

Code		Ctn
CAC28	Latch	50
BTS28	Striker	50
BTS29	Striker (offset)	50

Galvanised

Code		Ctn
CAC28G	Latch	50
BTS28G	Striker	50

Stainless Steel


Code		Ctn
DLKSS	Latch & Striker	50

Pack Set - Latch, striker and handle

Code	Finish	Ctn
DLKPP	Zinc	30
DLKSSPP	Stainless steel	30


GATE LATCHES

Striker Anti Rattle Sleeve - Black Vinyl



Code	Suits	Ctn
SARS	All Strikers	50


Two Way Catches - Zinc Plated



Code	Suits	Ctn
CAC5	20NB	20
CAC6	25 / 32 NB	20


- Catch can be made 'one way' by moving the locking fixture to one end

'D' Latch & Striker - Round Post - Bolt On - Zinc Plated




Code	Description	Ctn
CAC29	Latch	50
BTS28R	Striker	50

'D' latch & Strikers - Round Post - Weld On - Zinc Plated




Code		Ctn
CAC26	Latch	50
CAC26WS	Striker	100

Weld-On 'D' latch & Strikers - Square Post Weld On



Code	Description	Ctn
CAC27	Latch	50
CAC27WS	Striker	50

'D' Latch Handles



Zinc Plated

Code	Length	Ctn
TB28-170	170	50
TB28-230	230	50

Stainless Steel

Code	Length	Ctn
TB28-170SS	170	50

Drop Bolt + Slide Plates - Locking



Code	Bolt Length	Ctn
B13L	300	30
B15L	400	20
B15LG	400	20
B17L	500	20


Gate Pad Bolts

Zinc Plated

Code	Bolt length
G17G	100
G18D	150
GPBL10	210

Galvanised

Code	Bolt length
G18DGAL	150



Bolt-On "D" Latch - Stainless Steel



Code	Description
GRAMLS	Latch & Striker
RGRAMHAN	Handle


- Handle is universal - can be used for right or left side



Gate Fittings

SWINGING GATE


Hinges - Zinc Plated



Code		Ctn
PH75	Zinc Plated	30 pr
PH75SS	Stainless Steel	30 pr

SWINGING GATE


Rising Hinges - Zinc Plated



Code	Rating	Ctn
G7R	80kg	1 pr
G7L	80kg	1 pr


• Both Top & Bottom hinges provided

Ball Bearing Security Hinge - Weld on - Heavy Duty



Code	Rating	Ctn
G121R	1000kg	5 pr
G121L	1000kg	5 pr

Ball Bearing Gate Hinge - Bolt-on - Loose Pin




Zinc Plated

Code	Rating	Ctn
G1R	800kg	12 pr
G1L	800kg	12 pr

Galvanised

Code	Rating	Ctn
G1RGAL	800kg	12 pr
G1LGAL	800kg	12 pr

Double Butt Ball Bearing Hinge - Bolt on




Zinc Plated

Code	Rating	Ctn
G8R	800kg	15 pr
G8L	800kg	15 pr

Galvanised


Code	Rating	Ctn
G8RGAL	800kg	15 pr
G8LGAL	800kg	15 pr

Scotch T Hinges - Galvanised - Brass Pin



Code	Size	Ctn
H150G	150 mm	20
H200G	200 mm	20
H250G	250 mm	10
H300G	300 mm	10

Ball Bearing Hinge - Bolt-on/Weld-on - Zinc




Zinc Plated

Code	Rating	Ctn
G4R	800kg	20 pr
G4L	800kg	20 pr

Galvanised

Code	Rating	Ctn
G4RGAL	800kg	20 pr
G4LGAL	800kg	20 pr

Butt Hinges



Loose Pin - Zinc Plated


Code	Size	Ctn
HLP100X75	100x75	20 pr
HLP100X100	100x100	30 pr

Fixed Pin - Zinc Plated

Code	Size	Ctn
HFP100X75	100x75	20 pr
HFP100X100	100x100	30 pr


Fixed Pin - Stainless Steel

Code	Size	Ctn
HSS10075	100x75	20 pr
HSS100100	100x100	10 pr



Code	Size	Ctn
NBZP8560	85x60	50 pr

Steel to Steel Double Ball Bearing Hinges - Weld on - Zinc Plated



Code	Rating	Ctn
G4DR	800kg	10pr
G4DL	800kg	10pr




Gate Fittings

SWINGING GATE

All Gate Hinge Packs include bushes for:
 25x25 to fit 25x25x1.2 tube
 30x30 to fit 30x30x1.2 tube
 38x25 to fit 38x25x1.2 tube

SWINGING GATE


Double Gate Pack - Zinc Plated



Code	Ctn
DGP	5

- Includes:
- TPG100 x 2
- TPG110 x 2
- BG15L x 1
- CAC28 x 1
- Fasteners
- BTS28 x 1
- CAPS x 2
- TEK SCREWS x 6
- m8x75 x 8 Bolt


Gate Hinge - Fixed Pin - Zinc Plated



Code	Ctn
TGP100	30


Gate Hinge Packs - Zinc Plated

Fixed Hinges - Top & Bottom



Code	Ctn
TGP230	20

Fixed Top - Adjustable Bottom



Code	Ctn
TGP240	20

Gate Hinge - Adjustable Pin - Zinc Plated



Code	Ctn
TGP110	30

Self Closing Gate Hinge Packs - Zinc Plated

Fixed Top Self Closing - Fixed Bottom



Code	Ctn
TGP250	20

Adjustable Top - Fixed Self Closing Bottom




Code	Ctn
TGP260	20

Self Closing Gate Hinge - Fixed Pin - Zinc Plated



Code	Ctn
TGP120	30


Single Gate Packs



Code	Tube	Ctn
SGP	25x25x1.2	10

- Includes fasteners:
- Fasteners
- CAC28
- BTS28
- TGP100
- TGP110
- CAP
- M8x75 x 4 bolt & nut
- TEK SCREW x 4

Heavy duty adjustable tubular gate hinge - Zinc plated




Code	Gate frame	Ctn
LBGA40	40x40	10pr
LBGA3825	38x25	10pr



Gate Fittings

SWINGING GATE



HINGE CAPACITY ASSUMPTIONS

- The weight of the gate (W) is equally distributed.
- The gate has an equal width (A) and height (B).
- The hinges are mounted on the top and bottom rail of the gate or as close to the top and bottom as possible.

HOW TO CALCULATE HINGE CAPACITY

$$[\text{Hinge capacity}] = [\text{Weight gate (kg)}] \times \frac{[\text{Width gate (m)}]}{[\text{Height gate (m)}]}$$

Examples

- If you double the width (A) of the gate, the hinge capacity needs to be double the weight of the gate.
- If you halve the height (B) of the gate, the hinge capacity needs to be double the weight of the gate.

Upper Hinge with L Plate*



Code	Rating	Size	Ctn
85L-M	350kg	50	4
85L-G	500kg	70	2

Upper Hinge Double Adjustment with Plate*



Code	Rating	Size	Ctn
85PST-M	350kg	50	4
85PST-G	500kg	70	2
85XL	4000kg	Adjustable	1

Upper Hinge Double Adjustment*



Code	Rating	Size	Ctn
85W-M	450kg	50	4
85W-G	650kg	70	2

Upper Hinge*



Code	Rating	Size	Ctn
86W-P	200kg	45	2
86W-G	650kg	70	2
86IW-G*			

* Stainless Steel

Upper Hinge with L Plate*



Code	Rating	Size	Ctn
86L-P	200kg	45	2
86L-G	500kg	70	2

86L-G

SWINGING GATE

Bottom Hinge with Thrust Bearing and L Plate*



87L-P

Code	Rating	Ctn
87L-P	200kg	4
87L-M	350kg	4
87L-G	500kg	2

Bottom Hinge with Thrust Bearing*



87PST-P

Code	Rating	Size	Ctn
87PST-P	200kg	45	2
87PST-M	350kg	50	2
87PST-G	500kg	70	2
87XL	4000kg	adjustable	1

Bottom Hinge with Thrust Bearing*



Code	Rating	Size	Ctn
87W-P	200kg	50	4
87W-M	450kg	45	4
87W-G	650kg	70	2

Stainless steel

Code	Rating	Size	Ctn
87IW-G	650kg	70	2

Hinge with Wing and Plate*



Code	Rating	Ctn
94-P	200kg	20
94-G	300kg	10

with bearing

Code	Rating	Ctn
96-G	300kg	10

Hinge - with Wing & Bearing*



Code	Rating	Ctn
92-G	300kg	10

Hinge with "U" Bolt and Plate



Code	Rating	Ctn
100PST-P	100kg	20

Adjustable Pintle Hinge



Code	Rating	Ctn
100G	200kg	10
100P	100kg	20

* Suitable for automation



Gate Fittings

SWINGING GATE

Clamp Hinge with Greaser & Plate with adjustable nut*



Code	Rating	To suit	Ctn
186-M18	100kg	192-30	20
186-M22	160kg	192-35	10
186-M27	260kg	192-40	10

SWINGING GATE

Hinge with Long Bar - U Bolt Post 100sq*



Code	Rating	Ctn
130M20	150Kg	20
130M24	225kg	10

Clamp Hinge Body for Threaded Bar*



Code	Rating	To suit	Ctn
185-M27	260kg	192-40	6

Big Hinge - 2 Open Wings - Pivot with Washer & Bearing*



Code	Rating	Ctn
445-90	800kg	10

Holed Pivot Square Base



Code	size	Ctn
192-30	35 X 35	20
192-35	40 X 40	10
192-40	50 X 50	10

Turned Drop Hinge*



Code	Rating	Ctn
497-100	100kg	10

* Includes brass pivot, washer & bearing

Adjustable Hinge - Post Flange Mount, Gate Weld On*



Code	Rating	Ctn
163-M27	320kg	10

Bolt Down Stop - Zinc Plated



Code	Ctn
171	10

Adjustable Hinge with "U" Bolt & Plate*



Code	Rating	Ctn
161-M20	150Kg	20
161-M24	225kg	10

Swing Stop to Bolt



Code	Ctn
300508B	25

Adjustable Pintle Hinge*



Code	Size and Rating	Ctn
15520	M20 - 150kg	20
15524	M24 - 225kg	10

Swing Stop to Concrete



Code	Ctn
300508	25

Square plate with Adjustable Nut




Code
159-M20

* Suitable for automation



Gate Fittings

SLIDING GATE



Bolt Down Track, 20mm Wheel - Galvanised



Code	size	Bundle
SGT3	3000 x 3 mm	20
SGT4	4000 x 3 mm	20
SGT6	6000 x 3 mm	20

Stainless steel

Code	size
SGT3SS	3000 X 3 mm

Concrete-in Track, 20mm Wheel - Galvanised



Code	size	Bundle
287/20CT	3000 x 3 mm	10
287/20CT-6	6000 x 3 mm	10

Concrete-in track, 20mm Wheel - Galvanised



Code	size	Bundle
287G19	3000 x 4 mm	54

- Can be used with 287FP-G

Recess Kit for 287G19 Track



Code	Suits
287FP-G	287G19

- To be used with 287G19

Track Joiner



Code	Suits	Ctn
297G	287G19	10

SLIDING GATE

Wheel with external support - 2 ball bearings - 20mm round track



Code	Rating	Dia	Ctn
300550	300kg	90ø	6
430/100	380kg	100ø	6
300551H	400kg	120ø	6

Stainless steel

Code	Rating	Dia	Ctn
300550SS	300kg	90ø	2

Wheel with external support - 1 ball bearing - 20mm round track



Code	Rating	Dia	Ctn
337-80S	180kg	80ø	6

Wheel with external support - 1 ball bearing - 20mm round track



Code	Rating	Dia	Ctn
327-80S	200kg	80ø	6

Wheel - 1 ball bearing - 20mm track



Code	Rating	Dia	Ctn
310-100S	220kg	100ø	8

Wheel - 2 ball bearings- 20mm track



Code	Rating	Dia	Ctn
300551	450kg	120ø	6
300552	575kg	160ø	2
300553	625kg	200ø	2

Grease Gun Twin Wheels - 20mm Track



Code	Rating	Dia	Ctn
339-120	1200kg	120ø	2

- 4 Ball bearing each set



Gate Fittings

SLIDING GATE

1 Ball Bearing Wheel with Support - 16mm round track



Code	Rating	Dia	Ctn
337-90	190kg	90ø	6

2 Ball Bearing Wheel with Support - V Groove Track



Code	Rating	Dia	Ctn
336-90	300kg	90ø	6

Top Roller



Code	Size	Ctn
300557	37x36mm	20



Code	Size	Ctn
300558	40x60mm	20
23030	30x40mm	20
253-40SP	140x40mm	10

Big Nylon Roller - Bracket - Zinc Plated



Code	Size	Ctn
253-40	224x40mm	3

Single Roller Guide



Code	Ctn
CG-252	2

Single Roller Guide - Adjustable "U" Type



Code	Adjustability	Ctn
CG-253M	165-185	2

SLIDING GATE

Double Roller Guide- Adjustable



Code	Ctn
25530	ea

• Roller size 30x40



Code	Ctn
CG-251	ea

• Roller size 40x60


Parrot Brak Lock Kit



Code	Frame Size	Ctn
PBL40KIT	suit 40x40 mm post	5
PBL50KIT	suit 50x50 mm post	5



Guide Block with angle slide plates



Code	To suit	Ctn
NYBL75	75mm post	ea
NYBL100	100mm post	ea

Stops




Code	Type
300507	Weld on stop




Code	Type
300507B	Bolt on stop

Sliding Gate Guide



Code	Gate frame	Ctn
SGB	50mm	10

Sliding Gate Catch



Code	Gate frame	Ctn
SGC	50mm	10



Gate Fittings

CANTILEVER

CANTILEVER WHEELS PRO-RANGE for gates up to 3Ton/18m opening



5 Wheel Carriages

Code	Type
CGS-350M	small
CGS-350P	medium
CGS-350G	large



8 Wheel Carriages

Code	Type
CGS-350.8M	small
CGS-350.8P	medium
CGS-350.8G	large

CANTILEVER TRACK



Code	Type	Length	Width
CGS-345M	small	3000	68
CGS-345M-6	small	6000	68
CGS-345P	medium	3000	100
CGS-345P-6	medium	6000	100
CGS-345G	large	3000	140
CGS-345G-6	large	6000	140

CANTILEVER RESIDENTIAL KIT

KIT INCLUDES:

2 x 5 wheel carriages
1 x 6m track (or 2 x 3m track)
1 x end cup
1 x end wheel
4 x top rollers

Code

CGS-150KIT

Suitable for residential gates up to:
4m x 200Kg or 3m x 300Kg

CANTILEVER COMMERCIAL KIT

KIT INCLUDES:

2 x CGS-350P
2 x CGS-347P
2 x CGS-346P
1 x CGS-345P
1 x CGS-345P-6

Code

CGS-COMKIT

Suitable for commercial gates up to: 6m x 400Kg

CANTILEVER INDUSTRIAL KIT

KIT INCLUDES:

2 x CGS-3508P
2 x CGS-347P
2 x CGS-346P
2 x CGS-345P-6

Code

CGS-INDKIT

Suitable for industrial gates up to: 9m x 600Kg

CANTILEVER

Motor base plate for Cantilever residential KIT



Code to suit

AAC-150BASE ASL-SL1S and ASL-SL10S

• Use with reverse mounted rack code AR-6FPNRP

End Wheels



Code	Type
CGS-347M	small
CGS-347P	medium
CGS-347G	large

End Cup



Code	Type
CGS-346M	small
CGS-346P	medium
CGS-346G	large

Adjustable Tension Bar



Code	suits
CGI-40	54mm internal SHS

Adjustable End Bracket



Code	Width
CG-30M	53-76mm
CG-30P	86-114mm
CG-30G	103-150mm

Adjustable Angle Bracket for End Cup



Code
CG-15M
CG-15P
CG-15G

Need help in choosing the right cantilever components?

Ask your Downee sales representative for a custom made cantilever project, inclusive of list of components and size of concrete pad.

Alternatively, email cantilever@downee.com.au with the size of opening and weight of material to receive your custom project quotation.

DOWNEE TECHNICAL SUPPORT LINE: 1800 241 733



Automation

SLIDING GATE KITS - RESIDENTIAL

Max 400kg/5m gate, variable speed & solar kit compatible



Code	Description
ASL-SL1S	Motor, 2 remotes, photocells, flashing light & external antenna
ASL-SL1S/02	Motor & 1 remote
ASL-SL1SSP	Motor, 2 remotes, photocells, flashing light & external antenna - Split pack with external transformer
ASL-SL1S/02SP	Motor, 1 remote - Split pack with external transformer

SLIDING GATE KITS - COMMERCIAL/INDUSTRIAL

Max 700kg/10m gate, 24vdc motor for high cycle applications



Code	Description
ASL-700	Motor
ASL-700SP	Motor - Split pack with external transformer
ASL-700PRO	Motor, 2 remotes, receiver & reflective photocell
ASL-700PROSP	Motor, 2 remotes, receiver & reflective photocell - Split pack with external transformer

Max 550kg/7m gate, variable speed & solar kit compatible



Code	Description
ASL-SL10S	Motor, 2 remotes, photocells, flashing light & external antenna
ASL-SL10S/02	Motor & 1 remote
ASL-SL10SSP	Motor, 2 remotes, photocells, flashing light & external antenna - Split pack with external transformer
ASL-SL10S/02SP	Motor, 1 remote - Split pack with external transformer

Max 1100kg/10m gate, 24vdc for high cycle applications



Code	Description
ASL-1100	Motor
ASL-1100SP	Motor - Split pack with external transformer
ASL-1100PRO	Motor, 2 remotes, receiver & reflective photocell
ASL-1100PROSP	Motor, 2 remotes, receiver & reflective photocell - Split pack with external transformer

SLIDING GATE KITS - SOLAR - RESIDENTIAL

SOLAR OPTION - EASY PLUG'N PLAY



Code	Description
AAC-SUN	Includes panel, battery & cables

FEATURES

- Easy connections - cables included
- Developed to suit Australian climate

Max 2500kg/20m gate, 230vac with inverter, for high cycle applications



Code	Description
ASL-2500	Motor Only
ASL-2500PRO	Motor, 2 remotes, receiver & reflective photocell

RECOMMENDED INSTALLERS KITS



Code	Description
ASL-AUTOPACK	SL1S Motor, 2 remotes & 4m nylon rack (AR-4FPNR)
ASL-GATEPACK	SL1S Motor, 2 remotes, 4x1m nylon rack (AR-4FPNR), 2 x 3m Bolt down track, 2 x wheels (300550), 2 x top rollers (23030)
ASL-SLGATEPACK-SP	SL1S Motor - Split pack with external transformer, 2 remotes, 4x1m nylon rack (AR-4FPNR), 2 x 3m Bolt down track, 2 x wheels (300550), 2 x top rollers (23030)
ASL-SLGATEPACKHD	SL10S Motor, 2 remotes, 4x1m nylon rack (AR-4FPNR), 2 x 3m Bolt down track, 2 x wheels (300550), 2 x top rollers (23030)

Downee offers a wide range of quality sliding gate motors for residential, commercial and industrial applications.

For motor selection advice, please contact Downee technical support on **1800 241 733** or email techsupport@downee.com.au

For a complete list of the safety devices recommended with our gate openers please refer to page 29 and 34.




Automation

RACK FOR SLIDING GATES


Nylon Rack with Steel Core - Max 500kg

Code	Description
AR-4FPNR	1m with 4 fixing points




Nylon Rack with Steel Core - Max 700kg

Code	Description
AR-6FPNR	1m with 6 fixing points



1m Nylon Rack with Steel Core - Max 700kg

Code	Description
AR-6FPNRUP	1m with 6 fixing points face UP Suitable for cantilever gates



Steel rack to Weld on - Max 2200kg

Code	Description
AR-STER	1m - Steel Rack



Steel rack with Holes

Code	Description
AR-STERHOL12	1 m Steel rack with holes inclusive of AR-264 weld-on spacer x 3



FIXINGS FOR STEEL RACK WITH HOLES

Bolt Through Spacer for AR-STERHOL12

Code	Description
AR-263	Bolt through connector



Weld on Spacer for AR-STERHOL

Code	Description
AR-264	Weld on Spacer



"L" Shape Bolt on Spacer for AR-STERHOL12

Code	Description
AR-266	"L" Shape Bolt






Automation

SWING GATE KITS - RESIDENTIAL

24V - Worm Drive - 250kg/2.2m leaf

Code	Description
ASW-WG2S	2 motors, 2 remotes, photocells, flashing light & external antenna
ASW-WG2S/02	2 motors & 1 remote
ASW-WG1S	1 motor, 2 remotes, photocells, flashing light & external antenna
ASW-WG1S/02	1 motor & 1 remote



SWING GATE KITS - RESIDENTIAL

24V - Semi underground - 200kg/1.8m leaf


Code	Description
ASW-WU2S	2 motors, 2 remotes, photocells, flashing light & external antenna
ASW-WU2S/02	2 motors & 1 remote
ASW-WU1S/02	1 motor & 1 remote



24V - Worm Drive - 450kg/4.5m leaf

Code	Description
ASW-WG20S	2 motors, 2 remotes, photocells, flashing light & external antenna
ASW-WG20S/02	2 motors & 1 remote
ASW-WG10S	1 motor, 2 remotes, photocells, flashing light & external antenna
ASW-WG10S/02	1 motor & 1 remote


- Electric lock is strongly recommended for single gates exceeding 2.5m in width



24V - Articulated arm ground mounted - 200kg/1.8m leaf


Code	Description
ASW-WK2	2 motors, 2 remotes, photocells, flashing light & external antenna
ASW-WK2/02	2 motors & 1 remote

- Not solar compatible



24V - Articulated arm wall mounted - 200kg/2.2m leaf

Code	Description
ASW-WS2S	2 motors, 2 remotes, photocells, flashing light & external antenna
ASW-WS2SSP	2 motors, 2 remotes, photocells, flashing light & external antenna - Split pack with external transformer
ASW-WS2S/02	2 motors & 1 remote
ASW-WS2S/02SP	2 motors & 1 remote - Split pack with external transformer
ASW-WS1S/02	1 motor & 1 remote



SWING GATE KITS - SOLAR - RESIDENTIAL

SOLAR OPTION - EASY PLUG'N PLAY



Code	Description
AAC-SUN	Includes panel, battery & cables

FEATURES

- Easy connections - cables included
- Developed to suit Australian climate
- Not compatible with ASW-WK2 and AWS-WK2/02



Automation

ACCESSORIES

ACCESS CONTROL

Code	Description
AAC-GTX4	Remote control transmitter- 4 button
AAC-DS1	Keypad Wireless – 3 channel single pin
AAC-SWIPE	Swipe card reader and decoder with 5 transponder cards
AAC-MOCARD	Transponder card for swipe card – single card
AAC-KEYPAD	Keypad Hardwired with decoder – Multiple codes
AAC-MOT	Keypad Hardwired - extra, max 4 per decoder
AAC-DIGITALTIMER	Timer digital 7 day
AAC-LOOP	Loop detector Ground
AAC-KS100	Keyswitch Hardwired

SAFETY DEVICES

Code	Description
AAC-FL1	Flashing light with external antenna
AAC-PH0	Photocells, Hard wired with N/O & N/C contacts
AAC-PH1	Photocells ECSBus – Suit SL1-10, WG, WS, WU, WK motors
AAC-PT50	Photocells ECSBus on 485mm posts
AAC-PT100	Photocells ECSBus on 945mm posts
AAC-PHR5	Photocell Reflective polarized 5 meters range
AAC-PHR10	Photocell Reflective polarized 10 meters range
AAC-PHR15	Photocell Reflective polarized 15 meters range
EDGE LONG	Safety edge Wireless 1m to 2m includes rubber edge and electronics

RECEIVERS

Code	Description
AAC-R2	12/24V Universal receiver (used to control garage doors from remote control GTX4)
AAC-RC2	230V receiver (used to control garden lighting from remote control GTX4)

BACK UP BATTERIES

Code	Description
AAC-PR1	Battery back up for SL1-10, WG,WS,WU, WK motors
AAC-711BB	Back up battery for SI700 & SL1100 sliding gate motors

LOCKS

Code	Description
AAC-EL1	Electric lock adapter for WG,WS,WU, WK motors to operate Electric lock
AAC-PLA10	Vertical Electric lock
AAC-PLA11	Horizontal Electric lock
AAC-MGL	Magnetic lock

INTERCOM

Code	Description
AAC-VIDEOINT	Video intercom with 7" screen & gate/door release button






Automation

BOOM GATE

24V - Heavy Duty Boom Gate Opener



FEATURES

- Boom gate motors for barriers up to 8m in length
- Galvanised steel, painted case
- Incorporated control unit, can be removed for easy wiring
- Easy to install, the bar can be assembled on either the right or left hand side
- Speed can be electronically adjusted
 - 3.5 sec min opening time - ABG-4
 - 5 sec min opening time - ABG-6
- Anti-crush safety feature, in opening and closing
- Optional back up battery
- Can be equipped with AAC-R2 receiver to be remotely operated

Code	Description	List Price
ABG-4	Motor, cabinet and control to suit 4m bar	\$ 2,322.00
ABG-6	Motor, cabinet and control to suit 6m bar	\$ 2,910.00
AAC-CARICA	Battery charger for ABG-4 and ABG-6	\$ 77.00
AAC-B12B	12V - 6Ah batteries	\$ 96.00

Boom Gate Arms and Accessories

	Code	Description
	AAC-WA1	White Aluminium Bar - 36x73x4250mm. To suit ABG-4
	AAC-WA2	8m Pack Red Shockproof rubber strip with caps
	AAC-WA3	White Tubular Aluminium Bar - 70x4250mm. To suit ABG-4. To be used with AAC-WA4
	AAC-WA4	Connection for the AAC-WA3 bar
	AAC-WA7	White Tubular Aluminium Bar - 70x6250mm. To suit ABG-6. To be used with AAC-WA8
	AAC-WA8	Connection for AAC-WA7 bar
	AAC-WA21	White Aluminium Bar - 36x94x6250mm. To suit ABG-6
	AAC-WA24	8m White Aluminium tubular telescopic bar. To suit ABG-6
	AAC-WA11	Adjustable stand for bars
	AAC-WA12	Mobile stand for bars
	AAC-WA10MH	Red adhesive reflective strips



Shading Systems


EASYSHADE MOTORISED FOLDING ARM AWNINGS

Easyshade - Details




Code	width	projection
ESA-BON	from 2.4 m to max 2.9 m	max 1.9 m
ESA-WHIT	from 3 m to max 3.9 m	max 2.9 m
ESA-KAK	from 4 m to max 5 m	max 3.25 m

• Above RRP inclusive of one remote. Please refer to the below image for sizes.





Easyshade - Installation Options

Ceiling installation



Wall installation



Projection data presented here are valid with the standard installation angle of 15°.

Installation angle can vary between 15° and 80° to accommodate specific needs.

As awning projection will vary according to the angle, please contact Downee tech support (1800 241 733) for more information or for specific applications.

Easyshade - Features

SQUARE BAR	phosphate galvanized and powder-coated steel square bar 40x40x1.5 cm
TUBE	70 mm diameter galvanized steel
ARMS	extruded aluminium epoxy-coated, internal spring assembly
EXTENSION PROFILE	extruded aluminium, end caps included
DRIVE UNIT	tubular motor (240V/50Hz) with built in control unit. Back-up manual crank handle included
CONTROL OPTIONS	wireless stylish table-top unit or wall plate, 3 channels (open, stop, close)
OPTIONAL ACCESSORY	solar powered wireless wind-sun sensor that detects the weather conditions and automatically controls awning movement
LOW MAINTENANCE	for regular care and maintenance, excessive dirt should be washed from the fabric using a soft brush, spray with warm water, (not exceeding 40°) and air-dry
WARRANTY	5 year warranty on all components (fabric, structure, motor)
FABRIC OPTIONS	acrylic fabric - recommended for the harsh Australian climate
COLOURS AVAILABLE	raw, linen, linen tweed, heather beige, grey, moonrock, orange, chestnut, burgundy, red, charcoal, charcoal tweed, blue, captain navy, black

Easyshade - Wireless control options

Wind-sun sensor



Code	List Price
AW-WIN	\$ 297.00

Table shockproof holder




Code	Colour
AW-REMTABLEW	White
AW-REMTABLET	Neutral
AW-REMTABLEO	Orange

Squared wall plate



Code	Colour
AW-REM WALLW	White
AW-REM WALLT	Neutral
AW-REM WALLS	Seawater
AW-REM WALLA	Aluminium
AW-REM WALLG	Graphite
AW-REM WALLB	Black

Mounting options





Industrial Sliding Door Components

120 Series Doors up to 120kg	200 Series Doors up to 200kg	450 Series Doors up to 450kg	650 Series Doors up to 650kg
 Size: 34x30 Gauge: 1.0 Length: 6100	 Size: 45x36 Gauge: 1.2 Length: 6100	 Size: 66x55 Gauge: 1.5 Length: 6100	 Size: 66x55 Gauge: 3.0 Length: 6000
 Steel Wheel: DT120HS2 Nylon Wheel: DT120HN2	 Steel Wheel: DT200HS2 Nylon Wheel: DT200HN2	 Steel Wheel: DT450HS2 Nylon Wheel: DT450HN2	
 Steel Wheel: DT120HS4 Nylon Wheel: DT120HN4	 Steel Wheel: DT200HS4 Nylon Wheel: DT200HN4	 Steel Wheel: DT450HS4 Nylon Wheel: DT450HN4	 Steel Wheel: DT450HS4
 Overhead Weld on Bolt on: DT120-2	 Overhead Weld on Bolt on: DT200-2	 Overhead Weld on Bolt on: DT450-650/2	 Overhead Weld on Bolt on: DT650/2S
 Side Fix Bracket: DT120-1	 Side Fix Bracket: DT200-1	 Side Fix Bracket: DT450-650/1	 Side Fix Bracket: DT650/1S
 Offset Bracket: DT120-1A	 Offset Bracket: DT200-1A	 Angle Bracket-Single: DT450-650/SAB	 Angle Bracket-Single: DT450-650/SAB
 Overhead Double Bracket: DT120-5A	 Overhead Double Bracket: DT200-6B • centre distance between track is 75 mm	 Angle Bracket-Double: DT450-650/5A	 Angle Bracket-Double: DT450-650/5A
 M8X20 C/Sink Bolt, Nut & Washer Set: DT120BS	 5/16"x1 1/2" Cup Bolt, Nut & Washer Set: DT200BS	 1/2"x1 1/2" Cup Bolt, Nut & Washer Set: DT450-650BS	 1/2"x1 1/2" Cup Bolt, Nut & Washer Set: DT450-650BS
 Trackstop with Buffer: DT120-200TS	 Trackstop with Buffer: DT120-200TS	 Trackstop with Buffer: DT450-650TS	 Trackstop with Buffer: DT450-650TS



Industrial Sliding Door Components

120 Series - Doors Up to 120kg

Code	Description	ctn
DT120-61	Track - Length: 6100	20
DT120HS2	Hanger, 2 Wheel, Steel	50
DT120HN2	Hanger, 2 Wheel, Nylon	50
DT120HS4	Hanger, 4 Wheel, Steel	30
DT120HN4	Hanger, 4 Wheel, Nylon	30
DT120-1	Side Fix Bracket	50
DT120-1A	Offset Bracket - 25mm	40
DT120-2	Overhead Bracket - Bolt On	50
DT120-5A	Angle Bracket - Double	30
DT120BS	Bolt, Nut & Washer Set	100
DT120-200TP	Top Plate Assembly	100
DT120-200TS	Track Stop with Buffer	100

200 Series - Doors Up to 200kg

Code	Description	ctn
DT200-61	Track - Length: 6100	20
DT200HS2	Hanger, 2 Wheel, Steel	50
DT200HN2	Hanger, 2 Wheel, Nylon	50
DT200HS4	Hanger, 4 Wheel, Steel	30
DT200HN4	Hanger, 4 Wheel, Nylon	30
DT200-1	Side Fix Bracket	30
DT200-1B	Offset Bracket - 25mm	30
DT200-2	Overhead Bracket - Std	50
DT200-6B	Double Overhead Bracket (tracks 75 mm apart)	30
DT200BS	Bolt, Nut & Washer Set	100
DT120-200TP	Top Plate Assembly	100
DT120-200TS	Track Stop with Buffer	100

Parrot Beak Lock Kit

Code
PBL40KIT
PBL50KIT



450 Series - Doors Up to 450kg

Code	Description	ctn
DT450-61	Track - Length: 6100	20
DT450HS2	Hanger, 2 Wheel, Steel	20
DT450HN2	Hanger, 2 Wheel, Nylon	20
DT450HS4	Hanger, 4 Wheel, Steel	10
DT450HN4	Hanger, 4 Wheel, Nylon	10
DT450-650/SAB	Single Angle Bracket	30
DT450-650/5A	Double Angle Bracket	20
DT450-650/1	Side Fix Bracket	20
DT450-650/2	Overhead Bracket - Bolt On	20
DT450-650/BS	Bolt, Nut & Washer Set	200
DT450-650TS	Track Stop with Buffer	100

650 Series - Doors Up to 650kg - FIRE DOOR CERTIFIED

Code	Description	ctn
DT650-60	Track- Length: 6000 x 3	20
DT450HS4	Hanger, 4 Wheel Steel	10
DT650/1S	Side Fix Bracket	
DT650/2S	Overhead Bracket Bolt-on	

Guide System

Code	Guide
DT94B	Brass channel 3 m
DT106RB/94	guide roller for DT94B

BRACKET SPACING GUIDE


	DOOR WEIGHT						
120 Series	120 kg	100 kg	80 kg	70 kg	60 kg	50 kg	<50 kg
200 Series	200 kg	160 kg	130 kg	100 kg	85 kg	80 kg	<80 kg
450 Series	450 kg	400 kg	320 kg	260 kg	220 kg	170 kg	<170 kg
650 Series	650 kg	530 kg	420 kg	330 kg	260 kg	210 kg	<210 kg
Bracket Spacing	600mm	700mm	800mm	900mm	1000mm	1100mm	1200mm



Industrial Shutter Door Components

COMMERCIAL AND INDUSTRIAL DOORS

Motorised Shaft for commercial and industrial doors up to 250Kg, 4.5m high and 7m wide



Calculated by Downee engineers & made to specification.

Shutter Central Motor



Code	Rating	Tube
PS1.60SFAEC (240V)	180kg	50NB
PS1.60SFAEC24 (24V)*	100Kg	50NB

Features:

- Intensive usage
- Suitable for backup battery
- Built in obstacle defention



Code	Rating	Tube
PS1.76AFAEC (240V)	180kg	65NB



Code	Rating	Tube
PS2.60EC (240V)	280kg	60NB



Code	Rating	Tube
PS2.76EC (240V)	280kg	76NB

Shutter control unit



Code	to suit
MSCONTROL	PS1 and PS2 240V motors
MSCONTROL24	PS1 24V motor

Features:

- Automatic closing
- Dead Man operation
- Built in 916Mhz receiver
- Charger for buffer battery (MSCONTROL24 only)
- Can be fitted with 240V Plug

Wireless Safety edge - For shutter doors and sliding gates



Code	Size
EDGESHORT	UP to 1m
EDGE LONG	1m to 2m
EDGEV LONG	2m to 3m

MADE TO MEASURE TO SUIT YOUR CLOSING DEVICE.

Includes:

- aluminum strip to fix on gate or door
- rubber edge to slide on aluminum strip
- electronic components (wireless transmitter that sits on the gate/door and receiver to connect to control unit)

916 MHz - 12/24V receiver



Code
MSREC

916 MHz - 2 channels rolling code transmitter



Code
MSDTX

Features:

- works with MCONTROL, MCONTROL24 and MSREC

916Mhz wireless key switch



Code
MSWKS

Features:

- works with MCONTROL, MCONTROL24 and MSREC

Reflective photoelectric sensor



AAC-PHR15

Code	Description
AAC-PHR5	5m range, w brackets & rain cover
AAC-PHR10	10m range, w brackets & rain cover
AAC-PHR15	15m range, w brackets



Rural

TIMBER POST FITTINGS

Timber Post Gudgeon - Screw In - Galvanised



Code	Gate	Ctn
G1B	20NB	50
G3B	25NB	30
G4B	32NB	20

Timber Post - Bolt Thru - Galvanised



Code	Gate	Post	Ctn
G7B	25NB	300	10
G8B	25NB	400	10



Code	Gate	Post	Ctn
KQ2	32NB	300	10
KQ1	32NB	400	10

Timber Post Gudgeon- Zinc Plated



Code	Pipe (NB)	Ctn
TPG25	25	40

Heavy Duty Short Plate Bolt Gudgeon - 50mm Steel Pin - Galvanised



Code	Pipe (NB)	Ctn
G24	20	50
G22	25	30
G23	32	50

Timber Post Strap - Bolt Thru - Galvanised



Code	Gate	Post	Ctn
S7C	25NB	300	10
S8C	25NB	400	10




Code	Gate	Post	Ctn
KQS2S	32NB	300	10
KQS1S	32NB	400	10



Code	Gate	Post	Ctn
S7B	25NB	300	20
S8B	25NB	400	20

TIMBER POST FITTINGS


Pipe Hinge Straps - Galvanised



Code	Pipe/Width (NB)	Ctn
S1	20/25	100
S2	25/25	50
S3	25/40	30
S4	32/40	30



Code	Suit	Ctn
A1	S1	200
A2	S2	100
A3	S3	100
A4	S4	100



Code	Suits	Ctn
BP1	S1	200
BP2	S2	100
BP3	S3	100
BP4	S4	100

Angle Post Gudgeon and Strap - Galvanised



Code	Gate	Ctn
APS25	25NB	40



Code	Gate	Ctn
APG25	25NB	20

Wire Strainer




Code	Description	Ctn
12106	Wire strainer	25



Rural


WELD ON FITTINGS

Weld on Socket - 12mm




Code	Type	Pin	Ctn
WOS12	Socket	12	100
WOP12	Pin	12	100
WOP12A	Assembly	12	100
WOS16	Socket	16	50
WOP16	Pin	16	50
WOP16A	Assembly	16	30
WOS20	Socket	20	30
WOP20	Pin	20	30
WOP20A	Assembly	20	20
WOP20LA	Assembly	20	20
WOS20L	Socket	20	30
WOP20L	Pin	20	30
WOS27	Socket	27	10
WOP27	Pin	27	10
WOP27A	Assembly	27	10

Strap Hinge - Hinge




Code	Suit	Ctn
RGWS25	25NB	50

Gudgeon - Weld On



Code	Suit	Ctn
RGWS25G	25NB	50

Adjustable Gudgeons - Weld On



Code	Gate
AWG100	25NB

Weld-On Ring Catch



Code
RWOK
CAC4-2
CHAIN CATCH CAC4-2

Weld-on Hook Catch



Code
RWOL
FGF1
CHAIN CATCH FGF1R

Weld on Chain Plate - Zinc plated



Code	Suits	Ctn
SCP5MM	5-6mm chain	60
SCP8MM	8mm chain	40

CATCHES AND LATCHES

Double Gate Ring Catch



Code	Suit	Ctn
DGCL25	25NB	15
DGCL32	32NB	10

Double Gate Hook Catch



Code	Suit	Ctn
KDGH25	25NB	10
KDGH32	32NB	10

Double Gate Catch




Code	Suit	Ctn
FDG25	25NB	20

Timber Post Gate Catch



Code	Size	Ctn
CAC1	ø12	30
CAC2	ø16	20

Steel Post Gate Catch



Code	Ctn
CAC4	20

Bow Latch - Galvanised



Code	Suit	Ctn
KSGB	25 - 32NB	10




Code	Suits	Ctn
KDGB25	25-32NB	5




Code	Suits	Ctn
CAC22	25NB	15

Screw In and Weld-On Eyes - Zinc Plated



Screw In	
Code	Ctn
SE12	30



Weld-On	
Code	Ctn
SE12W	30

Field Gate Fastener with chain - Galvanised



Code	Size
FGF1	350mm chain
FGF2	500mm chain

Drive in Staple



Code	Ctn
FGS	100



Pack - includes hook, chain & 2 staples


Code	Ctn
FGF1S	350mm chain
FGF2S	500mm chain



Rural

STOCKYARD COMPONENTS

Cattle Yard Cleat and Pin Set - Zinc Plated




Code	Ctn
CYCPP	20

- Includes:
- CYPG
- RAB40C
- RAB40L

STOCKYARD COMPONENTS

Slam catch- Zinc Plated



Code	Size	Ctn
SCJ-10	10 dia	20
SCJ-14	14 dia	20
SCJ-20	20 dia	5
SCJ-20L	20 dia extended pin	5



Code	Size	Ctn
SCJ-25	25 dia	5

Cattle yard full cleats - Zinc Plated



Code	Width	Ctn
RAB50C	50mm	40
RAB40C	40mm	60

Slam catch striker plate - Zinc Plated




Code	Suits	Ctn
SPZ-10	SCJ-10	20
SPZ-14	SCJ-14	20
SPZ-20	SCJ-20	20
SPZ-25	SCJ-25	20

Cattle yard half cleats - Zinc Plated



Code	Width	Ctn
RAB50L	50mm	40
RAB40L	40mm	60

Stock yard hinges - Galvanised



Code	Pipe	Width	Ctn
SYH5025	50x25 NB	40mm	10
SYH5032	50x32 NB	40mm	10
CYH8032	80x32 NB	65mm	6

Cattle yard panel feet - Zinc Plated



Code	Width	Ctn
RAB50F	50mm	40
RAB40F	40mm	60

Stock yard clamps - Galvanised



Code	Pipe	Width	Ctn
SYC5025	50x25 NB	40mm	20
SYC5032	50x32 NB	40mm	20
TFC5050	50x50 NB	40mm	20
CYC8050	80x50 NB	65mm	20

Cattle yard round full cleats - Zinc Plated



Code	Suits	Ctn
RAB40RC	32,40,50 NB	60
RAB30RC	25, 32 NB	60

Cattle yard round half cleats - Zinc Plated



Code	Suits	Ctn
RAB40RL	32,40,50 NB	60

Cattle yard pin - Galvanised




Code	Size	Ctn
CYPG	16 dia 275x60mm	30



Rural


FARM GATE PACKS

Gate Pack - 25NB Bolt Thru - Timber Post


	Code	Post	Pipe	Ctn
	FGP753	300mm	25NB	5

FARM GATE PACKS


Gate Pack - 25NB Bolt Through - Concrete Post

	Code	Pipe	Ctn
	FGP354	25NB	5


Gate Pack - 25NB Bolt Thru - Timber Post

	Code	Post	Pipe	Ctn
	FGP303	300mm	25NB	5
	FGP413	400mm	25NB	5


Gate Pack - 25NB Bolt-On

	Code	Pipe	Ctn
	FGP523	25NB	10


Gate Pack - 25NB Screw In - Timber Post

	Code	Pipe	Ctn
	FGP221	25NB	10


Gate Pack - 25NB Weld-On

	Code	Pipe	Ctn
	FGP886	25NB	10

Gate Pack - 25NB - Timber Post

	Code	Post	Pipe	Ctn
	FGP151	300mm	25NB	5


Gate Pack - 25NB Bolt-on/Weld-on - Timber and Steel Post

	Code	Pipe	Ctn
	FGP232	25NB	10


Gate Pack - 25NB - Timber Post

	Code	Pipe	Ctn
	FGP121	25NB	10


Gate Pack - 25NB Adjustable Weld-On

	Code	Pipe	Ctn
	FGP986	25NB	10

Gate Pack - 25NB Bolt Thru - Timber Post

	Code	Post	Pipe	Ctn
	FGP351	300mm	25NB	
	FGP431	400mm	25NB	

Gate Pack - 25NB Angle Post

	Code	Pipe	Ctn
	FGP664	25NB	10

Building Hardware

MISC. HARDWARE

Pallet Feet - Square




Code	Size	Finish	ctn
PF130SG	132x132x43	Gal	20
PF130SB	132x132x43	Black	20

Angle Brackets - Zinc Plated




Code	Size	Holes
L100X75	100x75x19x4mm	ø7




Code	Size	Holes
F0228	40x40x40x3mm	ø6
F0229	50x50x40x3mm	ø6
F0230	75x75x40x3mm	ø6
F0232	50x50x40x5mm	ø6

Angle Bracket - Galvanised



Code	Size	Holes
FA100	106x65x52x3mm	ø13
FA150	145x50x50x3mm	ø13
FA200	195x65x65x3mm	ø13



Code	Size	Holes
F0212	40x40x40x5mm	ø10
F0213	50x50x50x5mm	ø10
F0201	50x50x50x5mm	ø12

Pergola Angle



Code	Size
PBA	88x63x36x1.6mm


Punched Holistrap/Builders Strap



Code	Description
HS30/30	30mm x 30m x 0.8mm
HS30/HD30	30mm x 30m x 1.0mm
HS30/HD50	30mm x 50m x 1.0mm

Code	Description
HT	Holistrap Tensioner

Steel Post Inner Brackets - Galvanised



Code	Size	Holes
FPS50	45x42x44.5x3mm	ø10
FPS65	60x60x65x3mm	ø10
FPS75	70x45x60x3mm	ø10
FPS90	90x90x3mm	ø10


Full Stirrup - Galvanised - 3 mm Steel - 32 mm dia shaft



Code	Shaft	Stirrup Width
FS65/90	65mm	90mm
FS125/90	125mm	90mm
FS150/90	150mm	90mm
FS200/90	200mm	90mm
FS250/90	250mm	90mm
FS300/90	300mm	90mm
FS125/100	125mm	100mm

MISC. HARDWARE

Stair Tread Bracket




Code	Finish
STAIRB	Black
STAIRG	Galvabond

Threaded Rod - Galvanised



Code	Size	Bundle
CRM103	ø10mmx3m	10
CRM123	ø12mmx3m	10
CRM163	ø16mmx3m	10
CRM203	ø20mmx3m	10

Hanger bracket



Code	Description
HB3590	35x90
HB4590	45x90
HB5090	50x90
HB45120	45x120
HB45140	45x140
HB45180	45x180
HB45220	45x220
HB50120	50x120
HB50140	50x140
HB50180	50x180
HB50220	50x220

Heavy Duty Joist Strap



Code	Description
HDJL	31mm x 170mm (left)

Unibracket



Code	Size
UN100	100mm

Triple Fix



Code	Size
TGR	Pre Bent Right
TGL	Pre Bent Left

Pin Stirrup - Galvanised - 3 mm Steel - 25 mm dia shaft



Code	Shaft
PPS/125	125mm
PPS/200	200mm

Bolt on Post Support - Galvanised - 3 mm thick stirrup and base



Code	Description
BOPS/90	90mm
GBPS/90	90mm

Half Stirrup - Galvanised - 3 mm Steel - 25 mm dia shaft



Code	Shaft	Stirrup Width
HSPS/65	65mm	90mm
HSPS/125	125mm	90mm
HSPS/200	200mm	90mm
HSPS/250	250mm	90mm
HSPS/300	300mm	90mm



Building Hardware


FASTENERS & PAINTS

Cup Head Bolts & Nuts - Galvanised




Code	Size	Ctn
M10x25-5	M10x25	50
M10x40-5	M10x40	50
M10x60-5	M10x60	50
M10x70-5	M10x70	50
M10x80-5	M10x80	50
M10x90-5	M10x90	50

Bolt Anchors - Zinc Plated



Code	Size	Ctn
HS1050	M10x50	50
HS1060	M10x60	50
HS1075	M10x75	50
HS1095	M10x95	50
HS10120	M10x120	50
HS1260	M12x60	50

Bolt Anchors - Galvanised



Code	Size	Ctn
HS1050G	M10x50	50
HS1095G	M10x95	50
HS12100G	M12x100	50

Mushroom Head Spike - Zinc Plated



Code	Size	Ctn
MH656MM	6.5x38	100
MH6519MM	6.5x50	100
MH6532MM	6.5x63	100

Nail-In Anchor



Code	Size	Ctn
MPA6532	6.5x32	100
MPA6550	6.5x50	100

Touch Up Paints



Code	Size	Ctn
TUP	150g	12

• Available in a full colourbond range

Hexagonal Head Type 17 Timber - Class 4 - 12 Gauge



Code	Length	Ctn
T17HC41225	25	1000
T17HC41250	50	1000

Bugle Batten Type 17 Timber - Galvanised - Class 3 - 14 Gauge



Code	Length	Ctn
T17BBC314075	75	1000
T17BBC314100	100	500

FASTENERS & PAINTS

IRIUS Anti Tamper Metal Screw, Galvanised Class 4



Code	Gauge	Thread length	Ctn
SD8/8	5.5mm	8mm	250
SD14/12	5.5mm	12mm	250



Irius Drive Setting Tool

Code	Description
E420	Irius Drive Setting Tool

Hexagonal Head Metal Screws - Galvanised - Class 3



Code	Gauge-TPxLength	Ctn
TEKM101616	10-16x16	1000
TEKM101616-C*	10-16x16	1000
TEKM121420	12-14x20	500
TEKM121420-C*	12-14x20	500
TEKM141025	14-10x25	1000

• *Coloured screws available in standard colourbond range.

Dome Plugs - Plastic



Code	Hole	Ctn
DPB12	ø12mm	100
DPB16	ø16mm	100
DPB19	ø19mm	100
DPB22	ø22mm	100
DPB25	ø25mm	100

Specialty Paints



Code	Description	Ctn
CGS375	Cold Galvanised 375g	12
EEP300	Epoxy Etch Primer 300g	12
WCCSZ400	Zinc Gal Spray 2 in 1 400g	24

GLASS FITTINGS

Glass Clamps - Marine grade 316 5/5



Code	Shape	Size	Finish	Post
1171P	Square	6,8,10mm	Polished	Round
1171S	Square	6,8,10mm	Satin	Round
1172P	Square	6,8,10mm	Polished	Flat
1172S	Square	6,8,10mm	Satin	Flat
1173P	Square	8,10,12mm	Polished	Round
1173S	Square	8,10,12mm	Satin	Round
1174P	Square	8,10,12mm	Polished	Flat
1174S	Square	8,10,12mm	Satin	Flat
1181P	Round	6,8,10mm	Polished	Round
1181S	Round	6,8,10mm	Satin	Round
1182P	Round	6,8,10mm	Polished	Flat
1182S	Round	6,8,10mm	Satin	Flat
1183P	Round	8,10,12mm	Polished	Round
1183S	Round	8,10,12mm	Satin	Round
1184P	Round	8,10,12mm	Polished	Flat
1184S	Round	8,10,12mm	Satin	Flat
1D-GC-1CP		12-15mm	Polished	
1D-GC-1CS		12-15mm	Satin	



Notes:



Notes:

easysshade order form

Downee®

A Division of RMD Industries™ Pty Ltd - ABN 31 004 313 937
70 William Angliss Drive, Laverton North 3026 - T: 03 9364 8288 F: 03 9311 7985





COMPANY NAME:	
ACCOUNT CODE:	
ADDRESS:	
PHONE:	
DATE:	O/NO:
NOTES:	

ORDERS:

Contact your nearest branch or email this form to: easysshade@downee.com.au.
For more information contact your local Sales Representative or info@downee.com.au.
For technical assistance write to techsupport@downee.com.au or call 1800 241 733

REQUIREMENTS	DESCRIPTION	YOUR ORDER		
MODEL		BONDI ☐	WHITSUNDAY ☐	KAKADU ☐
SIZE	- Width and Projection in metres (eg.: w 3.80m and p 2.90m) - Projection as per table 1.9/2.4/2.9/3.25 only	WIDTH 		PROJECTION
WIRING AND MANUAL RELEASE SIDE	From inside the property looking outside (see below easyshade picture)	LEFT ☐	RIGHT ☐	
FABRIC COLOUR	See Swatchbook for code reference (look under fabric sample)	COLOUR A-		
WIRELESS CONTROL OPTIONS	Wireless control for the easyshade (choose one only, see image and colours below)	TABLE ☐	WALL ☐	COLOUR
WIND - SOLAR SENSOR 	Recommended on all easyshade motorised awnings (Optional)	YES ☐	NO ☐	
NOTES	Standard easyshade angle is 15 degrees; width of fabric will be up to 150mm shorter than the overall width of the awning			



Wireless control options

TABLE TOP



- Available in:
- white
 - neutral
 - orange

SQUARE WALL PLATE



- Available in:
- white
 - neutral
 - seawater
 - aluminium
 - graphite
 - black

Downee®

* IF DELIVERY REQUIRED FILL OUT DELIVERY DETAILS BELOW: * Freight charge may apply

ADDRESS: _____

SUBURB: _____ STATE: _____ POSTCODE: _____

SPECIAL INSTRUCTIONS: _____

PREFERRED FREIGHT COMPANY: _____

CREDIT CARD	VISA	MASTERCARD	TRADING ACCOUNT
CARD NUMBER	_ _ _ _ _ / _ _ _ _ _ / _ _ _ _ _ / _ _ _ _ _		
EXPIRY DATE	_ _ _ / _ _ _		SECURITY CODE: _ _ _
TRADING ACCOUNT NUMBER (IF APPLICABLE)			
PURCHASE O/NO			
CUSTOMER NAME			YOUR CONTACT NUMBER
ADDRESS:		SUBURB:	POST CODE:

A Division of RMD Industries™ Pty Ltd - ABN 31 004 313 937
70 William Angliss Drive, Laverton North 3026 - F: 03 9311 7985