


PRODUCT AVAILABILITY GUIDE

PIPE AND TUBE STRUCTURAL
PRODUCTS

EFFECTIVE FROM: 26 AUGUST 2013

CANCELS PREVIOUS GUIDE DATED: 2 NOVEMBER 2012

APPLICABLE FOR AUSTRALIA & NEW ZEALAND



AustubeMills
SHAPING POSSIBILITIES

PRODUCT AVAILABILITY GUIDE

PIPE AND TUBE STRUCTURAL PRODUCTS

TABLE OF CONTENTS

CIRCULAR HOLLOW SECTIONS (CHS)

DuraPrimed ^{Red} Pipe for Fire systems	2
Extra Light & Light Pipe	
Grade C350LO:	
Clear, Hot Dip Gal, DuraGal ^{Plus} & DuraGal	3
Medium Pipe	
Grade C250LO:	
Clear & Hot Dip Gal	4
Heavy & Extra Heavy Pipe	
Grade C250LO:	
Clear & Hot Dip Gal	5

SQUARE HOLLOW SECTIONS (SHS)

Structural SHS	
Grade C350LO & C450PLUS:	
DuraGal ^{Plus} , DuraGal, DuraPrimed & Oiled	6-8

RECTANGULAR HOLLOW SECTIONS (RHS)

Structural RHS	
Grade C350LO & C450PLUS:	
DuraGal ^{Plus} , DuraGal, DuraPrimed & Oiled	9-11

OTHER SECTIONS

Building Products	
Grade C450PLUS:	
DuraGal ^{Plus} ZB135/135	12
DuraGal ^{Clear}	12
Silo Sections	
Grade C450PLUS:	
DuraGal & DuraPrimed	13
Notations & Abbreviations	14

PRODUCT AVAILABILITY GUIDE

MEDIUM – DURAPRIMED^{RED*}

PLAIN ENDS, SCREWED ONE END AND SCREWED BOTH ENDS

Designation d_o x t (mm)	Nominal Size DN	DuraPrimed PE Price Grp: PD	DuraPrimed SOE Price Grp: PD	DuraPrimed SBE Price Grp: PD	Pack Size	DuraPrimed PE, SOE & SBE
6.5 Metres					Ln	kg/m
33.7 x 3.2	25 M	✓	✓	R	91	2.41
42.4 x 3.2	32 M	✓	✓	✓	61	3.10
48.3 x 3.2	40 M	✓	✓	R	61	3.57
60.3 x 3.6	50 M	✓	✓	R	37	5.03
76.1 x 3.6	65 M	✓	-	R	37	6.43
88.9 x 4.0	80 M	✓	-	-	19	8.37
101.6 x 4.0	90 M	R	-	-	19	9.63
114.3 x 4.5	100 M	✓	-	R	19	12.2

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: Dual Specified - AS 1074 and AS/NZS 1163 C250L0.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

* DuraPrimed replaces Painted

PRODUCT AVAILABILITY GUIDE

EXTRA LIGHT – CLEAR, OILED, HOT DIP GAL & DURAGAL^{PLUS} – PLAIN ENDS

Designation d_o t (mm)	Nominal Size DN	Clear	Oiled	Hot Dip Gal	DuraGal ^{Plus}
		Price Grp: PA	Price Grp: PA	Price Grp: PB	Price Grp: PC
6.5 Metres					
33.7 x 2.0	25 XL	R	-	-	✓
42.4 x 2.0	32 XL	M	-	-	M
48.3 x 2.3	40 XL	M	-	-	M
60.3 x 2.3	50 XL	R	-	-	M
76.1 x 2.3	65 XL	-	-	-	M
88.9 x 2.6	80 XL	M	-	M	M
101.6 x 2.6	90 XL	M	-	M	-
114.3 x 3.2	100 XL	M	-	M	-
139.7 x 3.0	125 XL	-	M	M	-
165.1 x 3.0	150 XL	-	M	M	-

Pack Size Lns	Clear DuraGal ^{Plus} Oiled	Hot Dip Gal
	kg/m	
91	1.56	1.62
61	1.99	2.07
61	2.61	2.70
37	3.29	3.40
37	4.19	4.33
19	5.53	5.75
19	6.35	6.64
19	8.77	9.05
10	10.1	10.5
10	12.0	12.4

LIGHT – CLEAR, OILED & HOT DIP GAL – PLAIN ENDS

Designation d_o t (mm)	Nominal Size DN	Clear	Oiled	Hot Dip Gal
		Price Grp: PA	Price Grp: PA	Price Grp: PB
6.5 Metres				
33.7 x 2.6	25 L	R	-	-
42.4 x 2.6	32 L	✓	-	-
48.3 x 2.9	40 L	✓	-	-
60.3 x 2.9	50 L	✓	-	-
76.1 x 3.2	65 L	M	-	-
88.9 x 3.2	80 L	✓	-	M
101.6 x 3.2	90 L	M	-	M
114.3 x 3.6	100 L	✓	-	M
139.7 x 3.5	125 L	-	✓	M
165.1 x 3.5	150 L	-	M	M

Pack Size Lns	Clear Oiled	Hot Dip Gal
	kg/m	
91	1.99	2.05
61	2.55	2.63
61	3.25	3.33
37	4.11	4.21
37	5.75	5.89
19	6.76	6.92
19	7.77	8.02
19	9.83	10.0
10	11.8	12.1
10	13.9	14.4

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: AS/NZS 1163 C350L0.
 Hot Dip Gal - Section 2 AS/NZS 4792 HDG 300.
 DuraGal^{Plus} - Section 3 AS/NZS 4792 ZB 100/100.
 DuraGal - Section 4 AS/NZS 4792 ILG 100.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

^ DuraGal^{Plus} replace SupaGal

PRODUCT AVAILABILITY GUIDE

MEDIUM — CLEAR & OILED — PLAIN ENDS

Designation $d_o \times t$ (mm)	Nominal Size DN	Clear	Oiled
		Price Grp: PA	Price Grp: PA
6.5 Metres			
33.7 x 3.2	25 M	✓	-
42.4 x 3.2	32 M	✓	-
48.3 x 3.2	40 M	✓	-
60.3 x 3.6	50 M	✓	-
76.1 x 3.6	65 M	✓	-
88.9 x 4.0	80 M	✓	-
101.6 x 4.0	90 M	✓	-
114.3 x 4.5	100 M	✓	-
139.7 x 5.0	125 M	-	✓
165.1 x 5.0	150 M	-	✓

Pack Size	Clear Oiled
Lng	kg/m
91	2.41
61	3.10
61	3.57
37	5.03
37	6.43
19	8.37
19	9.63
19	12.2
10	16.6
10	19.7

MEDIUM — HOT DIP GAL — PLAIN ENDS

Designation $d_o \times t$ (mm)	Nominal Size DN	Hot Dip Gal
		Price Grp: PB
6.5 Metres		
60.3 x 3.6	50 M	M
76.1 x 3.6	65 M	M
88.9 x 4.0	80 M	M
101.6 x 4.0	90 M	M
114.3 x 4.5	100 M	M
139.7 x 5.0	125 M	M
165.1 x 5.0	150 M	M

Pack Size	Hot Dip Gal
Lng	kg/m
37	5.14
37	6.56
19	8.53
19	9.81
19	12.4
10	16.9
10	20.0

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: Dual Specified - AS 1074 and AS/NZS 1163 C250L0.
Hot Dip Gal - AS/NZS 4792 HDG 300.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

PRODUCT AVAILABILITY GUIDE

HEAVY — CLEAR & OILED — PLAIN ENDS

Designation d_o t (mm)	Nominal Size DN	Clear PE Price Grp: PA	Oiled Price Grp: PA
6.5 Metres			
33.7 x 4.0	25 H	✓	-
42.4 x 4.0	32 H	✓	-
48.3 x 4.0	40 H	✓	-
60.3 x 4.5	50 H	✓	-
76.1 x 4.5	65 H	✓	-
88.9 x 5.0	80 H	✓	-
101.6 x 5.0	90 H	✓	-
114.3 x 5.4	100 H	✓	-
139.7 x 5.4	125 H	-	✓
165.1 x 5.4	150 H	-	✓

Pack Size	Clear
Lns	kg/m
91	2.94
61	3.80
61	4.38
37	6.19
37	7.93
19	10.3
19	11.9
19	14.5
10	17.9
10	21.3

HEAVY — HOT DIP GAL — PLAIN ENDS

Designation d_o t (mm)	Nominal Size DN	Hot Dip Gal PE Price Grp: PB
6.5 Metres		
42.4 x 4.0	32 H	M
48.3 x 4.0	40 H	M
60.3 x 4.5	50 H	M
76.1 x 4.5	65 H	M
88.9 x 5.0	80 H	M
101.6 x 5.0	90 H	M
114.3 x 5.4	100 H	M
139.7 x 5.4	125 H	M
165.1 x 5.4	150 H	M

Pack Size	Hot Dip Gal
Lns	kg/m
61	3.87
61	4.46
37	6.30
37	8.07
19	10.5
19	12.1
19	14.7
10	18.1
10	21.6

EXTRA HEAVY — CLEAR — PLAIN ENDS

Designation d_o t (mm)	Nominal Size DN	Clear Price Grp: PA
6.5 Metres		
48.3 x 5.4	40 XH	✓
60.3 x 5.4	50 XH	✓
76.1 x 5.9	65 XH	✓
88.9 x 5.9	80 XH	✓

Pack Size	Clear
Lns	kg/m
61	5.71
37	7.31
37	10.2
19	12.1

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: Dual Specified - AS 1074 and AS/NZS 1163 C250L0.
Hot Dip Gal - AS/NZS 4792 HDG 300.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

PRODUCT AVAILABILITY GUIDE

SHS — DURAPRIMED*, DURAGAL^{PLUS}^ & DURAGAL

Designation <i>d b t</i> (mm)	DuraPrimed C350LO Price Grp: RA	DuraGal ^{Plus} C350LO Price Grp: RC	DuraGal C450PLUS Price Grp: RC
25 x 25 x 1.6	R	R	-
2.0	R	R	-
2.5	✓	✓	-
3.0	✓	M	-
30 x 30 x 1.6	M	R	-
2.0	R	R	-
2.5	✓	M	-
3.0	M	M	-
35 x 35 x 1.6	M	M	-
2.0	✓	M	-
2.5	✓	✓	-
3.0	✓	M	-
40 x 40 x 1.6	R	R	-
2.0	R	R	-
2.5	✓	✓	-
3.0	✓	✓	-
4.0	✓	M	M
50 x 50 x 1.6	R	R	M
2.0	R	R	M
2.5	✓	✓	✓
3.0	✓	✓	M
4.0	✓	✓	✓
5.0	✓	✓	M
*6.0	✓	-	-

Pack Size (Lns)		All Listed Finishes
All Listed Finishes		
6.5m	8.0m	kg/m
100	-	1.12
100	-	1.36
100	-	1.64
100	-	1.89
-	100	1.38
-	100	1.68
-	100	2.03
-	64	2.36
-	100	1.63
-	100	1.99
-	64	2.42
-	64	2.83
-	81	1.88
-	81	2.31
-	64	2.82
-	64	3.30
-	49	4.09
-	64	2.38
-	64	2.93
-	49	3.60
-	49	4.25
-	36	5.35
-	30	6.39
-	25	7.32

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: AS/NZS 1163 - C350LO
AS/NZS 1163 - C450LO supplied as C450PLUS
DuraGal^{Plus} - Section 3 AS/NZS 4792 ZB 100/100.
DuraGal - Section 4 AS/NZS 4792 ILG 100.

*50 x 50 x 6 is supplied as Oiled.

C450PLUS equivalent sections for DuraPrimed and DuraGal^{Plus} surface finish may be available ex rolling subject to mill limitations.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

- * DuraPrimed replaces Painted
- ^ DuraGal^{Plus} replace SupaGal

PRODUCT AVAILABILITY GUIDE

SHS — DURAPRIMED*, OILED, DURAGAL^{PLUS}^ & DURAGAL

Designation <i>d b t</i> (mm)	DuraPrimed C450PLUS Price Grp: RB	Oiled C450PLUS Price Grp: RB	DuraGal ^{Plus} C450PLUS Price Grp: RD	DuraGal C450PLUS Price Grp: RD
65 x 65 x 1.6	R	-	R	M
2.0	R	-	R	M
2.5	✓	-	✓	✓
3.0	✓	-	✓	M
4.0	✓	-	M	M
5.0	✓	-	M	M
6.0	✓	-	-	M
75 x 75 x 2.0	R	-	R	✓
2.5	✓	-	✓	✓
3.0	✓	-	✓	✓
3.5	✓	-	✓	M
4.0	✓	-	✓	✓
5.0	✓	-	✓	✓
6.0	✓	-	-	✓
89 x 89 x 2.0	-	-	✓	-
3.5	✓	-	✓	✓
5.0	✓	-	✓	✓
6.0	✓	-	-	M
100 x 100 x 2.0	M	-	-	✓
2.5	-	-	M	M
3.0	✓	-	✓	✓
4.0	✓	-	✓	✓
5.0	✓	-	✓	✓
6.0	✓	-	-	✓
8.0	-	M	-	-
9.0	-	✓	-	-
10.0	-	M	-	-
125 x 125 x 4.0	✓	-	-	-
5.0	✓	-	-	-
6.0	✓	-	-	-
8.0	-	M	-	-
9.0	-	✓	-	-
10.0	-	M	-	-

Pack Size (Lns)		All Listed Finishes
All Listed Finishes		
8.0m	12.0m	kg/m
49	-	3.13
42	-	3.88
42	-	4.78
36	-	5.66
30	-	7.25
25	-	8.75
20	-	10.1
36	-	4.50
30	30	5.56
30	24	6.60
25	20	7.53
25	15	8.49
20	16	10.3
16	-	12.0
20	-	5.38
20	16	9.07
16	12	12.5
12	9	14.7
20	20	6.07
20	-	7.53
20	16	8.96
16	12	11.6
12	9	14.2
12	9	16.7
-	6	21.4
9	6	23.5
-	6	25.6
12	9	14.8
12	9	18.2
9	6	21.4
-	4	27.7
8	4	30.6
-	4	33.4

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: All sections to AS/NZS 1163 - C450LO supplied as C450PLUS as marked.
 DuraGal^{Plus} - Section 3 AS/NZS 4792 ZB 100/100.
 DuraGal - Section 4 AS/NZS 4792 ILG 100.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

* DuraPrimed replaces Painted
 ^ DuraGal^{Plus} replace SupaGal

PRODUCT AVAILABILITY GUIDE

SHS — DURAPRIMED* & OILED

Designation <i>d b t</i> (mm)	DuraPrimed C450PLUS Price Grp: RB	Oiled C450PLUS Price Grp: RB
150 x 150 x 5.0	✓	-
6.0	✓	-
8.0	-	M
9.0	-	✓
10.0	-	M

Designation <i>d b t</i> (mm)	Oiled C450PLUS Price Grp: RF
200 x 200 x 5.0	✓
6.0	✓
8.0	M
9.0	✓
10.0	✓
12.5	✓
16.0	M
250 x 250 x 6.0	✓
8.0	M
9.0	✓
10.0	M
12.5	✓
16.0	M
300 x 300 x 8.0	✓
10.0	✓
12.5	✓
16.0	✓
350 x 350 x 8.0	M
10.0	✓
12.5	✓
16.0	✓
400 x 400 x 10.0	✓
12.5	✓
16.0	✓

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: All sections to AS/NZS 1163 - C450L0 supplied as C450PLUS as marked.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

* DuraPrimed replaces Painted

Pack Size (Lns)		All Listed Finishes
All Listed Finishes		
8.0m	12.0m	kg/m
9	6	22.1
6	6	26.2
-	4	33.9
6	4	37.7
-	2	41.3

Pack Size (Lns)		All Listed Finishes
All Listed Finishes		
8.0m	12.0m	kg/m
6	4	29.9
6	4	35.6
4	2	46.5
4	2	51.8
-	1	57.0
-	1	69.4
-	1	85.5
-	2	45.0
-	2	59.1
2	2	65.9
-	2	72.7
-	1	89.0
-	1	111
-	1	71.6
-	1	88.4
-	1	109
-	1	136
-	1	84.2
-	1	104
-	1	128
-	1	161
-	1	120
-	1	148
-	1	186

PRODUCT AVAILABILITY GUIDE

RHS – DURAPRIMED* & DURAGAL^{PLUS}^

Designation <i>d b t</i> (mm)	DuraPrimed C350LO Price Grp: RA	DuraGal ^{Plus} C350LO Price Grp: RC
50 x 20 x 1.6	M	-
2.0	M	-
2.5	M	-
3.0	M	-
50 x 25 x 1.6	R	R
2.0	R	R
2.5	✓	✓
3.0	✓	✓
65 x 35 x 2.0	✓	M
2.5	✓	✓
3.0	✓	M
4.0	M	M
75 x 25 x 1.6	M	M
2.0	R	M
2.5	M	M

Pack Size (Lns)		All Listed Finishes
All Listed Finishes		
8.0m	12.0m	kg/m
96	-	1.63
96	-	1.99
72	-	2.42
72	-	2.83
96	-	1.75
96	-	2.15
72	-	2.62
60	-	3.07
54	-	2.93
54	-	3.60
45	-	4.25
35	-	5.35
65	-	2.38
65	-	2.93
48	-	3.60

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: AS/NZS 1163 - C350LO
AS/NZS 1163 - C450LO supplied as C450PLUS as marked
DuraGal^{Plus} - Section 3 AS/NZS 4792 ZB 100/100.
DuraGal - Section 4 AS/NZS 4792 ILG 100.

Standard lengths are 8 metres.

C450PLUS equivalent sections for DuraPrimed and DuraGal^{Plus} surface finish may be available ex rolling subject to mill limitations.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

* DuraPrimed replaces Painted

^ DuraGal^{Plus} replace SupaGal

PRODUCT AVAILABILITY GUIDE

RHS — DURAPRIMED*, OILED, DURAGAL^{PLUS}^ & DURAGAL

Designation <i>d b t</i> (mm)	DuraPrimed C450PLUS Price Grp: RB	Oiled C450PLUS Price Grp: RB	DuraGal ^{Plus} C450PLUS Price Grp: RD	DuraGal C450PLUS Price Grp: RD
75 x 50 x 1.6	M	-	R	M
2.0	R	-	R	✓
2.5	✓	-	✓	✓
3.0	✓	-	✓	✓
4.0	✓	-	✓	✓
5.0	✓	-	M	M
6.0	✓	-	-	-
100 x 50 x 1.6	M	-	✓	✓
2.0	✓	-	✓	✓
2.5	✓	-	✓	✓
3.0	✓	-	✓	✓
3.5	✓	-	M	M
4.0	✓	-	✓	✓
5.0	✓	-	✓	✓
6.0	✓	-	-	M
102 x 76 x 3.5	✓	-	-	-
5.0	✓	-	-	-
6.0	✓	-	-	-
125 x 75 x 2.0	M	-	-	M
2.5	M	-	M	M
3.0	✓	-	✓	✓
4.0	✓	-	✓	✓
5.0	✓	-	✓	✓
6.0	✓	-	-	M
127 x 51 x 3.5	M	-	-	-
5.0	M	-	-	-
6.0	M	-	-	-
150 x 50 x 2.0	R	-	✓	✓
2.5	M	-	M	✓
3.0	✓	-	✓	✓
4.0	✓	-	✓	✓
5.0	✓	-	✓	✓
6.0	M	-	-	M
150 x 100 x 4.0	✓	-	-	-
5.0	✓	-	-	-
6.0	✓	-	-	-
8.0	-	M	-	-
9.0	-	✓	-	-
152 x 76 x 5.0	-	✓	-	-
6.0	-	✓	-	-

Pack Size (Lns)		All Listed Finishes
All Listed Finishes		
8.0m	12.0m	kg/m
54	54	3.01
42	42	3.72
42	-	4.58
35	24	5.42
28	24	6.92
24	-	8.35
20	16	9.67
32	32	3.64
32	32	4.50
32	24	5.56
32	24	6.60
24	18	7.53
24	18	8.49
18	15	10.3
15	12	12.0
12	-	9.06
9	-	12.5
12	-	14.7
24	-	6.07
24	20	7.53
20	15	8.96
15	15	11.6
15	12	14.2
12	6	16.7
12	-	9.07
8	-	12.5
8	-	14.7
21	21	6.07
24	-	7.53
21	15	8.96
15	15	11.6
15	9	14.2
15	9	16.7
12	9	14.8
12	8	18.2
9	6	21.4
-	4	27.7
6	4	30.6
6	6	16.5
6	6	19.4

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: AS/NZS 1163 - C450L0 supplied as C450PLUS as marked.
 DuraGal^{Plus} - Section 3 AS/NZS 4792 ZB 100/100.
 DuraGal - Section 4 AS/NZS 4792 ILG 100.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

* DuraPrimed replaces Painted
 ^ DuraGal^{Plus} replace SupaGal

PRODUCT AVAILABILITY GUIDE

RHS — DURAPRIMED* & OILED

Designation <i>d b t</i> (mm)	DuraPrimed C450PLUS Price Grp: RB	Oiled C450PLUS Price Grp: RB	Oiled C450PLUS Price Grp: RF
200 x 100 x 4.0	✓	-	-
5.0	✓	-	-
6.0	✓	-	-
8.0	-	M	-
9.0	-	✓	-
250 x 150 x 5.0	-	-	✓
6.0	-	-	✓
8.0	-	-	M
9.0	-	-	✓
10.0	-	-	M
12.5	-	-	✓
16.0	-	-	M
300 x 200 x 6.0	-	-	✓
8.0	-	-	✓
9.0	-	-	M
10.0	-	-	✓
12.5	-	-	✓
16.0	-	-	M
350 x 250 x 8.0	-	-	✓
10.0	-	-	M
12.5	-	-	M
16.0	-	-	M
400 x 200 x 8.0	-	-	M
10.0	-	-	✓
12.5	-	-	✓
16.0	-	-	M
400 x 300 x 8.0	-	-	M
10.0	-	-	M
12.5	-	-	M
16.0	-	-	M

Pack Size (Lns)		All Listed Finishes
All Listed Finishes		
8.0m	12.0m	kg/m
8	6	17.9
8	6	22.1
8	4	26.2
-	4	33.9
-	4	37.7
6	4	29.9
6	4	35.6
4	2	46.5
4	2	51.8
-	2	57.0
-	2	69.4
-	1	85.5
-	1	45.0
1	1	59.1
-	2	65.9
1	1	72.7
-	1	89.0
-	1	111
-	2	71.6
-	1	88.4
-	1	109
-	1	136
-	2	71.6
-	1	88.4
-	1	109
-	1	136
-	1	84.2
-	1	104
-	1	128
-	1	161

- ✓ Cells are ex-stock items.
- R Cells are available ex-rolling only.
- M Cells are ex-rolling and require MOQ.

Specifications: AS/NZS 1163 - C450L0 supplied as C450PLUS as marked.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

* DuraPrimed replaces Painted

PRODUCT AVAILABILITY GUIDE

BUILDING PRODUCTS — DURAGAL^{PLUS}[^] ZB135/135

Designation <i>d b t</i> (mm)	DuraGal ^{Plus} ZB135/135 C450PLUS Price Grp: RE
8.0 Metres	
90 x 90 x 2.0	✓
2.5	M
100 x 50 x 1.6	✓
2.0	✓
150 x 50 x 2.0	✓
3.0	✓

Specifications: AS/NZS 1163 - C450L0 supplied as C450PLUS.
DuraGal^{Plus} - Section 3 AS/NZS 4792 ZB 135/135

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

[^] DuraGal^{Plus} replace SupaGal

Pack Size	DuraGal ^{Plus} ZB135/135
Lns	kg/m
20	5.45
20	6.74
32	3.64
32	4.50
21	6.07
21	8.96

DURAGAL^{CLEAR}[†]

Designation <i>d b t</i> (mm)	DuraGal ^{Clear} C450PLUS Price Grp: RE
8.0 Metres	
75 x 50 x 1.6	M
100 x 50 x 1.6	M
2.0	M
150 x 50 x 2.0	M
3.0	M

65 x 65 x 2.0	M
2.5	M
4.0	M
75 x 75 x 2.0	M
2.5	M
4.0	M
89 x 89 x 3.5	M
90 x 90 x 2.0	M
2.5	M
100 x 100 x 3.0	M
5.0	M

Specifications: AS/NZS 1163 - C450L0 supplied as C450PLUS.

DuraGal^{Clear} products are Hot Dip Gal to Section 3 AS/NZS 4792 ZB 100/100 with a minimum average zinc coating of 100g/m² on both internal and external surfaces.

DuraGal^{Clear} products are suitable for powder coating in accordance with AS 4506.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

[†] DuraGal^{Clear} replaces OZTube Kleer

✓	Cells are ex-stock items.
R	Cells are available ex-rolling only.
M	Cells are ex-rolling and require MOQ.

Pack Size	DuraGal ^{Clear}
Lns	kg/m
54	3.01
32	3.64
32	4.50
21	6.07
21	8.96

42	3.88
42	4.78
30	7.25
36	4.50
30	5.56
25	8.49
20	9.07
20	5.45
20	6.74
20	8.96
12	14.2

PRODUCT AVAILABILITY GUIDE

SILO — DURAPRIMED* & DURAGAL

Designation <i>d b t</i> (mm)	DuraPrimed C450PLUS Price Grp: RX	DuraGal C450PLUS Price Grp: RX
12.0 Metres		
75 x 64 x 2.3	M	M
2.5	M	-
3.0	M	✓
4.0	-	M

Pack Size	DuraPrimed DuraGal
Lns	kg/m
36	4.43
36	4.75
36	5.56
24	7.21

✓	Cells are ex-stock items.
R	Cells are available ex-rolling only.
M	Cells are ex-rolling and require MOQ.

Specifications: AS/NZS 1163 - C450L0 supplied as C450PLUS as marked.
DuraGal - Section 4 AS/NZS 4792 ILG 100

For non standard length, please calculate using the MOQ tonnes.

For MOQ items the actual delivery quantity will be to the nearest pack or part pack (whichever is greater) as close to being within the +/-10% volume tolerance as possible.

* DuraPrimed replaces Painted

PRODUCT AVAILABILITY GUIDE

NOTATIONS AND ABBREVIATIONS

Standard Surface Finishes	Description
DuraPrimed	DuraPrimed products are primer painted for protection during storage and handling.
DuraGalPlus	DuraGalPlus products are Hot Dip Gal to Section 3 AS/NZS 4792 ZB 100/100 with a minimum average zinc coating of 100g/m ² on both the internal and external surfaces.
DuraGalPlus ZB 135/135	DuraGalPlus products are Hot Dip Gal to Section 3 AS/NZS 4792 ZB 135/135 with a minimum average zinc coating of 135g/m ² on both the internal and external surfaces.
DuraGal	DuraGal products are Hot Dip Gal to Section 4 AS/NZS 4792 ILG 100 with a minimum average zinc coating of 100g/m ² on the external surface.
DuraGalClear	DuraGalClear products are Hot Dip Gal to Section 3 AS/NZS 4792 ZB 100/100 with a minimum average zinc coating of 100g/m ² on both internal and external surfaces. Ideal for powder coating.
Hot Dip Gal	Hot Dip Gal pipe has a minimum galvanized coating mass of 300g/m ² both inside and out to AS/NZS 4792 HDG 300 Section 2.
Oiled	Oiled products have a light protective oil coating and comes standard on selected products.
Clear	Clear products are coated with a temporary rust preventative.

Non-Standard Surface Finishes	Description
NOPC	No oil or paint coating and no end code. Available on request ex-rolling only and may be subject to MOQ.
LiteOil	Available on selected sections on request and may be subject to MOQ.

Grades	Description
C250L0	Cold-formed Grade C250 hollow section to AS/NZS 1163 with L0 properties
C350L0	Cold-formed Grade C350 hollow section to AS/NZS 1163 with L0 properties
C450L0	Cold-formed Grade C450 hollow section to AS/NZS 1163 with L0 properties
C450PLUS	C450PLUS properties which satisfies AS/NZS 1163 Grades C350L0 and C450L0

Order Quantity	Description
Minimum Order Quantity (MOQ)	Minimum order quantity is subject to change. Refer to our Sales Representative for current applicable minimum order quantity.
Non-Standard Lengths	For non-standard lengths please refer to your Sales Representative for availability and minimum order requirements. The quantity supplied in non-standard mill lengths can vary from -10 to +10% and may include part packs.

Abbreviation	Description
b	Width of section
CHS	Circular Hollow Section
d	Depth of section
DN	Nominal Diameter
d _o	Outside Diameter of a Circular Hollow Section (CHS)
H	Heavy
L	Light
Lns	Lengths per pack
L0	Guaranteed impact performance at zero degrees celcius

Abbreviation	Description
M	Medium
PE	Plain Ends
RHS	Rectangular Hollow Section
SBE	Screwed Both Ends
SHS	Square Hollow Section
SOE	Screwed One End
t	Thickness of section
XH	Extra Heavy
XL	Extra Light



Address 146 Ingram Road, Acacia Ridge Qld 4110 | PO Box 246, Sunnybank Qld 4109 Australia

Phone +61 7 3909 6600 | **Fax** +61 7 3909 6660

Web austubemills.com

This publication has been prepared as a guide only to assist anyone that may specify or use the products described in this publication. Accordingly, while Australian Tube Mills has endeavoured to ensure that all information provided in this publication is accurate and up-to-date, the following must be noted: this publication does not take into account any individual circumstances and is therefore not a substitute for informed or professional individual advice; the specifications and technical data relating to the products described in this publication are approximate and subject to change without notice, and users should check the currency of the information before relying upon it; and unless required by law, Australian Tube Mills does not accept any responsibility for any loss, damage or consequence resulting from the contents of this publication or from any omission of information in this publication. © Copyright Australian Tube Mills Pty Ltd. DuraGal® is registered trade marks of Australian Tube Mills Pty Ltd. August 2013. TS1855.

