

SMITS SI

\$449

1.0HP PORTABLE ALUMINIUM TANK COMPRESSOR

- Will run 1 x framing or 2 x finishing nailers continuously
- Powerful 1.0 HP 4 pole induction motor
- · Twin alloy tanks
- · Lightweight, only 19kg
- 62 L/min FAD
- · Oil free pump for virtually maintenance free operation
- · Very quiet only 60dB
- 135 PSI (9.3 Bar) Max pressure
- · One-touch "Nitto style" couplers
- 3 year warranty (TM350-10010)

\$849

Valued at \$83.50 30m Hybrid Air Hose (TM300-330)





2.5HP BELT DRIVE **AIR COMPRESSOR**

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240v 10amp Large 60L tank
- FAD 257 L/min (TM351-25060)



8.1KVA PETROL GENERATOR

- Powerful 15HP 4 stroke engine
- Max watts: 6500W
- Sine wave technology (THD<5%)
- 2 x 15A outlets Electric start
- Large 25L tank (TM510-6500)

\$995

HOLEMAKER PRO 35

- Quality, Compact & Robust
- · European Made
- Lightweight, only 10kg! · Capacity (diameter) 35mm
- · Capacity (depth) 52mm
- · Gravity feed coolant system
- · Unique dual rail slide system (HMPR035)

BONUS Valued at \$178 14, 18, 22mm Cutters & Pin

(ASSFT-7)





\$499

16MM CAPACITY DRILL PRESS

- · Quality casting, construction & componentry
- Emergency stop switch · Chuck safety guard
- 16mm chuck
- #2 MT Spindle
- 3/4HP, 240V motor
- 16 speed
- 1580mm height
- (TD1316F)

Valued at \$45

100mm Vice (VDP102)





DRILL DOCTOR XP DRILL BIT SHARPENER

- 2.5mm to 13mm drill bit capacity Creates & sharpens split point bits • 118° sharpening angle • Adjustable relief angle
- 240V motor 3 year warranty (DDXP)

Multitool



5x Grinding Belts 915 x 50mm Assorted Grits (TM408-009)



150MM BENCH GRINDER WITH **BELT GRINDING ATTACHMENT**

- Powerful 370W induction motor Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc
- · 25mm wide grinding wheel · Durable cast iron body . Heavy duty tool rest (P0362-150)

350MM COLD CUT T.C.T. SAW

- Cuts through RHS steel up to 120mm x 120mm
- · Offers an accurate, fast & clean cold cut
- 3HP, 240V motor • 1450rpm
- 90° 45° swivel vice
- . Supplied with T.C.T. mild steel blade (S14)



Bonus Valued at \$425! 20L Cutting Fluid

(MF-20LITRE)



220MM X 220MM

CAPACITY SWIVEL HEAD BANDSAW

- Swivel head 0° to 60°
- · Taiwanese made machine
- · Hydraulic down feed
- 1.5HP, 240V, 1 speed • Round cut capacity: 90°: 227mm, 45°: 150mm (WP270SH-1)



DECEMBER 2020 TO FEBRUARY 2021 SUMMER SALE

TRADE SERIES GENERATORS

- AVR (Automatic Voltage Regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (Total Harmonic Distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate electronic devices.
- Powerful 4 stroke OHV engines
 - Low oil sensor
 - Digital multimeter display
 - Large capacity fuel tanks
 - 2 year trade warranty





\$200 OFF

4KVA 8HP GENERATOR 6.8KVA 13HP GENERATOR

- 13 Hours run time 25L tank Electric Start 78dBa
- 81kg (TM510-5500)

8.1KVA 15HP GENERATOR

- 6500 Max Watts 6000 Rated Watts 2x 15A Outlets
- 12 Hours run time 25L tank Electric Start 79dBa
- 85kg (TM510-6500)

CONSTRUCTION SERIES

• 3400 Max Watts • 3200 Rated Watts • 2x 15A Outlets

• 14 Hours run time • 15L tank • Electric Start • 76dBa

- Push button electric start with
- IP66 rated power outlets


• 52kg (TM510-3400)


- Powerful 4 stroke OHV engines
- Low oil sensor
- Digital multimeter display
- Large capacity fuel tanks


- THD (Total Harmonic Distortion) of <5%

- 5500 Max Watts 5000 Rated Watts 2x 15A Outlets

GENERATORS







- 2 year trade warranty
- AVR (Automatic Voltage Regulator)



\$100 OFF

4KVA 8HP GENERATOR

- 3400 Max Watts 3200 Rated Watts 1x 15A IP66 Outlet
- 14 Hours run time 15L tank Electric Start 76dBA
- 54kg (TM520-3400)




6.8KVA 13HP GENERATOR

- 5500 Max Watts 5000 Rated Watts 2x 15A Outlets
- 13 Hours run time 25L tank Electric Start 78dBA
- 81kg (TM520-5500)











\$150 OFF

8.1KVA 15HP GENERATOR

- 6500 Max Watts 6000 Rated Watts 2x 15A IP66 Outlet
- 12 Hours run time 25L tank Electric Start 79dBA
- 88kg (TM520-6500)



- **10KVA 17HP GENERATOR**
- 8000 Max Watts 7500 Rated Watts 2x 15A IP66 Outlet
- 10 Hours run time 25L tank Electric Start 80dBA
- 95kg (TM520-8000)

SUMMER SALE





NEW RELEASE NOW AVAILABLE

ALUMINIUM TWIN TANK COMPRESSORS

- · Perfect for nailing applications
- Powerful 4 pole induction motors
- Oil free pumps for virtually maintenance free operation
- · Very quiet, ideal for indoor use
- · Light weight aircraft aluminium alloy tanks
- Compact and portable design
- Max pressure: 135 PSI (9.3 Bar)
- One-touch "Nitto style" couplers
- 3 year complete warranty



1.0HP DIRECT DRIVE COMPRESSOR

- Will run 1 x framing or 2 x finishing nailers continuously
- Silent oil free pump only 60dB! 62 L/min FAD
- 10L tank Lightweight, only 19kg (TM350-10010)



2.0HP DIRECT DRIVE COMPRESSOR

- Will run 2 x framing or 3 x finishing nailers continuously
- Silent oil free pump only 67dB 125 L/min FAD
- 16L tank Lightweight, only 26.4kg (TM350-20016)

INDUSTRIAL SERIES **COMPRESSORS**

- Durable copper wound motors
- · Full brass non-return valve
- · Soft start valve
- Condor pressure switches
- 145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- Thermal overload protection
- Includes filter regulator with one-touch
- "Nitto style" couplers
- 200mm Solid rubber wheels
- 3 year pump warranty

BONUSValued at \$60

30m Air Hose (TM300-230)









2.5HP DIRECT DRIVE AIR COMPRESSOR

• Ideal builder's compressor • Single cast iron cylinder pump with aluminium head • Filter regulator • 240v 10amp • Large 50L tank • FAD 175 L/min (TM350-25050)

Valued at \$60









2.2HP BELT DRIVE AIR COMPRESSOR

 Ideal builder's compressor • V Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240v 10amp • Large 50L tank • FAD 185 L/min (TM351-22050)

Valued at \$83.50 30m Hybrid Air Hose (TM300-330)





Valued at \$83.50

Hose (TM300-330)

3HP BELT DRIVE

AIR COMPRESSOR - 60L

• Ideal for commercial applications • Triple cast iron

cylinder pump with aluminium heads • Filter regulator

30m Hybrid Air

2.5HP BELT DRIVE **AIR COMPRESSOR - 60L**

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240v 10amp Large 60L tank
- FAD 257 L/min (TM351-25060)

Valued at \$83.50 30m Hybrid Air Hose (TM300-330)



2.5HP BELT DRIVE **AIR COMPRESSOR - 90L**

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240v 10amp Large 90L tank
- FAD 257 L/min (TM351-25090)

Valued at \$83.50

30m Hybrid Air Hose (TM300-330)



3HP BELT DRIVE

AIR COMPRESSOR - 50L

• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 L/min • 240v 15amp (TM351-30050)









3HP BELT DRIVE AIR COMPRESSOR - 90L • Ideal for commercial applications • Triple cast iron

cylinder pump with aluminium heads • Filter regulator • 90L tank • FAD 328 L/min • 240v 15amp (TM351-30090) • 60L tank • FAD 328 L/min • 240v 15amp (TM351-30060)

• HD cast iron cylinder with aluminum head • Filter regulator







STOCK AVAILABLE MID DECEMBER

5.5HP PETROL BELT DRIVE AIR COMPRESSOR - 60L

- Powered by Honda GX160 5.5HP engine
- Large 60L tank FAD 355 L/min (TM352-55060)

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST



DECEMBER 2020 TO FEBRUARY 2021

SUMMER SALE



BONUS

5x Grinding Belts



150MM BENCH GRINDER WITH **MULTITOOL ATTACHMENT**

• Powerful 370W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO362-150)



200MM BENCH GRINDER WITH **MULTITOOL ATTACHMENT**

• Powerful 600W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO362-200)



250MM BENCH GRINDER WITH **MULTITOOL BELT ATTACHMENT**

· Powerful 900W induction motor · Capacitor start for maximum performance • 1220mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body (PO482-250)

BONUS

Valued at \$31.50 6" Wire Wheel (TM7012-151)





150MM BENCH GRINDER

• 370W, 240V • 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-150)

• Stand to suit \$99 (TM403-010)



Valued at \$40 8" Wire Wheel (TM7012-200)







200MM BENCH GRINDER

• 600W, 240V • 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-200)

• Stand to suit \$99 (TM403-010)



250MM BENCH GRINDER

• 900W, 240V • 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-250)

• Stand to suit \$99 (TM403-010)

PEDESTAL DRILLS

• Quality casting, construction & componentry • Emergency stop NVR safety switch . Chuck safety guard

• Drill chuck & arbor • Drill drift (on MT models)

Valued at \$45 100mm **Drill Press Vice** (VDP102)



16MM DRILL PRESS

- 16mm capacity 16mm B16 chuck
- #2 MT Spindle 3/4HP, 240V motor
- 16 speed 1580mm height
- 60kg weight (TD1316F)



Valued at \$69 19pce Drill Bit Set (UN308-010)





20MM CAPACITY DRILL PRESS



BUNUS

Valued at \$69 19pce Drill Bit Set (UN308-010)



25MM CAPACITY **DRILL PRESS**

- 25mm capacity 20mm B22 chuck #3 MT Spindle 2HP, 240V motor
- 12 speed 1710mm height
- 120kg weight 92mm dia. column



40MM CAPACITY GEARED HEAD DRILL

- 40mm capacity #4 MT Spindle • 1.5HP, 240V OR 415V motor
- 6 speed 1770mm height 320kg (TGD400-1 240 Volt) (TGD400-3 415 Volt)



GEARED HEAD DRILL / MILL

All features of the TGD400, plus: X/Y Milling Table

- Recirculating Coolant System (TGMD400-1 240 Volt) (TGMD400-3 415 Volt)

VENTILATOR SET

· Suitable for air/fume extraction or blowing fresh air • Ideal ventilation for workshops and confined areas • Includes 5 metre expandable ducting • Large capacity motor creating a very high flow rate • Specially designed axial propeller • High static pressure • 550W Motor • 60m3/min Flow Rate (TPV300SET)

WAS \$285

SUMMER SALE



Valued at \$135 5L Cutting Fluid



300MM X 180MM **CAPACITY BANDSAW**

- Taiwanese made machine Hydraulic downfeed
- 1HP, 240V 4 speed belt drive Recirculating coolant system Round cut capacity: 90°: 180mm, 45°: 110mm • Emergency stop safety switch (UE712A)



170MM X 170MM **CAPACITY SWIVEL HEAD BANDSAW**

- Swivel head 0° to 60° Taiwanese made machine
- Hydraulic down feed 1HP, 240V Recirculating coolant system • Round cut capacity: 90°: 170mm, 45°: 120mm (WP210SH-1)



Valued at \$425! 20L Cutting Fluid (MF-20LITRE)



220MM X 220MM

CAPACITY SWIVEL HEAD BANDSAW

- Swivel head 0° to 60° Taiwanese made machine
- Hydraulic down feed 1.5HP, 240V Recirculating coolant system Round cut capacity: 90°: 227mm, 45°: 150mm (WP270SH-1)



310MM X 210MM CAPACITY **2 WAY SWIVEL HEAD BANDSAW**

• 2 way swivel head 0° to 60° • Taiwanese made machine • Hydraulic down feed • 2HP, 415V • 2 speed • Round cut capacity: 90°: 250mm, 45°: 200mm (WP310DS-3)



350MM X 220MM CAPACITY **2 WAY SWIVEL HEAD BANDSAW**

• 2 way swivel head 0° to 60° • Taiwanese made machine • Hydraulic down feed • 2HP, 415V • 2 speed • Round cut capacity: 90°: 270mm, 45°: 240mm (WE350DS)



350MM X 220MM CAPACITY SEMI AUTO SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Taiwanese made machine • Semi-Auto Operation • 2HP, 415V • 2 speed • Round cut
- capacity: 90°: 270mm, 45°: 240mm (WE350DSA)



400MM X 200MM CAPACITY 2 WAY SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Italian made machine
- Hydraulic down feed 2HP, 415V 2 speed Round cut capacity: 90°: 300mm, 45°: 240mm (MB-411CSO-3)



550MM X 400MM CAPACITY SEMI AUTO SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Italian made machine
- Semi-Auto Operation 2HP, 415V 2 speed Round cut capacity: 90°: 400mm, 45°: 400mm (MB-420DI-3)



620MM X 450MM CAPACITY SEMI AUTO SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Italian made machine
- Semi-Auto Operation 2HP, 415V 2 speed Round cut capacity: 90°: 460mm, 45°: 450mm (MB-650DI-3)



350MM COLD CUT T.C.T. SAW

- Cuts through RHS steel up to 120mm x 120mm
- Offers an accurate, fast & clean cold cut 3HP, 240V motor • 1450rpm • 90° - 45° swivel vice • Supplied with T.C.T. mild steel blade (S14)



300MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right
- Round cut capacity: 90°: 90mm, 45°: 90mm 2HP, 240V, 1 Speed (TRS300-1) or
 3HP, 415V, 2 Speed (TRS300-3)



350MM SWIVEL HEAD COLDSAW

- Double vice Swivel head 45° left & right 3.2HP, 415V • 2 Speed • Round cut capacity: 90°: 110mm, 45°: 80mm (NEW350EDV-3)
- FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST



DECEMBER 2020 TO FEBRUARY 2021

SUMMER SALE

14. 18. 22mm Cutters & Pin (ASSET-Z)



HOLEMAKER PRO 35

- · Quality, Compact & Robust
- European Made
- Lightweight, only 10kg!
- Capacity (diameter) 35mm
- Capacity (depth) 52mm
- Gravity feed coolant system
- Unique dual rail slide system (HMPRO35)



HOLEMAKER PRO 40

- Durable & Versatile, European Made Machine
- Capacity (diameter) 40mm · Capacity (depth) 52mm
- Through cutter coolant system • Comes complete in metal carry case • 12.5kg (HMPRO40)



Holemaker

HOLEMAKER PRO 36AD



 Super lightweight, only 9.5kg!
Capacity (diameter) 36mm • Capacity (depth) 30mm • Squeeze bottle coolant system • Comes complete in plastic carry case (HMPRO36AD)

PRO 50

- · Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm · Capacity (depth) 52mm
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc.
- Powerful 1260W motor & 2 speed gearbox • 16.5kg (HMPRO50)



PRO 65

- European Made Machine
- Capacity (diameter) 65mm
- · Capacity (depth) 75mm Dual Rail Slide System
- 2 speed gearbox
- 17kg
- (HMPRO65)



PRO 110

- Large Capacity #4 Morse Taper Heavy Duty Machine
- · Capacity (diameter) 110mm · Capacity (depth) 75mm
- (110mm with optional arbor)
- 47mm #4MT drill bit capacity
- 4 speed heavy duty mechanical gearbox
- 1650W motor output (HMPRO110)



Holemaker

SPECIA

- New generation Italian made motor
- Intelligent speed control system Maintains stable speed regardless of load changes.
- **Electronic Variable Speed Control** Achieves the ideal RPM for your application.
- · Forward and Reverse Operation
- **Electronic clutch** Engages in the case of cutting tool breakage
- · Overload and Overheat protection
- Tilt sensor

Stops the motor in cases of machine break away.

- 360-degree visual monitoring system with colored lights to indicate condition of the drill
- Intuitive control panel
- · Very light weight

SPECIAL 60

- Capacity (diameter) 60mm
- · Capacity (depth) 75mm
- #2 Morse Taper Spindle
- M20 Tapping Capacity
- 23mm Twist Drill Capacity
- · 2 Speed gearbox with variable speed control
- Powerful 1500Watt Italian motor
- Durable & Versatile
- · European Made Machine
- 17.0kg (HMSPECIAL60)



SPECIAL 80

- · Capacity (diameter) 80mm
- · Capacity (depth) 110mm
- #3 Morse Taper Spindle
- M24 Tapping Capacity
- 25mm Twist Drill Capacity
- 2 Speed gearbox with variable speed control
- Powerful 1500Watt Italian motor
- Durable & Versatile
- European Made Machine
- 18.0kg Very light weight compared to other machines of similar capacity (HMSPECIAL80)



SPECIAL 110

- · Capacity (diameter) 110mm
- · Capacity (depth) 110mm • #3 Morse Taper Spindle
- M30 Tapping Capacity
- · 30mm Twist Drill Capacity
- · 4 Speed gearbox with variable speed control
- Powerful 2150Watt Italian motor
- Durable & Versatile
- European Made Machine
- 25.0kg Very light weight compared to other machines of similar capacity (HMSPECIAL110)



\$5995

SPECIAL 140

- Capacity (diameter) 140mm
- · Capacity (depth) 110mm • #4 Morse Taper Spindle
- M42 Tapping Capacity
- 47mm Twist Drill Capacity 4 Speed gearbox with variable speed control
- Powerful 2150Watt Italian motor
- Durable & Versatile
- European Made Machine
- 31.0kg Very light weight compared to other machines of similar capacity (HMSPECIAL140)



DECEMBER 2020 TO FEBRUARY 2021

SUMMER SALE



BONUS

Valued at \$59 1/2" Impact socket set 11 pce 10-24mm (TM371-001)



1/2" COMPACT IMPACT WRENCH

- Lightweight Only 1.6KG!
- Low noise level Only 85DB!
- Compact size Only 115.5mm length! • Powerful - 500ft-lb Max torque! (M7-NC4610Q)



BONUS

Valued at \$47.50 20m Air hose with couplers (TM300-220)



1/2" DRIVE **IMPACT WRENCH**

- Lightweight Only 1.7KG!
- · Low noise level Only 85DB!
- 1650Nm (1200ft-lb) Max Torque!
- New patented EZ grease anvil (M7-NC4255QH)







3/4" DRIVE **IMPACT WRENCH**

- Lightweight Only 1.9KG!
- · Low noise level Only 85DB!
- 1900Nm (1400ft-lb) Max torque!
- New patented EZ grease anvil (M7-NC6255Q)



M7 anti-vibration gloves





AIR NEEDLE SCALER

- Blows per minute: 5500 BPM
- Net weight : 1.3kg
- Needle size : 3 x 123mm (12 per set)
- Overall length: 290mm

(M7-SN1288)

Valued at \$59 1/2" Impact socket set 11 pce 10-24mm (TM371-001)



1/2" **DRIVE** IMPACT WRENCH

- Aluminium composite material construction
- Heavy duty twin hammer 3 torque settings
- 820 Nm (625 ft-lb) Max torque
- 6,800rpm Free speed (TM340-136)

20m Air hose with couplers (TM300-220)



3/4" **DRIVE** IMPACT WRENCH

- Aluminium composite material construction
- Heavy duty twin hammer 3 torque settings
- 1,200 Nm (885 ft-lb) Max torque
- 4,200rpm Free speed (TM340-145)

Bonus

Valued at \$31 M7 Heavy duty tool bag (M7Z-ZC111)



AIR HYDRAULIC RIVETER

- Traction power: 2303 lbf
- Alloy rivet : 3/16" Steel rivet : 3/16" • Stainless rivet : 5/32"
- Stroke length: 16mm Net
- weight: 1.5kg (M7-PA301)



BONUS Valued at \$29

M7 anti-vibration



3/8" AIR DRILL

- Chuck size: 3/8" Free speed: 1800 RPM
- Air requirement : 4.0CFM Length :185mm
- Sound pressure : 83DB Net weight : 1.1kg
- · Quiet operation · Keyless chuck · Reversible (M7-QE831)



AIR DIE GRINDER KIT

- Includes 3x 3/8" premium Holemaker carbide burrs
- Compact design with rubber grip
- · Rear 4-speed regulator
- 360° adjustable exhaust (TM340-312KIT3)



15M HOSE REEL

• Reinforced PVC air hose • Auto retractable • Auto lock to any length • Auto track guided hose laying system • Hose length: 15m • Hose I.D.: 10mm (3/8") (TM300-015)



20M HOSE REEL

 Hybrid high-flex air hose
Anti-kink technology Auto lock to any length • Auto retractable • Hose length: 20m • 10mm (3/8") • Hi-visibility for safety (TM300-020)



30M HOSE REEL

• Braided PU hose • Manual rewind • Heavy duty steel frame • Kink-proof collar on hose • Hose length: 30m • Hose I.D.: 8mm (TM300-030)



DECEMBER 2020 TO FEBRUARY 2021 SUMMER SALE



1" HYDRAULIC PIPE BENDER

- 3/8", 1/2", 3/4", 1" formers
- 0° to 90° Bending angle
- 6,000kg Force capacity
- 150mm Stroke
- · Supplied in metal carry case (TM811-03025)





2" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2" formers
- 0° to 90° Bending angle 13,000kg Force capacity
- 250mm Stroke Heavy duty castor wheels (TM811-13050)



3" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3" formers
- 0° to 90° Bending angle 20,000kg Force capacity
- 290mm Stroke Heavy duty castor wheels (TM811-20075)



PROFESSIONAL MECHANICS BENCH VICES

Jaw Width	weignt	Part No.	Price
75mm	7.5kg	TM100-075	\$85.50
100mm	10.0kg	TM100-100	\$121
125mm	15.5kg	TM100-125	\$171
150mm	18.0kg	TM100-150	\$205
200mm	31.0kg	TM100-200	\$310

FABRICATED STEEL BENCH VICES

• Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



	4	in in its angle in the interest of the interes	1			3	
RAIC	GHT J	AW		177	OFFSE	T JA	W
Nidth	Weight	Part No.	Price	1//	Jaw Width	Weight	Part No
mm	10.5kg	TM102-100	\$148	6/	100mm	11.2kg	TM104-1
mm	18.5kg	TM102-125	\$260		125mm	20.3kg	TM104-1
mm	22.6kg	TM102-150	\$295		150mm	25.0kg	TM104-1
mm	37.0kg	TM102-200	\$545		200mm	60.0kg	TM104-2





EHOMA GENERAL PURPOSE FORGED STEEL CLAMPS

 For general purpose clamping applications • Swivel pad

Span x Depth	Clamping Force	Part No.	Price
160x80mm	300kg	EC-G16CS	\$37
200x100mm	450kg	EC-G20CS	\$47.50
250x120mm	550kg	EC-G25CS	\$59
300x140mm	670kg	EC-G30CS	\$72
400x175mm	1000kg	EC-G40CS	\$97.50
600x175mm	1000kg	EC-G60CS	\$111
800x175mm	1000kg	EC-G80CS	\$128



200r

EHOMA HEAVY DUTY FORGED STEEL CLAMPS

- Larger rail sizes 30x15mm
- For heavy duty applications
- Changeable clamping heads
- Socket drive handle
- Up to 1000mm span available

Span x Depth	Clamping Force	Part No.	Price
300x140mm	1200kg	EC-GS30C	\$134
400x120mm	1200kg	EC-GS40C	\$144
500x140mm	1200kg	EC-GS50C	\$158
600x120mm	1200kg	EC-GS60C	\$167



· Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes

Span x Depth	Force	Part No.	Price
160x80mm	300kg	EC-G16L	\$77
200x100mm	350kg	EC-G20L	\$87.50
300x140mm	500kg	EC-G30L	\$122
400x120mm	550kg	EC-G40L	\$131
500x120mm	550kg	EC-G50L	\$137

DISTRIBUTED BY

Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO 28th February 2021