

STRONGER, **MORE POWERFUL, MORE RELIABLE TOOLS**

Delivering best-in-class tools for maximum productivity, durability and performance for 30 years.



PRO 35 MAGNETIC DRILL

- Quality, Compact & Robust European Made Machine
- · Lightweight, only 10kg! Ideal for onsite & overhead tasks
- · Capacity (diameter) 35mm
- Capacity (depth) 52mm
- · Gravity feed coolant system with magnetically attached bottle
- Dual rail slide system
- · Comes complete in plastic carry case (HMPRO35)



Holemaker

ON SALE

350MM T.C.T. COLD CUT SAW

- Cuts through steel up to 120mm x 120mm
- Offers an accurate, fast & clean cold cut
- 3hp 240V motor, 1450rpm
- 90° 45° swivel vice
- Supplied with T.C.T. mild steel blade



\$225.00 VALUE! (SSBL350-MS)





200MM BENCH GRINDER WITH MULTITOOL





- for the professional
- 5 Grinding surfaces • 600W Industrial Bench Grinder
- 915 x 50mm Belt & Disc **Grinding Attachment**
- 3 Year warranty (PO362-200)





Multitool

10 KVA PETROL GENERATOR

- Powerful 17hp 4 stroke engine
- 8000 Watts max
- 25L tank, 10 hours run time
- 2x 15A outlets
- · Electric start, with battery
- · 2-year trade warranty (TM510-8000)

Equipped with AVR (automatic voltage regulator) alternator to provide a very pure energy supply with a THD (total harmonic distortion) of <5% which is suitable to power delicate electronic devices





















Multitool



150MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 370W induction motor Capacitor start for maximum performance • 915mm x 50mm belt
- 178mm disc 25mm wide grinding wheel
- Durable cast iron body (PO362-150)



200MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 600W induction motor Capacitor start for maximum performance • 915mm x 50mm belt
- 178mm disc 25mm wide grinding wheel Durable cast iron body • Heavy duty tool rest (PO362-200)



250_{MM} BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

250_{MM} BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 900W induction motor Capacitor start for maximum performance • 1220mm x 100mm belt
- 178mm disc 25mm wide grinding wheel Durable cast iron body • Heavy duty tool rest (PO484-250)



1220 x 50mm BELT & DISC

GRINDING ATTACHMENT • 200mm contact wheel • Suits most 200mm &

Multitool

^{\$}169

\$64g

SHARPENING JIG

• Sharpening jig accessory enables a professional result when sharpening chisels, planer blades, and screwdrivers • For sharpening chisels up to 51mm, hand plane blades up to 60mm and power planer blades up to 82mm • Slotted screwdrivers up to 10mm square can also be retipped • Fits all Multitools except 8CW (POJIG)

178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO482-250) Multitoo

• Powerful 900W induction motor • Capacitor start for

maximum performance • 1220mm x 50mm belt

sggg


915 x 50мм BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO362)



915 x 100_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc



1220 x 50mm BELT & DISC **GRINDING ATTACHMENT**

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO482)



1220 x 100mm BELT & DISC GRINDING ATTACHMENT

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO484)



· Suitable for grinding ends square and adjust lengths and angles • For use with all Multitool models • Table can be tilted up 5°, down 50°

Table size 110 x 204mm (POMTA)



ADJUSTABLE PIN SPANNER

• Fits most grinders and saws (POSPANNER)





^{\$}189

150MM BENCH GRINDER

- 370W 25mm width grinding wheels 36 & 60 grit Durable cast iron body
- Vibration absorbing pads (TM400-150)



200MM BENCH GRINDER

- 600W 25mm width grinding wheels 36 & 60 grit Durable cast iron body
- Vibration absorbing pads Heavy duty tool rests (TM400-200)



250MM BENCH GRINDER

- 900W 25mm width grinding wheels 36 & 60 grit Durable cast iron body
- Vibration absorbing pads Heavy duty tool rests (TM400-250)



\$280

200MM BUFFING MACHINE

- 550W 14mm width mop wheels
- Durable cast iron body Vibration absorbing pads (TM402-200)

BUFFING COMPOUNDS

• Different metals have varying characteristics and to achieve the best results, it is essential that the correct compounds and buffs are selected



GREEN COMPOUND

• For high gloss finish on steel, stainless steel and copper • Use with a loose leaf mop (TM404-001)



GREY COMPOUND

• Used to cut back light scratch marks on copper, brass and stainless steel prior to polishing • Use only with a stitched mop (TM404-002)



RED COMPOUND

• General purpose polishing of copper, brass, aluminium and most other metals • Can be used with a loose leaf or stiched mop (TM404-003)



WHITE COMPOUND

- For high quality finishes on aluminium and aluminium alloys
- Use with a loose leaf mop (TM404-004)


POLISHING MOPS



Part No.	Diameter	Description	Price
TM405-001	150mm	50 Fold Loose Leaf	\$22
TM405-002	200mm	50 Fold Loose Leaf	\$32
TM405-003	150mm	Stitched	\$21
TM405-004	200mm	Stitched	\$32

BENCH GRINDER STANDS

• For use with TM400-150, TM400-200, TM400-250, TM402-200





SURFACE CONDITIONING BELTS

- 915mm x 50mm
- For use with PO362

Part No.	Abrasive Level	Price
TM408-003	Polishing	\$50
TM408-001	Fine	\$50
TM408-002	Medium	\$50



- 915mm x 50mm
- For use with PO362

Part No.	Belts Per Pack	Grit	Abrasive Level	Price
TM408-008	3	400	Very Fine	\$12
TM408-007	3	240	Fine	\$12
TM408-006	3	150	Medium	\$12
TM408-005	3	80	Coarse	\$12
TM408-004	3	40	Very Coarse	\$12

Part No.	Belts Per Pack	Grits	Price
TM408-009	5	40, 80, 150, 240, 400	\$18

ITM bandsaws are industrial quality machines, designed for all day use in demanding metal fabrication workshops.

- Made in Taiwan
- Quality casting
- & componentry
 Industry proven with over 20 years on the Australian market







			1479			
Model	UE125DV	UE712A	WP210SH-1	WP210SH-3	WP270SH-1	WP270SH-3
Features	Swivel head 0° to 60°Emergency Stop Switch	Swivel vice, 0° to 45°Hydraulic downfeed		l head 0° to 60° aulic down feed		head 0° to 60° ulic down feed
Motor	0.4hp, 240V	1hp, 240V	1hp, 240V	1hp, 415V	1hp, 240V	1.5hp, 415V
Speed	Variable	4 speed	1 speed	2 speed	1 speed	2 speed
	23-75mpm	22, 33, 45, 65mpm	80mpm	40 & 80mpm	72mpm	36 & 72mpm
Rectangular Capacity 90°	120 x 120mm	300 x 180mm	210 x 100mm	210 x 100mm	260 x 110mm	260 x 110mm
Square Cut Capacity 90°	120 x 120mm	180 x 180mm	170 x 170mm	170 x 170mm	215 x 215mm	215 x 215mm
Square Cut Capacity 45°	70 x 70mm	110 x 110mm	110 x 110mm	110 x 110mm	145 x 145mm	145 x 145mm
Price	\$975	\$1,995	\$2,995	\$2,995	\$3,995	\$3,995



		4			
Model	WP275DS-1	WP275DS-3	WP310DS-3	WE350DS	WE350DSA-3
Features		head 0° to 60° c down feed	 2 way swivel head 0° to 60° Hydraulic down feed 	 2 way swivel head 0° to 60° Hydraulic down feed 	 Semi-automatic function 2 way swivel head 0° to 60°
Motor	1hp, 240V	1.5hp, 415V	2hp, 415V	2hp, 415V	2hp, 415V
Speed	1 speed, 72mpm	2 speed, 36, 72mpm	2 speed 36, 72mpm	2 speed 34, 68mpm	2 speed 34, 68mpm
Rectangular Capacity 90°	260 x 105mm	260 x 105mm	310 x 165mm	350 x 250mm	350 x 250mm
Square Cut Capacity 90°	215 x 215mm	215 x 215mm	235 x 235mm	260 x 260mm	260 x 260mm
Square Cut Capacity 45° (R)	145 x 145mm	145 x 145mm	185 x 185mm	165 x 165mm	165 x 165mm
Price	\$5,595	\$5,595	\$7,695	\$8,995	\$11,995



\$11,995

\$15,495

\$5,695



\$2,995

\$4,095

\$4,095

\$4,795

\$2,495

\$2 995

\$2,495

Price







PRO 35 MAGNETIC DRILL

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg! Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- Capacity (depth) 52mm
- · Gravity feed coolant system with magnetically attached bottle
- Dual rail slide system
- Comes complete in plastic carry case (HMPRO35)



PRO 40 MAGNETIC DRILL

- Durable & Versatile, European Made Machine
- Capacity (diameter) 40mm
- Capacity (depth) 52mm
- Optional 13mm twist drill chuck for use with standard drill bits
- Through cutter coolant system
- · Comes complete in metal carry case
- 12.5kg (HMPRO40)



Holemaker

PRO 36AD **MAGNETIC DRILL**

- Ultra low profile
- 176mm constant working height
- · Lightweight, only 9.5kg!
- Capacity (diameter) 36mm
- Capacity (depth) 30mm
- Utilizes standard 3/4" shank cutters (HMPRO36AD)



\$2369

Holemaker

PRO 50

- **MAGNETIC DRILL** Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm
- · Capacity (depth) 52mm
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc.
- Powerful 1260W motor
- 2-speed gearbox
- 16.5kg
- · Comes complete in metal carry case (HMPRO50)

\$2499



Holemaker

PRO 65 MAGNETIC DRILL

- European made
- Capacity (diameter) 65mm Capacity (depth) 75mm
- Dual rail slide system
- Powerful 1500W motor
- 2-speed gearbox
- · Lightweight, only 17kg
- · Comes complete in plastic carry case (HMPRO65)

\$2319



\$5249

Holemaker

SPECIAL 60 **MAGNETIC DRILL**

- #2 Morse taper
- European made
- Capacity (diameter) 60mm
- · Capacity (depth) 75mm
- 23mm #2MT drill bit capacity
- M20 Tapping Capacity
- 2-speed variable gearbox
 Powerful 1500W Italian motor
- Electronic clutch Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- · Intuitive top mount control panel • Very light weight 17kg (HMSPECIAL60)



\$1099



Holemaker

SPECIAL 80 MAGNETIC DRILL

- #3 Morse taper spindle
- European made
- Capacity (diameter) 80mm
- Capacity (depth) 110mm
 25mm #3MT drill bit capacity
- M24 Tapping Capacity
- · 2-speed variable gearbox • Powerful 1500W Italian motor
- Electronic clutch Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- Intuitive top mount control panel • Very light weight 18kg (HMSPECIÁL80)

\$3999



Holemaker

SPECIAL 110 MAGNETIC DRILL

- #3 Morse taper spindle
- European made
- · Capacity (diameter) 110mm
- Capacity (depth) 110mm
 32mm #3MT drill bit capacity
- M30 Tapping Capacity
- · 4-speed variable gearbox
- Powerful 2150W Italian motor
- Electronic clutch Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- Intuitive top mount control panel • Very light weight 25kg (HMSPECIAL110)



Holemaker

SPECIAL 140 **MAGNETIC DRILL**

- #4 Morse taper spindle
- European made
- Capacity (diameter) 140mm
- · Capacity (depth) 110mm
- 47mm #4MT drill bit capacity
- M42 Tapping Capacity
- · 4-speed variable gearbox Powerful 2150W Italian motor • Electronic clutch • Overload
- and overheat protection • Tilt sensor • 360-degree visual monitoring system
- Intuitive top mount control panel • Very light weight 31kg (HMSPECIAL140)

^{\$6299}

Holemaker

25_{MM} DEPTH

Part No. Diameter

16mm

18mm

20mm

22mm

24mm

AT1425

AT1625

AT1825

AT2025

AT2225

AT2425

GOLD SERIES ANNULAR CUTTERS

- Available in sizes 12 60mm diameter
- · Available in 25, 50 & 75mm depth of cut
- · Titanium nitride coating
- Universal shank M2AL high speed steel material . Multi-cut geometry



50мм DEPTH

Diameter	Price
12mm	\$72
14mm	\$72
16mm	\$76
18mm	\$80
20mm	\$90
22mm	\$100
24mm	\$110
	14mm 16mm 18mm 20mm 22mm

Holemaker

MAX T.C.T. SERIES ANNULAR CUTTERS

- · Available in sizes 12 200mm diameter
- · Available in 35mm, 50mm, 75mm, 100mm, 150mm & 200mm depth of cut
- Suitable for drilling hard steels
- · Less susceptible to breakage than standard HSS cutters, especially in larger diameters



Part No.	Diameter	Price	Part
MAX50-12	12mm	\$120	MAX
MAX50-14	14mm	\$120	MAX
MAX50-16	16mm	\$130	MAX
MAX50-18	18mm	\$135	MAX
MAX50-20	20mm	\$135	MAX
MAX50-22	22mm	\$135	MAX
MAY50-24	24mm	\$150	MAX

75MM DEPTH

Part No.	Diameter	Price
MAX75-14	14mm	\$230
MAX75-16	16mm	\$230
MAX75-18	18mm	\$230
MAX75-20	20mm	\$230
MAX75-22	22mm	\$250
MAX75-24	24mm	\$250
MAX75-26	26mm	\$270



BELT DRIVE BENCH & PEDESTAL DRILLS

• Quality casting, construction & componentry • Emergency stop NVR safety switch • Chuck safety guard • Drill chuck & arbor • Drill drift (on MT models)



- 13mm capacity
- 13mm B16 chuck
- 1/2hp, 240V motor
- 5 speed
- 680mm height
- 27kg weight (TD1013)



- 16mm capacity
- 16mm B16 chuck
- #2 MT Spindle
- 1/2hp, 240V motor
- 16 speed 980mm height
- 50kg weight (TD1316)



- 16mm B16 chuck
- #2 MT Spindle
- 3/4hp, 240V motor
- 16 speed 1580mm height
- 60kg weight (TD1316F)



- 20mm capacity
- 20mm B22 chuck
- #3 MT Spindle
- 1hp, 240V motor
- 12 speed 1600mm height
- 80kg weight (TD1420F)



- 25mm capacity
- 20mm B22 chuck
- #3 MT Spindle
- 2hp, 240V motor
- 12 speed 1710mm height
- 120kg weight (TD1825F)
- HHH 32mm capacity

 - 20mm B22 chuck
- #4 MT Spindle
- 2hp, 240V motor
- 12 speed 1710mm height
- 145kg weight (TD2032F)



1" TUBE BENDER

- 3/8", 1/2", 9/16", 5/8", 3/4", 7/8",
- 1" Cast steel formers
- 0° to 180° Bending angle
- Bench mountable
- · Supplied in robust plastic carry case (TM810-025)



1" HYDRAULIC **PIPE BENDER**

- 3/8", 1/2", 3/4", 1" Cast steel formers • 0° to 90° Bending angle • 6,000kg Force capacity
- 150mm Stroke Supplied in metal carry case (TM811-03025)

4" HYDRAULIC

PIPE BENDER

• 1/2", 3/4", 1", 1-1/4", 1-1/2",

2", 2-1/2", 3" & 4" cast formers • 0° to 90° Bending angle



GEARED HEAD DRILLING MACHINE QUALITY PRECISION MACHINE FOR DRILLING & TAPPING

- #4 Morse taper spindle
- Micro feed precision
- · Geared head tilts 90° right & left
- Forward and reverse operation
- · Accessories include arbor, drill chuck, drill sleeves • 40mm capacity
- 1.5hp motor, 6-speed gearbox
- 1770mm height 320kg weight
- 240V (TGD400-1) or 415V (TGD400-3)

\$3495



combined with: milling table, recirculating coolant system 240V (TGMD400-1)

or 415V (TGMD400-3)







2" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2" & 2" cast steel formers
- 0° to 90° Bending angle
- 13,000kg Force capacity • 250mm Stroke
- Heavy duty castor wheels (TM811-13050)



• 20,000kg Force capacity • 370mm Stroke

Heavy duty castor wheels (TM811-20100)





DRILL DOCTOR XP **DRILL BIT SHARPENER**

- 2.5mm to 13mm drill bit capacity
- · Creates & sharpens split point bits
- 118° sharpening angle
- Adjustable relief angle
- 240V motor
- 3-year warranty (DDXP)



DRILL DOCTOR 500X DRILL BIT SHARPENER

- Tradesman model
- · 2.5mm to 13mm drill bit capacity
- 118° or 135° sharpening angle
- Creates & sharpens split point bits
- 3-year warranty (DD500X)






DRILL BIT SHARPENER

- Top of the line tradesman model
- 2.5mm to 19mm drill bit capacity
- 115° to 140° sharpening angle
- Creates & sharpens split point bits
- 3-year warranty (DD750X)







STANDARD TORQUE WRENCHES

- Nm engraved marking scales on the front
- Ft-lb or in-lb engraved marking scales on the back
- Non-slip knurled handle design
- Turn screw to unlock and lock the torque setting
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TE205025N	1/4"	5~25Nm (44.3~221.3in-lb)	\$69
M7-TE225250N	1/4"	2.8~28.2Nm (2~20 ft-lb)	\$69
M7-TE305025N	3/8"	5~25Nm (44.3~221.3in-lb)	\$69
M7-TE320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$69
M7-TE428210N	1/2"	28~210Nm (20.7~154.9ft-lb)	\$72
M7-TE450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$125
M7-TE820100N	1"	200~1000Nm (166~719ft-lb)	\$869
M7-TE850250N	1"	500~2500Nm (443~1771ft-lb)	\$2995



PROFESSIONAL TORQUE WRENCHES - REVERSIBLE

- Nm engraved marking scales on the front
- · Ft-lb engraved marking scales on the back
- Reversible works in both clockwise and anti-clockwise direction
- Very precise adjustment of the torque setting can be achieved, with the turn handle clicking and locking with each 1Nm adjustment
- Pull back collar locking mechanism
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TB205025N	1/4"	5~25Nm (3.69~18.4ft-lb)	\$99
M7-TB305025N	3/8"	5~25Nm (3.69~18.4ft-lb)	\$99
M7-TB320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$109
M7-TB420210N	1/2"	20~210Nm (14.8~155ft-lb)	\$129
M7-TB450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$169
M7-TB610060N	3/4"	100~600Nm (75~440ft-lb)	\$729
M7-TB615080N	3/4"	150~800Nm (110~590ft-lb)	\$850
M7-TB620100N	3/4"	200~1000Nm (150~740ft-lb)	\$939



WINDOW SCALE TYPE TORQUE WRENCHES

- Window scale screen with both Nm and ft-lb indicated
- Very precise adjustment of the torque setting can be achieved, with the turn handle clicking with each 1Nm adjustment
- Turn lever to unlock and lock the torque setting
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TW210222	1/4"	2~25Nm (1.5~18ft-lb)	\$139
M7-TW310552	3/8"	5~50Nm (3.5~37ft-lb)	\$159
M7-TW311102	3/8"	10~100Nm (8~75ft-lb)	\$169
M7-TW412202	1/2"	20~200Nm (10~150ft-lb)	\$189
M7-TW416302	1/2"	60~300Nm (45~200ft-lb)	\$199
M7-TW611602	3/4"	100~600Nm (75~440ft-lb)	\$659
M7-TW612102	3/4"	200~1000Nm (150~740ft-lb)	\$799



FLEXIBLE HEAD TORQUE WRENCHES

- 15 Degree flexible head
- Ft-lb marking scales on the front
- Pull back collar locking mechanism
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TF310080N	3/8"	13.5~108Nm (10~80ft-lb)	\$189
M7-TF430250N	1/2"	40.6~339Nm (30~250ft-lb)	\$245



WINDOW SCALE TYPE TORQUE WRENCHES - REVERSIBLE

- Window scale screen with both Nm and ft-lb indicated
- Reversible works in both clockwise and anti-clockwise direction
- Very precise adjustment of the torque setting can be achieved, with the turn handle clicking with each 1Nm adjustment
- Turn lever to unlock and lock the torque setting
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TD202025	1/4"	2~25Nm (1.5~18.4ft-lb)	\$169
M7-TD305050	3/8"	5~50Nm (3.5~36.9ft-lb)	\$179
M7-TD410100	1/2"	10~100Nm (8~75ft-lb)	\$199
M7-TD420200	1/2"	20~200Nm (10~150ft-lb)	\$215
M7-TD610060	3/4"	100~600Nm (75~440ft-lb)	\$699



SPLIT BEAM TORQUE WRENCHES

- Window scale screen with ft-lb indicated
- Adjustment of torque setting made with turn dial on side
- 15 Degree flexible head
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TS320100N	3/8"	27~135.6Nm (20~100ft-lb)	\$225
M7-TS440250N	1/2"	54.2~339Nm (40~250ft-lb)	\$255



ELECTRICIAN'S COBALT HOLESAW SET

Set includes: • 16, 20, 25, 32, 40, 51mm holesaws • 11/32" & 7/16" arbors • Thread adaptor (UN108-120)



GENERAL ENGINEERING COBALT HOLESAW SET

Set includes: • 16, 19, 22, 25, 32, 35, 38, 44, 51, 57. 64. 76mm holesaws • 11/32" & 7/16" arbors

• Thread adaptor • 12" Extension bar (UN108-100)



COBALT HOLESAW SET

Set includes: • 16, 19, 22, 25, 30, 35, 44, 51, 57, 73. 92. 114mm holesaws • 11/32" & 7/16" arbors

• Thread adaptor • 12" Extension bar (UN108-160)



CARBIDE BURR SETS - DOUBLE CUT

- Premium industrial quality burrs designed for heavy fabrication applications
- 1/4" Shank



3 PIECE 3/8" CARBIDE BURR SET

- 3/8" Cylindrical end cut
- 3/8" Cylindrical radius end
- 3/8" Tree shape radius end
- 1/4" Shank (CB-SET-03)



5 PIECE 3/8" CARBIDE BURR SET

- 3/8" Cylindrical end cut
- 3/8" Cylindrical radius end
- 3/8" Ball shape
- 3/8" Tree shape radius end
- 3/8" Cylindrical aluminium cut
- 1/4" Shank (CB-SET-01)



3/8" & 1/2" CARBIDE BURR SET

- 3/8" Cylindrical end cut
- 1/2" Cylindrical end cut
- 3/8" Cylindrical radius end
- 1/2" Cylindrical radius end
- 3/8" Tree shape radius end
- 1/4" Shank (CB-SET-05)





COUNTERSINK SET

- 3 FLUTE, 3 TO 20.5_{MM} • 3 to 8.4mm • 3 to 12.4mm
- 3 to 20.5mm (STSET-05)



COUNTERSINK SET

- 3 FLUTE, 3 TO 25MM • 3 to 10.4mm • 3 to 16.5mm
- 3 to 25mm (STSET-03)



COUNTERSINK SET 3 FLUTE, 3 TO 20.5_{MM}

- 3 to 6.4mm 3 to 8.4mm
- 3 to 10.4mm 3 to 12.4mm
- 3 to 16.5mm 3 to 20.5mm (STSET-01)



COUNTERSINK SET CROSSHOLE, 5 TO 20MM

- 5 to 10mm
- 10 to 15mm
- 15 to 20mm (SWSET-03)



STEP DRILLS SPIRAL FLUTE

• Titanium Nitride Coated

Part No.	Sizes Inc.	Price
SD4-20MM	4 to 20mm	\$42
SD5-25MM	5 to 25mm	\$66
SD6-30MM	6 to 30mm	\$115
SD7-40.5MM	7 to 40.5mm	\$190



STEP DRILL SET

SPIRAL FLUTE

- 4 to 20mm
- 5 to 25mm
- 6 to 30mm (SDSET-1)



STEP DRILLS STRAIGHT FLUTE

• Titanium Nitride Coated

Part No.	Sizes Inc.	Price
SDST4-12MM	4 to 12mm	\$38
SDST4-20MM	4 to 20mm	\$42
SDST5-25MM	5 to 25mm	\$66
SDST6-30MM	6 to 30mm	\$110



- 4 to 12mm
- 5 to 25mm
- 6 to 30mm (SDSTSET-1)


INDUSTRIAL QUALITY PETROL GENERATORS

TRADE SERIES

ITM Trade Series generators are equipped with a reliable AVR (Automatic Voltage Regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (Total Harmonic Distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate

- Powerful 4 stroke OHV engines

- Low oil sensor Digital multimeter display Large capacity fuel tanks









Part No.	TM510-2300	TM510-2800	TM510-3400	TM510-5500	TM510-6500	TM510-8000
Engine HP	6hp	7hp	8hp	13hp	15hp	17hp
KVA	2.8	3.5	4	6.8	8.1	10
Max Watts	2,300	2,800	3,400	5,500	6,500	8,000
Rated Watts	2,000	2,500	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	75dB	75dB	76dB	78dB	79dB	80dB
Outlets	2 x 15A					
Fuel Tank	15L	15L	15L	25L	25L	25L
Running Time - 50% Load	19 hours	16 hours	14 hours	13 hours	12 hours	10 hours
Starting System	Recoil	Recoil	Electric	Electric	Electric	Electric
Handle & Wheel Kit	No	No	No	Yes	Yes	Yes
Net Weight	41kg	44kg	52kg	81kg	85kg	85kg
Price	\$799	\$899	\$1099	\$1649	\$1849	\$1995

CONSTRUCTION SERIES

The Construction Series models have a simple push button electric start (battery included) with a convenient remote control which is perfect for the large property or worksite where the generator may not be close to the tool being powered.

All models come complete with a heavy duty handle and wheel kit, IP66 rated power outlets and RCD (Residual Current Device.) The construction series gens are perfect for the professional tradesman needing a tough yet reliable source of power.











Part No.	TM520-3400	TM520-5500	TM520-6500	TM520-8000
Engine HP	8hp	13hp	15hp	17hp
KVA	4	6.8	8.1	10
Max Watts	3,400	5,500	6,500	8,000
Rated Watts	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	76dB	78dB	79dB	80dB
Outlets	1 x IP66	2 x IP66	2 x IP66	2 x IP66
Fuel Tank	15L	25L	25L	25L
Running Time - 50% load	14 hours	13 hours	12 hours	10 hours
Starting System	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote
Handle & Wheel Kit	Yes	Yes	Yes	Yes
Net Weight	54kg	83kg	88kg	95kg
Price	\$1299	\$1899	\$2099	\$2299



POWERED by HONDA

PETROL GENERATORS

- Powered by Australian approved Honda GX Series Engines
- All models come complete with, IP66 rated power outlets and R.C.D. (Residual Current Device), the Construction Series Generators are perfect for the professional tradesman needing a tough yet reliable source of power
- Powerful 4 stroke O.H.V. engines
- · Low oil sensor
- · 2-year warranty, 3-year Honda engine warranty
- A.V.R. (Automatic Voltage Regulator)









TM522-3000
GX200
6.5hp
3,000
2,800
1 x 15A
3.6L
4.5 hours
47kg
\$1199



Part No.	TM522-6000
Engine Model	GX390
Engine HP	13hp
Max Watts	6,000
Rated Watts	5,500
Outlets	2 x 15A
Fuel Tank	25L
Running Time	13 hours
Net Weight	80kg
Price	\$2299

POWERED by HONDA

WATER PUMPS

50MM PETROL WATER TRANSFER PUMP

 Powered by Honda GX160 5.5hp 4 stroke engine



Part No.	TM532-050
Engine HP	5.5hp
Inlet / Outlet Size	50mm (2")
Maximum Suction Lift	7m
Maximum Head	32m
Maximum Flow	35,000 l/hr (583 l/min)
Net Weight	25kg
Price	\$999

- Powered by Australian approved Honda GX Series Engines
- · Heavy duty roll cage frame
- Heavy duty pump body
- 3-year Honda engine limited warranty
- 2-year trade warranty on pump

80MM PETROL WATER TRANSFER PUMP

- Powered by Honda GX160 5.5hp 4 stroke engine
- Ideal for high volume applications



Part No.	TM532-080
Engine HP	5.5hp
Inlet / Outlet Size	80mm
Maximum Suction Lift	7m
Maximum Head	30m
Maximum Flow	60,000 l/hr (1000 l/min)
Net Weight	27kg
Price	\$1099

50MM PETROL WATER PRESSURE PUMP

- Powered by Honda GX200 6.5hp 4 stroke engine
- Twin impeller delivers water higher and further



Part No.	TM532-250	
Engine HP	6.5hp	
Inlet Size	50mm (2")	
Outlet Size	1x 50mm (2"), 2x 38mm (1.5")	
Maximum Suction Lift	7m	
Maximum Head	75m	
Maximum Flow	21,000 l/hr (350 l/min)	
Net Weight	29kg	
Price	\$1099	

WATER PUMPS

50MM PETROL WATER TRANSFER PUMP



Part No.	TM530-050
Engine HP	7hp
Inlet / Outlet Size	50mm (2")
Maximum Suction Lift	7.5m
Maximum Head	32m
Maximum Flow	28,000 l/hr (466 l/min)
Net Weight	25kg
Price	\$429

- Twin impeller delivers water higher and further

80MM PETROL

25mm Max. particle size



· Powerful 7hp 4 stroke engines

Part No.	TM530-080	
Engine HP 7hp		
Inlet / Outlet Size	80mm	
Maximum Suction Lift 7.5m		
Maximum Head 25m		
Maximum Flow 60,000 l/hr (1000 l/m		
Net Weight	37kg	
Price \$679		

 Heavy-duty roll cage frame · 2-year trade warranty **50MM PETROL**

Heavy-duty aluminium pump body

WATER PRESSURE **PUMP**

 Twin impeller delivers water higher and further



Part No.	TM530-250	
Engine HP	7hp	
Inlet / Outlet Size	1x 50mm (2"), 2x 38mm (1.5")	
Maximum Suction Lift	7m	
Maximum Head	80m	
Maximum Flow	17,000 l/hr (283 l/min)	
Net Weight	36kg	
Price	\$539	

INDUSTRIAL SERIES COMPRESSOR FEATURES

- Durable copper wound motors
- Full brass non-return valve
- Soft start valve
- Condor pressure switches
- 145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



2.5HP DIRECT DRIVE **AIR COMPRESSOR - 50L**

• Ideal builder's compressor • Single cast iron cylinder pump with aluminium head • Filter regulator • 240V 10amp • Large 50L tank • FAD 175 l/min (TM350-25050)



2.2HP BELT DRIVE AIR COMPRESSOR - 50L

- Ideal builder's compressor V-Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240V 10amp
- Large 50L tank FAD 185 l/min (TM351-22050)



- · V-Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240V 10amp Large 60L tank
- FAD 257 l/min (TM351-25060)



2.5HP BELT DRIVE **AIR COMPRESSOR - 90L**

- · V-Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240V 10amp Large 90L tank
- FAD 257 l/min (TM351-25090)



• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 I/min • 240V 15amp (TM351-30050)



• Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator

• 60L tank • FAD 328 I/min • 240V 15amp (TM351-30060)



AIR COMPRESSOR - 90L • Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator

• 90L tank • FAD 328 I/min • 240V 15amp (TM351-30090)



DRIVE AIR COMPRESSOR - 60L • Powered by Honda GX160 5.5hp engine • HD cast iron

cylinder with aluminum head • Filter regulator • Large 60L tank • FAD 355 I/min (TM352-55060)



5.5HP 3 PHASE, STATIONARY AIR COMPRESSOR - 200L

• Ideal for commercial workshops • Twin cast iron cylinder pump with aluminium head • Soft start • Large 200L tank • FAD 507 I/min *(TM353-55200)*



7.5HP 3 PHASE, STATIONARY AIR COMPRESSOR - 270L

• Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 704 l/min *(TM353-75270)*



10HP 3 PHASE, STATIONARY AIR COMPRESSOR - 270L

• Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 1143 l/min *(TM353-10270)*

ALUMINIUM TWIN TANK COMPRESSOR FEATURES

- · Perfect for nailing applications
- Powerful 4 pole induction motors
- Oil free pumps for virtually maintenance free operation
- Very quiet, ideal for indoor use
- Light weight aircraft aluminium alloy tanks
- · Compact and portable design
- Max pressure: 135psi (9.3 bar)
- One-touch "Nitto style" couplers
- 3-year complete warranty





1.0HP DIRECT DRIVE AIR COMPRESSOR - 10L

- Silent oil free pump only 60dB! FAD: 62 l/min
- 10L tank Weight: 19kg (TM350-10010)



2.0HP DIRECT DRIVE AIR COMPRESSOR - 16L

- Silent oil free pump only 67dB FAD: 125 l/min
- 16L tank Weight: 26.4kg (TM350-20016)

TRADE SERIES COMPRESSOR FEATURES

- Ideal for the home workshop and intermittent professional user
- Maximum working pressure of 116 psi (8 bar)
- Regulated outlet
- One-touch "Nitto style" coupler
- · 3-year pump warranty



2.5HP DIRECT DRIVE

Single cylinder oil lubricated pump • FAD: 135 l/min
 Solid rubber wheels • 36L tank • Regulated outlet with

AIR COMPRESSOR - 36L

one-touch "Nitto style" connector (TM354-25036)

ITM AIR



2.2HP BELT DRIVE AIR COMPRESSOR - 50L

- V-Twin cast iron cylinder pump FAD: 170 l/min
- Solid rubber wheels 50L tank Regulated outlet with one-touch "Nitto style" connector (TM354-22050)



PVC AIR HOSES - FITTED

• Durable PVC • Grease, oil & abrasion resistant • Nitto style fittings • Kink proof collar • Max pressure: 300psi

Part No.	Description	Price
TM300-210	10M 3/8" I.D.	\$32
TM300-220	20M 3/8" I.D.	\$49
TM300-230	30M 3/8" I.D.	\$66



HIGH-FLEX AIR HOSES

- Hybrid polymer High-Flex hose
- Anti-kink technology, the hose will not kink when under pressure • Superior all weather flexibility -5°C to 65°C • 300psi maximum working pressure • Hi-visibility for safety
- Nitto style fittings

- Willo Style Illings		
Part No.	Description	Price
TM300-315N	15M 3/8" I.D.	\$55
TM300-330N	30M 3/8" I.D.	\$85
TM300-415	15m 1/2" I.D.	\$69
TM300-430	30m 1/2" I D	\$119



HIGH-FLEX AIR HOSES - BULK

- Hybrid polymer High-Flex hose
- Anti-kink technology the hose will not kink when under pressure flexibility -5°C to 65°C • 300psi max working pressure • No fittings or collar

Part No.	Description	Price
TM300-3100	100M 3/8" I.D.	\$319
TM300-4100	100M 1/2" I.D.	\$429
TM300-5100	100M 3/4" I D	\$699



\$749

FILTER REGULATORS

- Sintered bronze filter element
- Max input pressure 175psi
- Max output pressure 145psi
- 80ml drain capacity
- Includes mounting bracket

	-	
Part No.	Description	Price
TM340-012	• 1/4" Port	\$65
	 Semi-auto drain 	
	• 1750 I/min max flow	
TM340-014	• 1/2" Port	\$110

Automatic drain
 3000 I/min max flow



15M HOSE REEL

• Reinforced PVC air hose • Auto retractable • Auto lock to any length • Auto track guided hose laying system • Hose length: 15m • Hose I.D.: 10mm (3/8") (TM300-015)



20M HOSE REEL

• Hybrid high-flex air hose • Anti-kink technology • Auto lock to any length • Auto retractable • Hose length: 20m • Hose I.D.:10mm (3/8") • Hi-visibility for safety (TM300-020)



30M HOSE REEL

• Braided PU hose • Manual rewind • Heavy duty steel frame • Kink-proof collar on hose • Hose length: 30m • Hose I.D.: 8mm (TM300-030)



IMPACT WRENCH 1/2" **DRIVE**

- Heavy duty twin hammer 3 torque settings • Max torque: 680 Nm (500 ft-lb)
- Free speed: 7000rpm (TM340-135)



COMPOSITE IMPACT WRENCH 1/2" DRIVE

- Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings
- 820 Nm (625 ft-lb) Max torque
- 6,800rpm Free speed (TM340-136)



COMPOSITE IMPACT WRENCH 3/4" DRIVE

- Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings
- 1,200 Nm (885 ft-lb) Max torque
- 4,200rpm Free speed (TM340-145)



• 11 Piece 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24mm • Chrome Molybdenum Steel (Cr-Mo), hardened and tempered







RATCHET WRENCHES

- · Compact design Rear 4-speed regulator
- Max torque: 85 Nm (60 ft-lb)
- Free speed: 160rpm

Part No.	Drive	Price
TM340-225	3/8"	\$89
TM340-235	1/2"	\$99



DIE GRINDER

- Compact design
- Rear 4-speed regulator
- Length: 173mm
- Free speed: 25000rpm (TM340-312)



\$105

DIE GRINDER KIT WITH 3 CARBIDE BURRS

• Die grinder as per TM340-312, Including: 3/8" Cylindrical - End Cut,

3/8" Oval Shape, 3/8" Tree Shape - Radius End Cut (TM340-312KIT3)



ANGLE HEAD DIE GRINDER

- Compact design
- Rear 4-speed regulator
- Length: 180mm
- Free speed: 20000rpm (TM340-322)



CUT OFF TOOL

- Compact design
- Rear 4-speed regulator
- Cutting wheel: 75mm (3")
- Free speed: 20000rpm (TM340-502)



HYDRAULIC RIVETER

- Sets 2.4, 3.2, 4.0, 4.8mm Steel, Aluminium & Stainless steel rivets
- Traction Power: 3,086lb (1400kg)
- Stroke Length: 16mm (TM340-802)



NEEDLE SCALER

- Heavy duty metal construction
- Blows per minute: 2800
- Stroke: 24mm
- Length: 315mm (TM340-414)



AIR HAMMER KIT

- Includes 5 piece chisel kit
- Blows per minute: 3000rpm
- Stroke: 66mm

(TM340-404)



AIR DRILL 3/8" CHUCK

- Quick change keyless chuck
- Adjustable auxiliary handle
- Free speed: 2200rpm (TM340-724)



AIR DRILL 1/2" CHUCK

- · Quick change keyless chuck Adjustable auxiliary handle
- Free speed: 700rpm (TM340-734)



DUAL ACTION SANDER

- Toolless pad release system
- Dual action pad
- Sanding pad: 150mm (6")
- Free speed: 10000rpm (TM340-602)



PALM SANDER

- 2 in 1 central & non-vacuum
- Rear exhaust Sanding pad: 150mm (6") • Free speed: 10000rpm (TM340-614)





AIR BLOW GUNS

Part No.	Nozzle Length	Price
M7-JC405	125mm	\$13
M7-JC410	250mm	\$19
M7-JC412	305mm	\$20
M7-JC424	610mm	\$33
M7-JC435	890mm	\$40

EXTENDABLE SWIVEL AIR BLOW GUN

\$31

• Nozzle length: 6-1/2" to 12" / 165 to 305mm • Tube extends and retracts for optimal positioning • Nozzle angle rotates (M7-JC202)

SUPER AIR BLOW GUNS

Venturi nozzle with 3x airflow

Part No.	Nozzle Length	Price
M7-JC640	1016mm	\$115
M7-JC680	2032mm	\$185



ENGINE CLEANING GUN

- Cup capacity: 1.0L
- Composite body (M7-SX1615)



• Bar, psi, kpa & kg/cm²

- 0 to 220 psi range
- 1/4" BSP inlet
- · Nitto style plug (TM340-001)



SUCTION FEED GENERAL PURPOSE

• 2.0mm Nozzle • 1000ml Aluminium pot (TM340-901)



SUCTION FEED PROFESSIONAL

- 1.4mm & 2.0mm Nozzles • 1000ml Aluminium pot
- (TM340-902)



GRAVITY FEED GENERAL PURPOSE

• 2.0mm Nozzle • 600ml Plastic pot (TM340-903)



GRAVITY FEED PROFESSIONAL

- 1.4mm & 2.0mm Nozzles
- 600ml Plastic pot (TM340-904)



- Bar, psi, kpa & kg/cm²
- 40cm Hose
- Nitto style plug (TM340-002)



S-770 SERIES SUCTION FEED GUNS

• Pot size: 1000ml • Includes: Gun. pot, stainless steel nozzle and needle • A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional

Part No.	Size	Pattern	Price
S770-11S	1.5mm	235mm	\$175
S770-21S	1.7mm	245mm	\$175
S770-31S	2.0mm	260mm	\$175
S770-41S	2.5mm	275mm	\$175
S770-51S	3.0mm	275mm	\$230



S-106 SERIES **GRAVITY FEED GUNS**

- Pot size: 600ml
- · Includes: Gun, pot, stainless steel nozzle and needle
- · Provides constant paint flow at lower pressures, and extremely fine atomisation

Part No.	Nozzle Size	Spray Pattern	Price
S106-141G	1.4mm	250mm	\$210
S106-201G	2.0mm	270mm	\$210
S106-251G	2.5mm	270mm	\$225
S106-281G	2.8mm	270mm	\$225



SUCTION FEED TOUCH UP GUN

Pot size: 250ml Nozzle size: 1.4mm Spray pattern: 120mm Includes: Gun, pot, stainless steel nozzle and needle

• Ideal for custom designing, auto touch-up work, detail spray work and stencil spraying (SJ108)



PREMIUM SMP SERIES SUCTION FEED GUNS

- · Achieves large fan, premium finishing results, fast application speed and 65% transfer efficiency at 29psi
- Ideal for car refinishing, high class furniture and industrial use
- Adjustable spray pattern 280-330mm • Includes: Gun, 1000ml pot, stainless steel nozzle and needle

Part No.	Nozzle Size	Price
SG-SMP106FS-014	1.4mm	\$310
SG-SMP106FS-016	1.6mm	\$310
SG-SMP106FS-018	1.8mm	\$310
SG-SMP106FS-020	2.0mm	\$310
SG-SMP106FS-025	2.5mm	\$310



PREMIUM SMP SERIES GRAVITY FEED GUNS

- · Achieves large fan, premium finishing results, fast application speed and 65% transfer efficiency at 29psi
- Ideal for car refinishing, high class furniture and industrial use
- Adjustable spray pattern 280-330mm • Includes: Gun, 600ml pot, stainless steel nozzle and needle

Part No.	Nozzle Size	Price
SG-SMP106FG-013	1.3mm	\$300
SG-SMP106FG-014	1.4mm	\$300
SG-SMP106FG-015	1.5mm	\$300
SG-SMP106FG-018	1.8mm	\$300
SG-SMP106FG-020	2.0mm	\$300
SG-SMP106FG-025	2.5mm	\$300

PROFESSIONAL EVO-T SERIES GRAVITY FEED GUNS

- EVO-T Patented air cap design providing ultra fine finish & excellent transfer efficiency exceeding 72% at 15psi
- Adjustable spray pattern 280-330mm
- Includes: Gun, 600ml pot, stainless steel nozzle & needle

Part No. Nozzle Size	Price
SG-EV0106FG-013 1.3mm	\$320
SG-EV0106FG-014 1.4mm	\$320
SG-EV0106FG-018 1.8mm	\$320
SG-EV0106FG-020 2.0mm	\$320
SG-EV0106FG-025 2.5mm	\$320



M7

1/2" COMPACT AIR IMPACT WRENCH

- Lightweight, only 1.6kg
- · Low noise level, only 85dB
- · Compact size, only
- 115.5mm length
- Powerful, 680Nm (500ft-lb) max torque • 16mm Bolt capacity (M7-NC4610Q)



M7

\$415 EASY GREASE ANVIL SERIES CONTAIN

1/2" AIR IMPACT WRENCH

- · Compact size, only 104mm length
- Lightweight, only 1.4kg
- Powerful, 900Nm (650ft-lb) max torque
- 16mm Bolt capacity (M7-NC4650H)

M7

EASY GREASE ANVIL SERIES CONTAIN

1/2" AIR IMPACT WRENCH

- · Lightweight, only 1.7kg
- Powerful, 1650Nm
- (1200ft-lb) Max Torque
- Extra heavy duty twin hammer
- Value for money, high quality
 & specs 25mm Bolt capacity
- Magnesium composite body (M7-NC4255QH)

M7

1/2" AIR IMPACT WRENCH

- Lightweight, only 1.8kg
- Compact size. only 141mm length
- Powerful, 1500Nm (1100ft-lb) Max torque
- 25mm Bolt capacity
- Extra heavy duty twin hammer (M7-NC4256Q)

M7



3/4" AIR **IMPACT** WRENCH

- Lightweight, only 2.68kg
- · Low noise level, only 83dB
- Powerful, 1650Nm (1200ft-lb) Max torque . Compact metal body, only 171mm length • 25mm Bolt capacity (M7-NC6236Q)

 m_7



3/4" AIR IMPACT WRENCH

- · Lightweight composite body, only 1.9kg
- · Low noise level, only 85dB
- Powerful, 1900Nm (1400ft-lb) Max torque! • Compact - Only 198mm Length • 25mm Bolt capacity (M7-NC6255QH)

M7



SUPER DUTY 3/4" AIR IMPACT WRENCH

- · Lightweight composite body, only 3.0kg!
- Low noise level, only 88dB
- Powerful, 2000Nm (1500ft-lb) Max torque • Super Duty, designed

for the commercial tyre industry • 30mm Bolt capacity (M7-NC6266)



3/4" D HANDLE AIR IMPACT WRENCH

- Powerful, 2000Nm (1500ft-lb) Max torque
- 27mm Bolt capacity
- 320mm Overall length
- (M7-NC6218)

1" AIR IMPACT WRENCH

- Powerfulm 2000Nm (1500ft-lb) Max torque
- 5kg Weight 92dB Noise level 30mm Bolt capacity (M7-NC8217)

 m_7



\$1870

1" AIR IMPACT WRENCH

- 3250Nm (2400ft-lb) Max torque
- 36mm Bolt capacity 390mm Overall length • 100dB Sound pressure • 12.1kg (M7-NC8252)

 m_7



1" AIR IMPACT WRENCH

- 3650Nm (2710ft-lb) Max torque
- Very lightweight 11kg Mighty spring in the cylinder increases the air efficiency
- 39.7mm Bolt capacity 370mm Overall length • 100dB Sound pressure (M7-NC8382)

 m_7





3/4" DRIVE DEEP **IMPACT SOCKET SET**

• 8 Piece 21, 23, 24, 27, 30, 32, 36, 41mm (M7-MB65008M1)

 m_7



AIR HYDRAULIC RIVETER

- Nozzle sizes: 2.4, 3.2, 4.0, 4.8mm
- 4.8mm (3/16") Aluminium & steel
- 4.0mm (5/32") Stainless rivet capacity
- Traction power: 2303 lbf (M7-PA301)
- rivet capacity
- Stroke length: 16mm
 Net weight: 1.5kg



\$705

M7

HYDRAULIC RIVETER

Nozzle sizes:

2.4, 3.2, 4.0, 4.8, 6.0 & 6.4mm

- 6.4mm (1/4") Aluminium & steel rivet capacity
- 4.8mm (3/16") Stainless rivet capacity • Stroke length: 14mm • Net weight: 1.8kg
- Traction power: 3534 lbf (M7-PA201)





AIR HYDRAULIC RIVET NUT TOOL

- · Automatic mechanism to quickly push up and pull back rivet nut.
- · Comes with mandrel sizes: M3, M4, M5, M6, M8, M10 & M12
- Traction Power: 4300lbf
- Stroke Length: 7.0mm (M7-PB2601)





AIR HAMMER SET

- Blows per minute: 3200bpm
- Shank: Round 10.2mm
- · Includes 5 piece Chisel kit (M7-SC0517C)



M7

COMPACT

AIR DIE GRINDER

• Includes 1/4" & 1/8" collets

• Free speed: 25,000rpm

• Rated power: 0.3hp

(M7-QA111B)

• Length: 155mm • Net weight: 0.38kg







AIR DIE GRINDER

- Length: 190mm Net weight: 0.65kg
- Includes 1/4" & 1/8" collets
- Free speed: 20,000rpm
- Rated power: 0.9hp
- Heavy duty model (M7-QA211B)
- Die grinder with 6mm collet also available

m_7



90° ANGLE HEAD **AIR DIE GRINDER**

- Head height: 73mm
- Includes 1/4" & 1/8" collets
- Free speed: 19,000rpm
- Rated power: 0.3hp
- Net weight: 0.51kg (M7-QA611B)



(M7-SN1032)

Net weight: 1.33kg



EXTENDED AIR DIE GRINDER

- Length: 280mm
- Net weight: 0.63kg
- Includes 1/4" & 1/8" collets
- Free speed: 25,000rpm
- Rated power: 0.3hp (M7-QA315B)



AIR ENGRAVING

- Blows per minute: 1300bpm
- Net weight: 0.23kg (M7-QA511)



AIR SAW SET

- Quick change saw blade holder
- · Adjustable guide controls depth of cut
- 10mm stroke length
- Kit includes: 6x 24T saw blades, 6x 32T saw blades, 6 piece File set, Inline oiler (M7-QD291N)



EXTRA HEAVY DUTY AIR ANGLE GRINDERS

- Free speed: 11000rpm
- 1.3hp motor Safety lever throttle
- Heavy duty gears One piece housing

Part No.	Diameter	Spindle	Price	
M7-QB7114M	100mm	M10x1.5	\$545	
M7-QB7245M	115mm	M14x2.0	\$560	
M7-QB7215M	125mm	M14x2.0	\$570	
O de altre en la contra de al contra de al				

Grinding wheel not included





AIR CHIPPING HAMMERS

- Hex shank: 0.58" (15mm)
- Forged steel body provides industrial level quality and durability

Part No.	Blows Per Min.	Stroke Length	Overall Length	Price
M7-SN3222	2300	78mm	373mm	\$1090
M7-SN3223	1900	119mm	419mm	\$1170
M7-SN3224	1700	142mm	445mm	\$1500



- **RANDOM ORBITAL AIR SANDER**
- · Self generated vacuum • Pad diameter: 150mm
- Orbit: 5mm
- Free speed: 10,000rpm
- Net weight: 0.68kg (M7-QB55602)



- Keyless chuck
- Reversible
- Free speed: 800rpm
- Length: 210mm
- Quiet, only 83dB
- Net weight: 1.7kg (M7-QE841)





- Pad diameters: 50mm & 75mm
- Free speed: 18,000rpm
- Net weight: 0.5kg (M7-QP212)



• Free speed: 16,000rpm (M7-QB321 pictured)

Part No.	Belt Size	Overall Length	Price
M7-QB321	10 x 330mm	320mm	\$340
M7-QB322	20 x 520mm	430mm	\$485
M7-QB324	12.7 x 610mm	455mm	\$435



HEAVY DUTY HAND RIVETER Premium cast aluminium body

- Chrome molybdenum steel collet
- Durable powder coat finish • Comfortable rubber grip • 4 Nozzles included: 2.4mm, 3.2mm, 4.0mm, 4.8mm (TM620-004)



ROTATING HEAD HAND RIVETER

- Premium cast aluminium body • Chrome molybdenum steel collet • 360° Rotating head for hard to reach places
- Durable powder coat finish
- Comfortable rubber grip
- 4 Nozzles included: 2.4mm, 3.2mm, 4.0mm, 4.8mm (TM620-006)



\$65

NUTSERT HAND RIVETER

- Premium quality
- Cast aluminium construction
- Easy change mandrels
- Sets 3. 4. 5 & 6mm rivet nuts (TM620-014)



HEAVY DUTY COMPACT **HAND RIVETER**

- 4 Nozzles included: 2.4mm, 3.2mm, 4.0mm & 4.8mm • Spring loaded handle for automatic ejection of mandrel
- Smooth, easy one-handed operation
- · High grade aluminium construction
- · Chrome Molybdenum heat treated 3 jaw system (TM620-005)



EASY PULL TWIN HANDLE RIVETER

• Chrome molybdenum steel collet • 3 Jaw system • 5 Nozzles: 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm • Premium quality • Alloy body & Rubber grip handle (TM620-008)



SHORT ARM HAND RIVETER

• Premium quality • Strong aluminium alloy body • High impact long lasting PVC handle • Chrome molybdenum steel collet • 3 Jaw system • Durable powder coat finish • 5 Nozzles: 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm (TM620-010)



HEAVY DUTY LAZY TONG RIVETER

- Premium quality Single pull action designed for fast repetitive applications
- Strong aluminium alloy body Chrome
- molybdenum steel collet 3 Jaw system • 5 Nozzles: 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm (*TM620-012*)





























FORGED STEEL C CLAMPS

- Tempered & hot forged steel
- Nickel & chrome plating
- Hardened Acme spindle Swivel pad ensures even pressure is applied

Part No.	Span x Depth	Clamping Force	Price
EC-BC4	100x50mm	900kg	\$62
EC-BC5	125x65mm	850kg	\$66
EC-BC6	150x75mm	1000kg	\$75
EC-BC8	200x100mm	1000kg	\$95
EC-BC10	250x115mm	1200kg	\$125
EC-BC12	300x125mm	1500kg	\$155



FORGED STEEL FCLAMPS

• Premium quality forged steel clamps • Tempered & hot forged steel • Nickel & chrome plating

Part No.	Span x Depth	Clamping Force	Price
EC-G16CS	160x80mm	300kg	\$40
EC-G20CS	200x100mm	450kg	\$52
EC-G25CS	250x120mm	550kg	\$64
EC-G30CS	300x140mm	670kg	\$80
EC-G40CS	400x175mm	1000kg	\$105
EC-G60CS	600x175mm	1000kg	\$120
EC-G80CS	800x175mm	1000kg	\$140
EC-G100CS	1000x175mm	1000kg	\$155



• Changeable clamping heads

Socket drive handle

• Up to 1000mm span available

Part No.	Span x Depth	Clamping Force	Price
EC-GS30C	300x140mm	1200kg	\$145
EC-GS40C	400x120mm	1200kg	\$160
EC-GS50C	500x140mm	1200kg	\$175
EC-GS60C	600x120mm	1200kg	\$185
EC-GS80C	800x140mm	1200kg	\$200
EC-GS100C	1000x120mm	1200kg	\$225



QUICK ACTION FORGED STEEL FCLAMPS

 Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes

Part No.	Span x Depth	Clamping Force	Price
EC-G16L	160x80mm	300kg	\$85
EC-G20L	200x100mm	350kg	\$95
EC-G30L	300x140mm	500kg	\$135
EC-G40L	400x120mm	550kg	\$145
EC-G50L	500x120mm	550kg	\$150



PIVOT HANDLE FORGED STEEL **FCLAMPS**

 The comfortable pivot handle makes it easier to achieve maximum clamping pressure & allows faster clamping in restricted working areas

Part No.	Span x Depth	Clamping Force	Price
EC-REG20C	200x100mm	670kg	\$62
EC-REG30C	300x140mm	670kg	\$90
EC-REG40C	400x175mm	700kg	\$115
EC-REG60C	600x175mm	700kg	\$135



EXTRA HEAVY DUTY FORGED STEEL FCLAMPS

- Extra large rail size 40x20mm
- For heavy duty applications Changeable clamping heads
- Socket drive handle
- Up to 1500mm span available

Part No.	Span x Depth	Clamping Force	Price
EC-SS30C	300x175mm	2200kg	\$245
EC-SS40C	400x175mm	2200kg	\$265
EC-SS50C	500x175mm	2200kg	\$280
EC-SS60C	600x175mm	2200kg	\$305
EC-SS100C	1000x175mm	2200kg	\$400
EC-SS150C	1500x175mm	2200kg	\$495



CAST IRON F CLAMPS

- · Malleable cast jaws for strength and
- durability Serrated slip resistant profiled rail • Rubber grip handle • Removable soft pads

Part No.	Span x Depth	Price
TC-F200120	200x120mm	\$18
TC-F250120	250x120mm	\$20
TC-F300120	300x120mm	\$20
TC-F400120	400x120mm	\$22
TC-F500120	500x120mm	\$28
TC-F600120	600x120mm	\$31
TC-F800120	800x120mm	\$32



CAST IRON C CLAMPS

 Malleable cast jaws for strength and durability

Part No.	Span x Depth	Price
TC-C075	75 x 47mm	\$11.50
TC-C100	100 x 54mm	\$12.50
TC-C150	150 x 68mm	\$16
TC-C200	200 x 75mm	\$19
TC-C250	250 x 95mm	\$25
TC-C300	300 x 105mm	\$39



& SPREADER

- Durable plastic construction
- Removable rubber pressure pads
- Rubber grip handle Quick release lever • Head can be placed on opposite end to create a spreader

Part No.	Span x Depth	Price
TC-6PT	150 x 85mm	\$28
TC-12PT	300 x 85mm	\$29
TC-18PT	450 x 85mm	\$30
TC-24PT	600 x 85mm	\$31



• Cast alloy construction • 400kg clamping pressure • Head can be reversed to create a spreader • Removable soft pads • Spring loaded pressure jaw

MULTI FUNCTION

Part No.	Span x Depth	Price
EC-TC-6A	150x85mm	\$44
EC-TC-12A	300x85mm	\$48
EC-TC-18A	450x85mm	\$50
EC-TC-24A	600x85mm	\$54



FORGED HANDLE BOLT CUTTERS

- Two stage heat treated precision machined jaws for extended cutting and resilience
- Adjustable arms
- · Solid forged steel handles for durability
- Non-slip comfort rubber grips
- · Built in stops for added safety

Part No.	Length	Price
TM600-035	350mm	\$39
TM600-045	450mm	\$59
TM600-060	600mm	\$79
TM600-075	750mm	\$99
TM600-090	900mm	\$149
TM600-105	1050mm	\$199



EXTRA HEAVY DUTY BOLT CUTTERS

- Optimal performance for cutting high tensile material
- · Two stage heat treated, precision machined jaws for extended cutting and resilience
- Adjustable arms
- · Solid forged steel handles for durability
- · Built in stops for added safety

Part No.	Length	Price	
TM601-075	750mm	\$129	
TM601-090	900mm	\$169	
TM601-105	1050mm	\$199	



WORKSHOP BENCH VICES

- · Hardened steel jaws · Close grained cast iron body
- Integrated anvil for shaping and beating

Part No.	Jaw Width	Weight	Price
TM098-100	100mm	7kg	\$95
TM098-125	125mm	10kg	\$139
TM098-150	150mm	14kg	\$175
TM098-200	200mm	22kg	\$245



MECHANICS BENCH VICES

Part No.	Jaw Width	Weight	Price
TM100-075	75mm	7.5kg	\$89
TM100-100	100mm	10.0kg	\$129
TM100-125	125mm	15.5kg	\$185
TM100-150	150mm	18.0kg	\$220
TM100-200	200mm	31.0kg	\$330



MULTI-PURPOSE BENCH VICE

• Jaw width: 135mm • Jaw opening: 135mm • Pipe holding capacity: 25mm - 65mm • 18.5kg • Hardened & tempered jaws • 360° Rotation with safety locking nuts • 360° Swivel base • Hardened anvil (TM101-125)

FABRICATED STEEL BENCH VICES

• Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



OTE	AI	α	177	LAI	A #
STF	۲AI	GI	пι,	JA	vv

Part No.	Jaw Width	Weight	Price
TM102-100	100mm	10.5kg	\$160
TM102-125	125mm	18.5kg	\$280
TM102-150	150mm	22.6kg	\$315
TM102-200	200mm	37.0kg	\$585



OFFSET JAW

Part No.	Jaw Width	Weight	Price
TM104-100	100mm	11.2kg	\$165
TM104-125	125mm	20.3kg	\$315
TM104-150	150mm	25.0kg	\$335
TM104-200	200mm	60.0kg	\$860



100MM CROSS VICE

- Jaw width: 110mm Jaw opening: 100mm
- X movement: 85mm Y movement: 110mm
- Net weight: 7kg Cast iron body
- Machined steel jaws (TM130-100)



150MM CROSS VICE

- Jaw width: 160mm Jaw opening: 150mm
- X movement: 160mm Y movement: 155mm
- Net weight: 14.5kg Cast iron body
- Machined steel jaws (TM130-150)

MAGNETIC VICE JAWS

• Easy to use, simply place over existing jaws and 2 magnetic tabs hold jaws in place • Protects work piece from scoring or marking . Supplied as a pair



ALUMINIUM FACE

Part No.	To Suit	Price
TM120-100	100mm (4") Bench Vices	\$16
TM120-125	125mm (5") Bench Vices	\$18
TM120-150	150mm (6") Bench Vices	\$21



ALUMINIUM PRISM FACE

Part No.	To Suit	Price
TM121-100	100mm (4") Bench Vices	\$16
TM121-125	125mm (5") Bench Vices	\$18
TM121-150	150mm (6") Bench Vices	\$21



FIBRE FACE

Part No.	To Suit	Price
TM122-100	100mm (4") Bench Vices	\$16
TM122-125	125mm (5") Bench Vices	\$18
TM122-150	150mm (6") Bench Vices	\$21



RUBBER FACE

Part No.	To Suit	Price
TM123-100	100mm (4") Bench Vices	\$16
TM123-125	125mm (5") Bench Vices	\$18
TM123-150	150mm (6") Bench Vices	\$21



DRILL PRESS VICES

· Cast iron body · Machined steel jaws · Great for machine shops, fabrication workshops & tool rooms

Part No.	Jaw Width	Jaw Height	Capacity	Weight	Price
VDP078	78mm	19mm	86mm	1.7kg	\$30
VDP102	102mm	21mm	105mm	3.2kg	\$48
VDP150	150mm	28mm	150mm	7.2kg	\$82



PIPE VICES

- · Close grained cast iron body
- Perfect for repetitive clamping tasks
- · Hinged section allows quick access to material

Part No.	Pipe Diameter	Price
TM114-068	8 - 68mm	\$80
TM114-078	8 - 78mm	\$115
TM114-120	13 - 120mm	\$230

CHAIN **PIPE VICES**

- Hardened steel jaws
- · Close grained cast iron body
- Offers excellent grip for irregular shapes due to flexibility of the chain
- Can be rapidly tightened to provide a very strong grip on the pipe





PARTS CABINETS

- Highest quality & heavy duty, robust parts cabinets designed for every day industrial use
- Metal frame construction using 0.8mm galvanised steel
- ABS High strength plastic drawers. Oil, acid and impact resistant.
- Large range of sizes and styles
- Drawers come with dividers & contents description slip

DIVIDERS

• Packs of 10

Part No.	Description	Price
PB-A4DIVIDER	10x A4 Series Dividers	\$5.60
PB-A5DIVIDER	10x A5 Series Dividers	\$6.70
PB-A6DIVIDER	10x A6 Series Dividers	\$7.70
PB-A7DIVIDER	10x A7 Series Dividers	\$5.60
PB-A8DIVIDER	10x A8 Series Dividers	\$6.70
PB-HDDIVIDER	10x HD Series Dividers	\$7.70



A8 SERIES

- 60 drawers 10kg capacity per drawer Slots for 3x dividers • 1x divider supplied per drawer
- 586Wx222Dx937H (PB-A8560)



ST1 SERIES

• 75 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST1575)



ST2 SERIES

• 60 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST2460)



A5 SERIES

• Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer





PB-A5336 **36 DRAWERS** 586Wx290Dx937H

\$585



A6 SERIES

• 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer





PB-A6330H **30 DRAWERS** 533W x 265D x 937H



A7 SERIES

• Transparent PS plastic window • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per





PB-A7448 **48 DRAWERS** 586Wx222Dx937H



PB-A7448D **48 DRAWERS** 586Wx270Dx970H

^{\$}730



DIGITAL VERNIER CALIPERS

· Large easy to read dual mode LCD screen (metric/imperial) • Manufactured from hardened stainless steel . Suitable for inside, outside, depth and step measurements • Auto off feature • Zero setting at any position • Durable plastic storage case • Graduation: 1mm intervals • Accuracy: +/-0.03mm • Resolution: 0.01mm (0.0005")

· Battery included



VERNIER CALIPERS

- · Metric and imperial measurements
- Manufactured from hardened stainless steel
- Convenient thumb screw locking mechanism
- Suitable for inside, outside, depth and step
- measurements Durable plastic storage case • Graduation: 1mm intervals • Lower resolution:
- 0.05mm Accuracy: +/- 0.03mm



25мм DIGITAL OUTSIDE MICROMETER

• Enamelled frame • Carbide tipped measuring faces • Ratchet stop and locking screw • Dual mode digital display (metric/imperial) • Auto off feature • Durable plastic storage case • Range: 0 - 25mm • Graduation: 0.001mm (0.00005")

- Accuracy: +/- 0.004mm Jaw reach: 23mm
- Battery included (TM610-625)



25_{MM} OUTSIDE **MICROMETER**

- Enamelled frame Ratchet stop and locking screw • Carbide tipped measuring faces
- Ratchet thimble Durable plastic storage case • Range: 0 - 25mm • Graduation: 0.01mm
- Accuracy: +/- 0.04mm Jaw reach: 29mm (TM610-525)





\$58

6 PIECE SET

- Inside Caliper 4" (100mm)
- Screw Cutting Gauge
- Steel Rule 6" (150 mm)
- Pocket Scriber 3-1/2" (89mm)
- Outside Caliper 4" (100mm) Centre Punch 5/32" (4mm)

(GZ-03600)



7 PIECE SET

- Engineer's Precision
- Square 4" (100mm)
- Jenny Caliper 6" (150mm)
- Steel Rule 6" (150 mm)
- Double Ended Scriber 7-1/2" (190mm)
- Centre Punch (4mm)
- Spring Divider 4" (100mm)
- Adjustable Tap & Reamer Wrench 180mm

(GZ-03601)



SCRIBERS

• 55-60 HRC hardened tips

	Part No.	Description	Price
	GZ-03210	190mm Double End Scriber, Steel Body, Straight & 90° Point	\$8.50
	GZ-03211 230mm Double End Scriber, Steel Body, Straight & 90° Point GZ-03214 89mm Pocket Scriber, Steel Body		\$9.50
			\$11
	GZ-03217	170mm Double End Scriber, Steel Body, Point And Chisel End	\$8.50
	GZ-03221	150mm Pocket Scriber, Steel Body, Carbide Tip With Magnet	\$14

MACHINIST'S SQUARES

• High grade steel with hardened blade



404
nm \$31
nm \$64
nm \$95

Part No.	Description	Price
GZ-01110	Set Including: 50, 75, 100, 150mm	\$70



MULTI-USE RULE & GAUGE

Can be used as: 118° Drill point gauge, A protractor, Circle divider, Tap and drill table, 100mm ruler (GZ-01240)

DEGREE PROTRACTORS

- Stainless steel
- 150 mm blade

Part No.	Head Shape	Price
GZ-01220	Round	\$31
GZ-01224	Rectangular	\$34



Suitable for ressing, truing, sharpening and removing glaze from solid abrasive wheels

Part No.	Size	Wheel Range	Length	Diameter	Price
GZ-12070	0	500mm	255mm	32mm	\$25
GZ-12071	1	750mm	270mm	38mm	\$35



SPRING CALIPERS & DIVIDERS

- · Constructed from high grade steel
- Divider points are hardened 50-55 HRC



SPRING INSIDE **CALIPERS**

Part No.	Arm Length	Price
GZ-01401	100mm	\$14
GZ-01402	150mm	\$18
GZ-01403	200mm	\$23
GZ-01404	250mm	\$30
GZ-01405	300mm	\$35



SPRING OUTSIDE CALIPERS

Part No.	Arm Length	Price
GZ-01411	100mm	\$14
GZ-01412	150mm	\$18
GZ-01413	200mm	\$23
GZ-01414	250mm	\$30
GZ-01415	300mm	\$35
GZ-01828	600mm	\$75



SPRING DIVIDERS

Part No.	Arm Length	Price
GZ-01421	100mm	\$14
GZ-01422	150mm	\$18
GZ-01423	200mm	\$23
GZ-01424	250mm	\$30
GZ-01425	300mm	\$35





- Cold Chisels: 125 x 6mm, 125 x 8mm, 140 x 10mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm
- Pin Punches: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"
- Starting Punches: 1/16", 1/8", 5/32", 3/16", 3/16", 1/4", 5/16"
- Centre Punches: 5/64", 5/32", 1/4" (GZ-33003)



- Cold Chisels: 140 x 10mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm
- Centre Punches: 5/32". 1/4"
- Pin Punches: 1/16", 1/8", 3/16"
- Drift Punches: 1/8", 5/32"
- Starting Punches: 5/16", 1/8" (GZ-33001)



16 PIECE SET

- Cold Chisels: 125 x 8mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 200 x 22mm
- Centre Punches: 1/8", 5/32", 1/4"
- Pin Punches: 1/8", 3/16", 1/4"
- Drift Punches: 3/16", 1/4"
- Starting Punches: 1/8", 3/16", 1/4"

(GZ-33002)



26 PIECE SET

- Centre Punches: 5/32". 1/4". 3/8"
- Pin Punches: 3/32", 1/8", 5/32", 3/16", 1/4", 3/8"
- Starting Punches: 1/16", 1/8", 3/16", 1/4"
- Drift Punches: 1/8", 3/16", 1/4"
- Prick Punch: 5/32"
- Cold Chisels: 125 x 6mm, 125 x 8mm, 140 x 10mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm,

200 x 25mm, 300 x 13mm (GZ-33004)



\$215



8 PIECE SET

- · Cold Chisels: 150 x 13mm, 163 x 16mm, 175 x 19mm
- Centre Punch: 5/32"
- Pin Punches: 1/8", 3/16", 1/4"

WITH GRIP

• Starting Punches: 3/16" (GZ-33000)



HOLLOW PUNCH SET

• 6 piece set including 5, 6, 8, 10, 11, 12mm (GZ-26391)



ARCH PUNCH SET

• 7 piece set: 6, 10, 12, 16, 19, 22, 25mm (GZ-26441)



GROZ

BRICK BOLSTERS

- High quality carbon steel · Accurately hardened to BS 3066 specification
- 52 58 HRC cutting edge

OCTAGONAL COLD CHISELS · High quality forged alloy steel

Part No. Dimensions Price

WITHOUT GRIP



Part No.	Dimensions	Price
GZ-32841	250 x 19mm	\$22
GZ-32843	300 x 19mm	\$23
GZ-32842	250 x 25mm	\$30
GZ-32844	300 x 25mm	\$35

STEEL **PUNCHES** NUMBER

STAMPS

Part No.	Size	Price
GZ-25902	3mm	\$14
GZ-25903	4mm	\$16
GZ-25904	5mm	\$20
GZ-25905	6mm	\$26
GZ-25906	8mm	\$36
GZ-25907	10mm	\$44
GZ-25908	12mm	\$80



X	Part No.	Size	Price
9	GZ-26102	3mm	\$42
	GZ-26103	4mm	\$44
g	GZ-26104	5mm	\$60
7	GZ-26105	6mm	\$75
	GZ-26106	8mm	\$105
Ä	GZ-26107	10mm	\$125
	GZ-26108	12mm	\$230

WITHOUT GRIP

Part No.	Diade Width	Price
GZ-32601	75mm	\$35
GZ-32602	100mm	\$40

WITH GRIP

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Part No.	Blade Width	Price
GZ-32621	75mm	\$44
GZ-32622	100mm	\$46



GZ-32800 125 x 6mm GZ-32801 125 x 8mm GZ-32802 140 x 10mm GZ-32803 150 x 13mm \$7.20 GZ-32804 163 x 16mm GZ-32805 175 x 19mm GZ-32818 200 x 13mm GZ-32825 200 x 19mm GZ-32826 250 x 19mm GZ-32812 300 x 19mm \$14 GZ-32823 250 x 25mm GZ-32814 300 x 25mm

GROZ



COLD CHISEL SET

• 6 pce • 125x6mm, 125x8mm, 140x10mm, 150x13mm, 163x16mm 175x19mm (GZ-32830)



PIN PUNCH SET

 Hardened and tempered carbon steel • 6 piece set: 2.4mm (3/32"), 3mm (1/8"), 4mm (5/32"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16") (GZ-25612)



EXTRA LONG PIN PUNCH SET

• 200mm OAL • 5 piece set: 3mm (1/8"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16"), 9.5mm (3/8") (GZ-25655)



CENTRE PUNCH SET

 Hardened and tempered carbon steel, designed for demanding industrial use • 5 piece set: 2mm (5/64"), 3mm (1/8"), 4mm (5/32"), 6mm (1/4"), 9.5mm (3/8") (GZ-25205)



NAIL PUNCH SET

· Hardened and tempered high grade carbon steel • 9.5mm (3/8") square head • 3 piece set: 0.8mm (1/32"), 1.6mm (1/16"), 2.4mm (3/32") (GZ-25366)





PIVOT PRO KNIFE & TOOL SHARPENER

- Handheld sharpener for a 25° convex edge
- Sharpens knives, scissors, shears, garden tools, axes
- Convex carbides quickly restore a sharp edge, while the fine grit ceramic rods hone a knife edge to factory sharp results
- Compact, packable & portable design (WSHHDPVT-I)



PRECISION ADJUST KNIFE SHARPENER

 Angle adjustable, three abrasive grit, knife sharpening system that delivers precision and repeatability

• Sharpening angle can be easily adjusted from 15° to 30°

- in 1° increments to sharpen every knife you own
- 320 grit & 600 grit diamond plates to quickly restore a sharp edge, and a fine grit ceramic stone to hone an incredibly keen edge on any knife
- Innovative clamp design quickly and safely secures the knife
- Sharpening base provides a stable platform for benchtop sharpening (WSBCHPAJ-I)





WHETSTONE KNIFE SHARPENER

- The Whetstone Knife Sharpener is an angle guided, dual-grit sharpening water stone for knives and fine edge tools
- Premium 1000 grit and 6000 grit aluminium oxide sharpening stone creates incredibly sharp edges
- Sharpening base provides a stable platform and increased water control for less mess and faster clean up
- 17° and 20° removeable sharpening guides (WSBCHWHT-I)



*gg BENCHSTONE KNIFE SHARPENER

- The Benchtop Bench Stone is an angle guided, 3-sided abrasive sharpening system
- Medium and fine grit diamond plates quickly restore a sharp edge, while the fine grit ceramic stone creates an incredibly keen edge on any knife
- The innovative Pivot-Response™ System allows the abrasive to follow the curve of the blade making manual sharpening faster, easier and more precise than ever
- 20° and 25° sharpening guides (WSBCHBSS-I)



\$215

WSKTS MK2 ELECTRIC SHARPENER

- 240V Flexible Belt Sharpener
- Quickly toggle between the 25° angle for outdoor and pocket knives and the 20° angle for thinner blades and kitchen knives
- Scratch resistant leather linings to protect blade faces
- Two-speed motor, low speed gives more control when sharpening a knife yet still provides all the power you need for heavier sharpening and grinding tasks on tools like lawnmower blades, axes and other common lawn & garden tools (WSKTS2-I)



KEN ONION EDITION KNIFE & TOOL SHARPENER

• 240V Electric knife sharpener • The 3/4" x 12" premium, flexible engineered abrasive belts sharpen virtually any shape or type of knife • The sharpening guide is fully adjustable in 1° increments from 15° to 30° • Variable speed control 6000 - 14000rpm (WSKTS-KO)

LOCAL DISTRIBUTOR

Edcon Steel

Blacktown

Cnr Vardys & Valediction Rds, Kings Park NSW 2148

P: 02 9676 3699

E: blacktown@edconsteel.com.au

W: www.edconsteel.com.au

Bathurst

Unit 7, 122 Milperra Rd, Revesby NSW 2212 5P: 02 9772 3800 F

E: revesby@edconsteel.com.au W: www.edconsteel.com.au

Revesby

51 Sydney Rd, Raglan NSW 2795

P: 02 6330 9333 E: bathurst@edconsteel.com.au

W: www.edconsteel.com.au

Brookvale

Unit 10, 9-13 Winbourne Rd, Brookvale NSW 2100 P: 02 9938 8555

E: brookvale@edconsteel.com.au

W: www.edconsteel.com.au

Orange

23 Leewood Drive, Orange NSW 2800

P: 02 6392 8566

E: orange@edconsteel.com.au

W: www.edconsteel.com.au

Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO 30TH JUNE 2022